



Prestige Dental Products, Inc

Prestigedentalproducts.com


Tel: 877-772-3888 Fax: 714-632-8821


Alloy Capsules

GS-80 Amalgam Capsules (SDI)

Optimal handling characteristics GS-80's consistent mix, ease of

loading, placement in preparations, condensability, burnish ability, quality of interproximal contact, carvability, and setting characteristics ensure the final restorations meet the needs of the operator.





1 Spill, Fast Set, 50 capsules	12-11138
1 Spill, Regular Set, 50 capsules	12-11133
2 Spill, Fast Set, 50 capsules	12-11136
2 Spill, Regular Set, 50 capsules	12-11137
3 Spill, Fast Set, 50 capsules	12-11144
3 Spill, Regular Set, 50 capsules	12-11143
1 Spill, Fast Set, 500 capsules	12-11134
1 Spill, Regular Set, 500 capsules	12-11135
2 Spill, Fast Set, 500 capsules	12-11139
2 Spill, Regular Set, 500 capsules	12-11141
3 Spill, Fast Set, 500 capsules	12-11142
3 Spill, Regular Set, 500 capsules	12-11140

Permite Alloy Capsules (SDI)

Optimal handling characteristics in the dental advisor plus, permite received a 98% rating for consistency of mix, ease of loading, placement in preparations, condensability, burnish ability, quality of interproximal contact, carvability and setting characteristics. The resulting restorations are smooth and have excellent margin adaptation, especially after burnishing.



1 Spill, Regular Set, 50 capsules	12-11185
2 Spill, Regular Set, 50 capsules	12-11179
3 Spill, Regular Set, 50 capsules	12-11181
1 Spill, Regular Set, 500 capsules	12-11180
1 Spill, Fast Set, 500 capsules	12-11178
2 Spill, Fast Set, 500 capsules	12-11182
2 Spill, Regular Set, 500 capsules	12-11183
3 Spill, Fast Set, 500 capsules	12-11186
3 Spill, Regular Set, 500 capsules	12-11184



Prestige Dental Products, Inc. Prestigedental products.com

Tel: 877-772-3888

Septallov NG50 (Septodont)

- The zinc-free amalgam restorative that's a viable and cost effective alternative to composites.
- Single composition, non-gamma 2, ternary dental amalgam
- Compressive strength after 24 hours
- >350 MPa (beyond the requirements of ISO standards)
- Zinc-free, easy handling and greater corrosion resistance
- Trituration time: 6 to 8 seconds
- Working time: 3.5 minutes

2 Spill, Regular Set, 500 capsules	12-89391
1 Spill, Regular Set, 500 capsules	12-89392
2 Spill, Regular Set, 50 capsules	12-89393

Wykalloy (Wykle)

- Economical alloy with hide strength
- Long lasting
- Crunchy feeling while condensing
- High luster restorations
- Excellent marginal adaption
- No gamma 2 no corrosion
- Pre-dosed for a consistent mix
- Composition: 43.1% Ag, 30.8% Sn, and 26.1% Cu Made in USA

2 Spill, Regular Set, 50 capsules	12-26193
1 Spill, Regular Set, 500 capsules	12-26192
2 Spill, Regular Set, 50 capsules	12-26191

Contour Alloy Capsules (Kerr)

- Self-activating. Fast & easy, no activation step
- Pouched mercury. Reliable and consistent mixes
- "Pinch & Turn" opening technique. No tool required
- Re-sealable capsule. Efficient and compliant disposal
- Traditional color-coding system. Nothing new to remember, looks just like the original
- Works with any amalgamator. No new equipment required

* *	The state of the s
1 Spill, Fast Set, 500 capsules	12-11128
1 Spill, Regular Set, 500 capsules	12-11126
2 Spill, Fast Set, 500 capsules	12-11127
2 Spill, Regular Set, 500 capsules	12-11129

D-Phase II Amalgam Caps

- Self activating
- Composition: 75% silver, 27% tin, 16% copper
- Superior handling and polishing
- Low creep (0.2%) compressive strength (23,000psi at 1 hour)
- Virtual elimination of gamma II phase
- Results in durable corrosion-free restorations





1 Spill (Green/Gray), Regular Set, 50 capsules	12-12004
2 Spill (Navy/Gray), Regular Set, 50 capsules	12-12005
3 Spill (Yellow/Gray), Regular Set, 50 capsules	12-12006
1 Spill (Green/Gray), Fast Set, 50 capsules	12-12007
1 Spill (Green/Gray), Regular Set, 500 capsules	12-12010
2 Spill (Navy/Gray), Regular Set, 500 capsules	12-12011
3 Spill (Yellow/Gray), Regular Set, 500 capsules	12-12012
1 Spill (Green/Gray), Fast Set, 500 capsules	12-12013
2 Spill (Navy/Gray), Fast Set, 500 capsules	12-12014
3 Spill (Yellow/Gray), Fast Set, 500 capsules	12-12015
2 Spill (Navy/Gray), Fast Set, 50 capsules	12-12008
3 Spill (Yellow/Gray), Fast Set, 50 capsules	12-12009

Dispersalloy (Dentsply Caulk)

The worlds most widely used alloy. Its consistent mix of lathe-cut particles and silver-copper eutectic spheres virtually eliminates the gamma 2 phase, yielding exceptional corrosion resistance & reduces ditching & thanks to its patented self-activating capsules, no activation tool is needed. Self activating capsules for durable corrosion free restorations.



3 Spill, Fast Set, 50 capsules 12-112151

Original D Amalgam Capsules (Wykle)

- Consistent mixes with controlled set times
- Firm resistance to condensing
- Superior marginal integrity
- No gamma2 no corrosion
- Low creep
- High early/long-term compressive strengths
- Hg safe capsule design



1 Spill, Extra Fast Set, 50 capsules	12-11167
1 Spill, Fast Set, 100 capsules	12-11169
1 Spill, Fast Set, 50 capsules	12-11171
1 Spill, Fast Set, 500 capsules	12-11170



Prestige Dental Products, Inc. Prestigedentalproducts.com Tel: 877-772-3888

1 Spill, Regular Set, 50 capsules	12-11172
1 Spill, Regular Set, 500 capsules	12-11173
2 Spill, Extra Fast Set, 50 capsules	12-11176
2 Spill, Fast Set, 100 capsules	12-11165
2 Spill, Fast Set, 50 capsules	12-11163
2 Spill, Fast Set, 500 capsules	12-11155
2 Spill, Regular Set, 100 capsules	12-11156
2 Spill, Regular Set, 50 capsules	12-11158
2 Spill, Regular Set, 500 capsules	12-11157
3 Spill, Fast Set, 100 capsules	12-11159
3 Spill, Fast Set, 50 capsules	12-11161
3 Spill, Fast Set, 500 capsules	12-11160
3 Spill, Regular Set, 100 capsules	12-11162
3 Spill, Regular Set, 50 capsules	12-11164
3 Spill, Regular Set, 500 capsules	12-11175

Lojic + Alloy Capsules (SDI)



1 Spill, Regular Set, 500 capsules	12-11147
1 Spill, Fast Set, 500 capsules	12-11150
2 Spill, Regular Set, 500 capsules	12-11148
2 Spill, Fast Set, 500 capsules	12-11149
3 Spill, Regular Set, 500 capsules	12-11151
3 Spill, Fast Set, 500 capsules	12-11152

Tytin Alloy Capsules (Kerr)

The thoroughbred of alloys with a high silver content and spherical particle formula, tytin has delivered excellent clinical performance for decades. It is extremely smooth, easy to place and carve, and accepts immediate polishing (3 minutes) in class I restorations. Tytin capsules are self-activating and no special activation.

are self-activating and no special activation device is required



1 Spill, Regular Set, 50 capsules	12-11220
1 Spill, Regular Set, 500 capsules	12-11216
2 Spill, Regular Set, 50 capsules	12-11217

2 Spill, Regular Set, 500 capsules	12-11218
3 Spill, Regular Set, 50 capsules	12-11219
3 Spill, Regular Set, 500 capsules	12-11221


Tytin FC (Kerr)

- Firm condensation
- Featuring good, firm condensation resistance
- Plastic enough to easily flow into the corners
- Controlled expansion to control leakage 61% Silver



2 Spill, Fast Set, 500 capsules	12-108371
2 Spill, Regular Set, 500 capsules	12-108372
1 Spill, Fast Set, 500 capsules	12-108373
1 Spill, Regular Set, 500 capsules	12-108374
1 Spill, Regular Set, 50 capsules	12-108375
1 Spill, Fast Set, 50 capsules	12-108376


Amalgam Carrier





#1, behrman amalgam plugger	40-11121
#2, regular/large double ended	40-11120
#3, regular/regular double ended	40-11119
#4, regular/jumbo double ended	40-11118
#5, large/large double ended	40-11117
#6, jumbo/jumbo double ended	40-11116
#7, regular single ended	40-11115
#8, large single ended	40-11114
#9 , jumbo single ended	40-11113
#10, gun type single ended	40-11112

Amalgam Carriers (NorDent)



Regular/Jumbo, the "regular" barrel has an inside diameter of 2.0mm and is 5mm deep. The "jumbo" barrel has an inside diameter of 3.0mm and is 5mm deep

Regular/Large, the "regular" barrel has an inside diameter of 2.0mm and is 5mm deep. The "large" barrel has an inside diameter of 2.7mm and is 5mm deep. *Our most popular pattern*

Regular/Mini, the "regular" barrel has an 12-11227 inside diameter of 2.0mm and is 5mm deep. The "mini" barrel has an inside diameter of 1.5mm and is 5mm deep.

Jumbo/Jumbo, both barrels are the same. 12-11228 They have an inside diameter of 3.0mm and are 5mm deep


Condensaire Amalgam Condenser

Condensaire amalgam condenser offers a safe and effective way to condense amalgam automatically



4 Hole, Autoclavable Complete Kit, ea. 12-83117

Universal Material Carrier



Straight, Blue Ocean, each	12-111931
Straight, Green Grass, each	12-111932
Straight, Light Grey, each	12-111933
Straight, Black Knight, each	12-111934
Right Angle, Blue Ocean, each	12-1119312
Right Angle, Green Grass, each	12-1119334
Right Angle, Light Grey, each	12-111935
Right Angle, Black Knight, each	12-111936
Right Angle Mini, Blue Ocean, each	12-11193123
Right Angle Mini, Green Grass, each	12-1119345
Right Angle Mini, Light Grey, each	12-1119367
Right Angle Mini, Black Knight, each	12-111938

Amalgam Separation Systems/Recycling

Air Water Separators w/ Vapor Stop (Tech West)

Air-water separators are available in single, dual, and triple models. They are designed to separate the liquid entrained in their exhaust. A vapor-stop fitting allows the liquids to create a gas and vapor trap, thereby eliminating odors and contaminants from entering the equipment location. All models include vapor-stop, hoses, fittings, P-trap adapter and a mounting bracket



Single, 16"H x 16"W x 9"D	30-89281
Dual, 16"H x 16"W x 9"D	30-89282
Triple, 16"H x 11"W x 9"D	30-89283



We Work Hard So You Don't Have To. 877-772-3888



Amalgon Pre Paid Postage Amalgam Recycling (WCM)

Amalgon is the most convenient way to properly manage amalgam/amalgam contaminated items; after you fill the container with amalgam contaminated waste, simply attach the pre paid shipping label and give the Amalgon container to your UPS driver. The Amalgon container is shipped to our authorized recycling center where the contents are promptly recycled



1-Gallon Capacity

12-11124

Eco-Star Amalgam Separator (Tech West)

The Eco-Star Amalgam Separator boasts a high containment capacity for extended service and pump life, cutting-edge cyclonic design with rapid velocity and waste capture. There are less parts, reducing potential leak and failure points and a fully molded design offering a clear view of the system in action. With ISO 11143:2008 certification by NSF, meeting best management practice and over 99% removal, ECO-Star's high efficiency cyclonic vacuum filtration solution leads the way in advanced vacuum filtration while also complying with the rigid amalgam separation requirement



Amalgam Separator

Cartridge Filter

12-111841 12-111842

HG5 Amalgam Separation System (Solmetex)

Hg5 systems provide is outstanding performance, capturing amalgam and sediment from dental waste streams



- Easy to operate and maintenance



- Flexible for wet or dry vacuum systems
- System is clear, making it possible to visualize functionality
- Simple collection container change process includes no tools, no mess; packaging for delivery to certified recycler, recycle certificate issued to practice, no middleman required for disposal, no additional charges for shipping to recycling facility
- No contracts with hidden fees
- No electricity required
- No decanting, pumps, timer

2 years warranty

1 to 4 Operatories	12-25412
1 to 10 Operatories	12-25413
11 to 20 Operatories	12-25414
Complete Kit: Replacement collection container/ recycle kit	12-25415

Recycle Kit: Mail in program, shipping to 12-25416 the recycler, recycling & documentation

Medentotainer Waste Amalgam Solution (Medentex)

Waste	Waste	Waste	Cap	Toothbox
Amalgam XL	Amalgam L	Amalgam S	Guard	
		-		
	-			
		-		_
24				
			()	
6.5 gallon	4.0 gallon	1.5 gallon	1.5 gallon	0.35
on Burion	Surion	Jie ganton	Surron	gallon

The medentotainer is specifically designed for the proper hygienic disposal and recycling of dental wastes, including amalgam, lead foils, and extracted teeth containing amalgam. Medentex features a full service disposal, recycling, re-shipment, and creation of a recycling certificate with our medentotainer. Our customers can be assured that all of the waste medentex receives will not end up in a landfill. Medentex recycles 100% of all amalgam waste at its own recycling facility.

X-large 6.5 Gallon, container	12-98691
Large 4.0 Gallon, container	12-98692
Small 1.5 Gallon, container	12-98693
Toothbox 0.35 Gallon, container	12-98694
Cap Guard 1.5 Gallon, container	12-98695

Replacement Canister for Amalgam Separator (Rasch)

- Fits all Rasch/AB dental amalgam separators 890-1000, 890-1500, 890-6000, 890-7000, etc - Average lifespan 18 months

- Average lifespan 18 months (at 5 amalgam removals per day)

- Includes disinfectant



12.5" x 9" x 5", each 12-105191

The Simple One Amalgam Separator

The Simple One will make you compliant with new federal EPA rules and most state legislature. Through eliminating the build-up of hazardous mercury in the suction lines from the chair to the central suction system, you'll avoid costly cleaning of the same line.





Our amalgam separation process is the easiest in the industry! We can confidently say, the simple one will save you money on filter & labor costs throughout the maintenance and recycling process.

Each 12-108541

Amalgam Squeeze

Amalgam Squeeze Cloths

Squeezes out excess mercury from amalgam



500/pkg 12-12002

Amalgamator

Amalgamator Linea Tac (Wykle)

Stores up to 10 programmable mix settings

- Digital display
- High speed amalgamator
- Arms will accommodate a variety of capsules
- Safety lid prevents operation while the lid is open
- Precision timer with digital display
- Figure eight fork movement oscillates at 4200RPM

Dimension: 8.7" x 9.3" x 7.1" 2 year warranty

Full Unit

12-110251

D-650 Digital Amalgamator (TPC)

- ISO 9002/ISO 13488 quality management certified
- Input Voltage: 110V or 230V
- Touch pad selector
- Pre-programmed time settings
- Quiet, high-speed mix capsules
- Built-in automatic timer
- Accepts all capsules
- Customized trituration times
- Vibration frequency ≥ 4.400 RPMs

 1 year warranty

- y -y

Unit 12-11229

High Energy Amalgamator

- Pushbutton
- Uni-speed
- Accepts all caps
- Low noise level



Amalgamator w/ Safety Cover, each


12-11146

Replacement Spring, each

12-11145

Touch Pad Amalgamator

Rugged, sturdy design with touch pad controls and digital display. Programmable timer allows customized trituration times. Constant speed motor ensures a consistent and accurate mix every time. Can be used with a variety of encapsulated material



Amalgamator, Touch Pad, each

12-11215

Ultramat 2 Amalgamator (SDI)

- 0-16 second microprocessor-crystal controlled oscillator timer. Consistent and accurate trituration
- Quiet low vibration
- The touch control system of the Ultramat 2 is quick and simple to operate
- Multi-use mixer and suitable for all types of encapsulated dental materials
- High energy output with a mixing frequency of 4600 oscillations per minutes +/-1%

- Low energy usage

Each 12-16751

Variable Speed Amalgamator

- Accepts all caps
- Pushbutton
- Low noise level
- Dual-speed



Amalgamator w/ Safety Cover, each 12-11223

Replacement Cover, each 12-11224

Replacement Arm, each 12-11222

Best Quality Dental Supplies







Excellent Qualities at Affordable Prices

877-772-3888

www.prestigedentalproducts.com




Order Online

&

Enter Prestige Rewards Program

PrestigeDental.com





Order Form

Date:												
Ordered By					Deliver To				Same as Above			
Business Nam	ne:				Business	Name:						
Address:					Address:							
State/Province	e:				State/Province:							
Zip/Postal Co	de:				Zip/Posta	l Code:	:					
Phone:					Phone:							
Fax:					Fax:							
Contact Name	: :				Contact N	Jame:						
Item Number		D	escri	iption		Qua	ntity	7	Unit Price		Amount	
	<u> </u>											
						<u> </u>		St	ub Total			
Payment				○ Credit (t Card			C	.O.D. Charge	es		
^ ^ "	~		- \	0	American 1	Express	1	<u> </u>	reight Charge	es		
	ne Pay	ment (Bank to Ba	nk)	O :) MasterCard				ales Tax			
E-mail					Visa			T	otal			
○ Checl	ı, D _{ava}	shla Ta		~ 1.	_	_						
	A Luj.	DIE 10			Number:	H					——	
					tion Date:							
				Carun	older Nam	e:						
Dental Licer	nse #			Year Licensed				Expira	tion Date			
DEA#				Year Licensed		,		Expira	tion Date			



Prestige Dental Products, Inc

3031 E. Coronado St., #D Anaheim, Ca 92806

Tel:877-772-3888 Fax:714-632-8821

www.prestigedentalproducts.com

