EQUIPMENT











Prestige Dental Products, Inc

2015 Cataloge PrestigeDental.com 877-772-3888

Welcome to Prestige Dental Products, Inc.

located in Anaheim, California USA is recognized for its exceptional customer service, high quality products, and its competitive low prices.

As an authorized Dealer of many brands in North America, we have provided dentists with advanced dental supplies and

equipment, along with excellent customer service. Our bulk purchases allow us to provide products to our clients with highly

competitive low prices, thus ensuring that our customers' needs are met with full satisfaction.

Prestige Dental Products offers all Dental Specialties a comprehensive choice of the products and equipment that are necessary to operate a successful dental practice in the fields of General Dentistry, Cosmetic Dentistry, Orthodontics, Oral Surgery, Endodontic, Periodontics, Pedodontics and Implant Dentistry.

Our Mission is to provide innovative, integrated Dental products and excellent services; and to be trusted advisors and consultants to our customers, enabling them to deliver the best quality patient care and enhance their practice efficiency and profitability.


PROUDLY
CELEBRATE
15 YEARS
SERVING THE
DENTAL
COMMUNITY
AROUND THE
WORLD

Customer Information

Order

ORDER

PHONE To place an order by phone, please call toll free Number 714-632-8817 Monday through Friday 9.00 a.m. -5:00 p.m. (PST).



INTERNET www.prestigedental.com

You Can Place Orders Online any time in our secured website.

Our Online Catalog offers access to our Product Line, Monthly Specials, Manufacturer Specials, and Promotions.

Note: New Customers/First time buyers do not need User ID and Password to shop from us.

Simply add items to the shopping cart. At CHECKOUT, you will have an option to pay with a Credit Card through our Secure Servers.



Email us to sam@prestigedental.com a list of the items you order on a regular basis, or contact our sales representative to the Toll Free (877) 772-3888 and we will prepare a special Price list just for you.

Payment

<u>CREDIT CARD</u> We accept Visa, MasterCard, American Express and PayPal. Credit card order will ship only to credit card holders name and address, if you want to ship your order to different address than the billing address, please pay through payPal or through Bank to Bank method.

Bank to Bank payment through High Secure Intuit Payment-Network

Pay electronically through high secure payment network, after you place your order, Prestige Dental Products will email you the invoice which has a link to guide you through a one-time set-up process to send your payment, and it is free for you, the payment transaction will processed from your bank account to Prestige dental Products bank account securely, no body can see or know your bank information through this high secure Payment-Network.

MONTHLY BILLING "Net 30 days payment"

To get a net 30 days payment terms, please fill out our credit application form. These accounts are subject to our open account terms pending credit approval. Satisfactory credit references are required. Your account payment will be due upon receipt of your monthly statement.





Prestige Dental Products, Inc.

www.prestigedental.com Order Online & Get Reward Points. 877-772-3888

Table of Contents

Dental Chairs & Operatory Pa	ckages	4 - 14
Dental Lights	•••••	7 -15
Digital X-Ray Sensors / Uni	ts	16 - 24
Digital X-Ray Film Processo	rs	25 - 27
Intra-Oral Cameras	•••••	28 - 29
Curing Light Units	•••••	30 - 34
Autoclaves & Sterilizers	•••••	35 - 41
Handpieces	Coming Soon	
Air Compressors	Coming Soon	
Pumps	Coming Soon	
Lasers	Coming Soon	
Endo Units	Coming Soon	
Ultra Sonic Scalers	Coming Soon	
Air Abrasion Systems	Coming Soon	
Bleaching Units	Coming Soon	
Electrosurgery	Coming Soon	

Rewards Program

How My Points Works?

Earn Points

Prestige Dental Products, Inc allows you to earn 1 point per 1 dollar on all online purchases. **Shop!!**

Once you check out you will get your Points, All points will be automatically displayed on your invoice, therefore, you never have to wonder how many points you have available.

Redeem Rewards

These points can be redeemed for various gifts, Gift Cards, Ipod, Ipad and much more.





All Prices And Specifications In This Catalog Are Subject To Change Without Prior Notice.

Copyright 2013 Prestige Dental Products Reproduction in whole or part specifically prohibited without written authorization

Operatory Chairs & Packages-DCI



Alliance Ensemble Dental Operatory Package (DCI)

DC1235 hydraulic chair

Standard Chair Features:

Cast bracket with swing-out arms

Five operator-programmable positions

One operator-programmable position, one preset exit position

Electronic foot switch preposition and auto return switch Built-in fuse/surge protection

Toe guard protection to prevent scuffing

All-metal construction

Safety shut-off base plate

Double-articulating headrest, adjustable for height and

wheelchair positioning

Locking swivel, 60°

Right-hand or left-hand chair mount adapter

Coordinated leg rest tilt

Bio Free tubing standard on all units

Straight aseptic tubing for three handpieces

Convenient brake release for flex arm

Master on-off control

Individual non-retracting water coolant adjustment

Purge system for handpiece tubing

Plastic B-size tray

Pre-wired with 8 conductor cable for accessory addition

Wet-dry foot control, Floor utility center with regulators and shut-off valves

Post-mount utility center, Post-mount utility center with solids collector

Self-contained water system with city water/bottled water selector, Patented quick-switch system for water bottle

QD water connection with flow control, QD air connection

Assistant's Instrumentation, Assistant's telescoping arm with HVE and SE and Assistant's arm has 4-position holder for instruments



Alliance Ensemble Dental Operatory Package 30-11140

Alliance Swing Mount Ensemble Operatory Package (DCI)

Rotating system design quickly and easily converts from left- to right-hand position

Individual drive air adjustment

Straight aseptic tubing for three handpieces

Convenient brake release for flex arm

Master on-off control

Individual non-retracting water coolant adjustment

Purge system for handpiece tubing

Plastic B-size tray

Pre-wired with 8 conductor cable for accessory addition

Wet-dry foot control

Floor utility center with regulators and shut-off valves

Individual drive air adjustment

Individual non-retracting water coolant adjustment

Purge system for handpiece tubing

Convenient brake release for flex arm

Self-contained water system

Patented quick-switch system for water bottle

DC1235 hydraulic chair, Standard Chair Features:

Cast bracket with swing-out arms, Five operator-programmable positions

One operator-programmable position, one preset exit position



Alliance Swing Mount Ensemble Operatory Package 30-11144

Operatory Chairs & Packages-

Pro Ensemble Operatory Package (DCI)



Item# 30-11311

Package: DC1335 Electric Operatory Chair PRO30 Delivery System 1244 Curved Operating Light Traditional Doctor's Stool Traditional assistant's stool

EC-DPROE

C1335 Chair, PRO30 Delivery System, 1244 Curved Operating Light, Traditional Doctor's Stool & Traditional assistant's stool

Pro Hygiene Operatory Package (DCI)

Item# 30-11317

Individual non-retracting water coolant control-Hinged control head

Standard three-way syringe with autoclavable tip Standard junction box, includes preset regulators-Master on/off switch

Purge system

Wet/dry foot control

Plastic B-size trav

High volume evacuator and hose

Saliva ejector and hose

DC1335 Electromechanical Chair

Standard Chair Features:

One operator-programmable position, one preset exit position

Electronic foot switch preposition and auto return switch

Built-in fuse/surge protection

Toe quard protection to prevent scuffing

All-metal construction

Safety shut-off base plate

Double-articulating headrest, adjustable for height and wheelchair positioning

Locking swivel, 60°

Right-hand or left-hand chair mount adapter

Input voltage 110V or 220V

Coordinated leg rest tilt



Operatory Chairs & Packages - DCI/Boyd



Electromechanical Patient Operatory Chair (DCI)

Standard Features:

One operator-programmable position, one preset exit position Electronic foot switch preposition and auto return switch Built-in fuse/surge protection

Toe guard protection to prevent scuffing

All-metal construction

Safety shut-off base plate

Double-articulating headrest, adjustable for height and wheelchair positioning

Locking swivel, 60°

Right-hand or left-hand chair mount adapter

Pivoting arms for easy entry to and exit from chair

Seamless upholstery

Coordinated leg rest tilt

Electric Patient Operatory Chair 30-11191



Hydraulic Patient Operatory Chair (DCI)

Standard Features:

Five operator-programmable positions

Electronic foot switch preposition and auto return switch

Built-in fuse/surge protection

Toe guard protection to prevent scuffing

All-metal construction

Safety shut-off base plate

Double-articulating headrest, adjustable for height and wheelchair positioning

Locking swivel, 60°

Right-hand or left-hand chair mount adapter

Pivoting arms for easy entry to and exit from chair

Seamless upholstery

Coordinated leg rest tilt

Hydraulic Patient Operatory Chair

30-11233

Orthodontic Chair (Boyd)

STANDARD FEATURES: All-Steel Frame Construction, Low Voltage

DC Motors, Cantilevered Style Fixed Height Pedestal Base, Motorized Back, Three (3) Programmable Positions, Auto Return to Home Switch, Snap-In/Snap-Out Upholstery, Winged Back with Contoured, One-Piece Seat, Convienent Integrated Foot Control.

Hydraulic Patient Operatory Chair

30-11297





Operatory Lights - DCI/ Dentamerica



Ceiling Mount Operatory Light (DCI)

On off switch. Input voltage 110V or 220V

Ceiling Mount Operatory Light 30-11150

Top Mount Chair Operatory Light (DCI)

On off switch. Input voltage 110V or 220V

Top Mount Chair Operatory Light 30-114021

Curverd Post Operatory Light (DCI)

On off switch. Input voltage 110V or 220V

Curverd Post Operatory Light 30-11158

Track Mount Operatory Light (DCI)

On off switch. Input voltage 110V or 220V

Track Mount Operatory Light 30-114071



Celux Operatory Light (Dentamerica)

Post Mount, Ivory color 30-11152
Replacement Bulb H3, 12V, 55W 30-11151
Clear Safety Shield 30-11153

www.PrestigeDentalProducts.com



Check our website for more items and variation

Operatory Light Bulb (Parts)



\$12.95

E-1552 for:

- * Belmont (040,046,047,048,049, Excalibur)
- * Adec Performer (OEM #041-513-00)
- * Chayes Virginia
- * Healthco
- (Aristocrat & Celebrity)
- * Celux 12V, 55 Watt



Adec Cascade and older (OEM #041-179-01)

- * J. Morita
- * LSM
- * Eurodent
- * Midmark
- * Planmecca Delight
- * Faro Sunlight 70 (Original Units)
- * Siemens A1/E1 Sirona
- * SDS 1350
- * Knight Model L



E-1551 for \$23.95 Pelton & Crane LF Plus, LF-1, LF-II 24 Volt, 150 Watt



E-1554 for:

Faro (Kool Beam, Sunlight S-90, S2000) - Faro Sunlight 70 (Upgraded units) - Ritter K Super Starlight - Schein (Crusader, Star-brite) - Porter Daystar S-90B - Marus Knight Manufacturiing

Operatory Chairs & Packages-Flight Dental



A10 Operatory System (Flight Dental)

Item# 30-11117

The A10 is one of our premium packages featuring a large doctor work surface and the elegant one-piece cuspidor. The generous size of the A10 will accommodate your largest patients comfortably while providing ideal working access for the doctor and assistant.

- Combine with your choice of A6 or A10 patient chair
- 3 Handpiece automatic control with air/water syringe
- Rotating utility center with one piece cuspidor
- Adjustable timer setting for bowl rinse and cup fill
- Unit mounted treatment light with two intensity settings
- Touchpad control for doctor and assistant controls chair, light, cuspidor and bowl rinse
- Choose from large or compact doctor's handpiece control
- City/Closed water system standard on all units
- Foot controls handpieces and offers water on/off toggle and chip air blower



A12 Operatory System (Flight Dental)



Item# 30-11123

A12H Hydraulic Lift Chair is integrated with cutting edge technology improving patient and doctor comfort. This new ergonomically designed chair provides unparalleled comfort and functionality for the dentist, making it the perfect chair for any dental operatory.

The exceptional range of motion coupled with its durability and sensible value, is the result of the perfect union between man and space. Hydraulic motor with 380mm as the lowest position capability of the chair.

Dual 180 rotatable arms allows for convenient placement of cuspidor and tray units for doctor and assistant.

Left-hand and right-hand capability optimizes efficiency and space for doctor and patient. New designed dental light providing superb luminosity.

Thin backrest provides the optimal space and access for the dentist and close positioning to the patient.

12 seamless or plush upholstery colors. 4 programmable chair position settings to make the work more efficient for the dentist. Synchronized backrest and seat movements to provide the most comfortable patient seat-

Optional LCD monitor mount, Optional G.Comm LED Light.



Operatory Chairs & Packages-Flight Dental

A2 Operatory System (Flight Dental)



Item# 30-11130

The A2 chair is the most economical chair in our line of products. The backbone to a reliable chair is contingent on both the engineering and quality of the materials used. The chair is produced using some of the highest standards and as such has received praise as one of the best chairs on the market. Furthermore, the entire unit is finished using a Powder-coated baked finish to enable the highest level of asepsis control and with a cast iron frame the chair provides excellent durability. The company continues to exceed expectations, satisfying customer's desire for an economically priced unit built using the highest standards.

- Combine with the A2 patient chair
- 3 way air/water syringe with fully autoclavable tips
- Rotating one piece cuspidor
- Automatic bowl rinse and timed-cup fill functions accessible by patient and assistant side
- Unit mounted treatment light with two intensity settings
- Touchpad control of patient chair for doctor and assistant
- Choose from large or compact doctor's handpiece control
- City/Closed water system standard on all units
- Foot controls handpieces and offers water on/off toggle and chip air blower
- 12 seamless and plush upholstery colors



A3 Operatory System (Flight dental)

Item# 30-11132

The A3 is Flight Dental's economy chair with a European inspired design. The workmanship seen on this chair is incomparable in the marketplace today, and has been one of Flight Dental's most successful endeavours. It combines versatility, aesthetics and superior quality to produce an operatory package that is suitable for hygienists and dentists alike. The chair is built with the patient and dentist in mind, with its thin backrest and ergonomically correct seat positioning, it produces the ultimate synergy between man and environment.

- 3 Handpiece automatic control with air/water syringe
- Utility center with one piece rotating unique coloured glass bowl cuspidor
- Adjustable timer setting for bowl rinse and cup fill
- Unit mounted treatment light with two intensity settings
- Touchpad control for doctor and assistant controls chair, light, cuspidor and bowl rinse
- Choose from large or compact doctor's handpiece control
- City/Closed water system standard on all units
- Foot controls handpieces and offers water on/off toggle and chip air blower



Operatory Chairs & Packages-TPC



Mirage - MSP3500 Swing Mounted Operatory Package

Package includes the following:

- 4000 Hydraulic patient chair with wide back and full lumbar support, rotating armrests left or right, double articulating headrest with sliding height adjustment, 30 degree swivel from left and right of center, 4 programmable positions with automatic return and foot control.
- 3500 Rotating asepsis 3 Handpiece automatic control with coolant controls, flex arm with air brake, diaphragm block design, wet/dry variable speed foot control, deluxe utility center with air /water filters and regulators, master shut off valves. Includes 3 way syringe and clean water system.
- 3550 Rear radius asepsis assistant's arm system, Hve and saliva ejector, water quick disconnect and solids collector.





Mirage - MOP3000 Orthodontic Package



Package includes the following:

- 3000 Hydraulic patient chair with wide back and full lumbar support, double articulating headrest with sliding height adjustment, 30 degree swivel from left and right of center, 4 programmable positions with automatic return and foot control.
- 2375 This orthodontic mobile delivery cabinet offers a pullout breadboard, two instrument drawers, one medium and two large storage drawers for materials and supplies that fully extend and quickly remove for easy cleaning. In addition, these cabinets provide a large open space for accessories with convenient access from the front. The oversized dual-caster wheels, combined with the four-stationary handles.
- L700 Advance post mounted light with dual intensity, 4200-4500 Kelvin, dual axis light head rotation.
- TPCBRKT The chair bracket is included at no charge when purchasing Mirage Orthodontic Package.



Operatory Chairs & Packages-TPC

Mirage - MP2000 Chair Mounted Operatory Package with Cuspidor

Packages include the following:

 4000 Hydraulic patient chair with wide back and full lumbar support, rotating armrests left or right, double articulating headrest with sliding height adjustment, 30 degree swivel from left and right of center, 3 programmable positions with automatic return and foot control.

Asepsis 3 Handpiece automatic control with coolant controls, flex arm with air brake, diaphragm block design, wet/dry variable speed foot control, deluxe utility center with air /water filters and regulators, master shut off valves. Includes 3 way syringe and light post with cutout for internal wires and monitor bracket.

- L800 Lucent post mounted light with dual intensity, 4200-4500 Kelvin, Tri axis light head rotation.
- 2000 Porcelain cuspidor with timed bowl rinse and cup filler, telescoping 4 position assistant's package, Hve and saliva ejector, water / air quick disconnects, solids collector and clean water system



Mirage - MP2015 Chair Mounted Operatory Package w/ Assistant's Instrumentation



Packages include the following:

• 4000 Hydraulic patient chair with wide back and full lumbar support, rotating armrests left or right, double articulating headrest with sliding height adjustment, 30 degree swivel from left and right of center, 3 programmable positions with automatic return and foot control.

Asepsis 3 Handpiece automatic control with coolant controls, flex arm with air brake, diaphragm block design, wet/dry variable speed foot control, deluxe utility center with air /water filters and regulators, master shut off valves. Includes 3 way syringe and light post with cutout for internal wires and monitor bracket.


- L800 Lucent post mounted light with dual intensity, 4200-4500 Kelvin, Tri axis light head rotation.
- 2015 Asepsis telescoping 4 position assistant's package, Hve and saliva ejector, water / air quick disconnects, solids collector and clean water system

Operatory Chairs & Packages - Belmont



X-Calibur B-20 Dental Chair

Call us for Prices & Available Options



Standard Features:

- . Articulating dual axis headrest
- Swing-out armrests
- · Safety shut-off plate
- Steel Base Plate with Rugged Injection Molded Top Covers
- · 60° left to right seat rotation
- · Built-in Backrest slide switches on Doctor's and Assistant Side
- · Foot control
- . Several options for upholstery
- · 5 years warranty (Chair Base); 1 year warranty on upholstery





Standard Features:

- . Articulating Dual Axis Headrest
- Narrow, thin Backrest for Excellent access to Patient Oral Cavity.
- · Swing-away Armrests
- Safety Shut-off Plate
- · Steel Base Plate w/Rugged Injection Molded Top Covers
- 60° Left to right seat rotation
- · Built-in Chair Back Membrane Controls on Doctor's and Assistant's Side: 1 Programmable Position, Base Up/Down, Backrest Forward/Recline, Auto-return
- · Foot Control
- · 5 years warranty (Chair Base); 1 year warranty on upholstery

QUOLIS® 5000 Dental Chair

Standard Features:

- . Synchronization of the backrest and seat motion.
- · Double-Articulating Headrest
- · Thin Profile Backrest
- · Integrated Armrest Touchpads
- · Outward Rotating Armrest 130°
- · 30° Seat Rotation Left or Right of Center
- . Several options for upholstery



Standard Features:

- . Ultra reliable Belmont electro-hydraulic operating system.
- . Articulating dual axis headrest accommodates the anatomy of each patient
- . Swing-away armrests
- . 110° left to right seat rotation
- . Rocker-style seat rotation locking lever
- . 2 Built-in foot control levers for manual seat height and backrest positioning Central lever for selecting or storing up to 12 programmable pre-set positions
- . Wide backrest design for improved patient comfort and support
- . ETL listed





Operatory Chairs & Packages-Belmont

QUOLIS® 5000 OPERATORY PACKAGE



Call us for Prices & Available Options

QUOLIS® 5000 Dental Chair

· Full Specs on page 12

QDU-5630 L-R Swing-mounted Dental Light

- · Three Rotation Axis at the head
- . 3 Intensity Settings of 2600, 2000 & 740 FTC
- · Touchless switch for on/off and composite mode
- · 2 year warranty

QDU-5870 Swing Arm Delivery Unit

- · Large touchpad with a digital display
- · Integrated main control PCB
- · 3 handpiece automatic control
- 1 Doctor syringe
- · Quick-disconnect type bottled water system

Available Options

6 Handpiece Positions, Micromotor, Sopro Camera, Electric Motor System, Fiber Optic System, Curing Light, Ultrasonic Scaler

Assistant's Vac Pack

Touchpad for chair control, Height Adjustable arm, Water & Air outlet, 1 assistant's syringe, 1 HVE and 1 Saliva Ejector

X-CALIBUR BEL 50 W/ BDS-2500 Package

Belmont Bel 50 Chair

· Full Specs on page 12

Belmont Clesta BDS-2535 Light

- · 3 Settings Intensity Switch
- Touchless on/off activation
- · Simulates Mid-Day Light

Belmont BDS-2500 Over the Patient Unit w/ Cuspidor

3 Handpiece Automatic Position, 1 Dr's 3 Way Syringe, Self-Contained Water System, Wet/Dry Foot control, Non Retracting water coolant, Built in City Bottle water system, Stainless Steel tray, Swing Away Cuspidor Cup Filler, Adjustable Bowl Rinse, 1 Assistant's Syringe, 1 HVE, 1 Saliva Ejector

Available Options

Electric Motor System, Fiber Optic System, Curing Light, Ultrasonic Scaler, Touchpad for chair operation



Equipment - Belmont



X-CALIBUR BEL 50 Chair with BDS-2570 **Delivery System**

Belmont Bel 50 Chair

· See Full Specs on page 12

Belmont Clesta BDS-2530 L-R Swing Mounted Light

- · 3 Settings Intensity Switch
- Touchless on/off activation
- · Simulates Mid-Day Light

Belmont BDS-2570 L-R Swing Mount

- 3 Handpiece Automatic Control
- 1 Doctor 3 Way Syringe
- · Master Handpiece Air Coolant Adjustment
- · Wet/Dry Foot Control with Signal Relay
- · Non Retracting water coolant
- · Stainless Steel Tray with Non-Slip Pad

Belmont BDS-0020 Chair Mounted Assistant's Left-Right Rear Vac Pac

- 1 Assistant's Syringe
- · 1 HVE
- · 1 Saliva Ejector







Belmont Bel20 Chair

. See Full Specs on page 12

Belmont Clesta AL-511T Light

- · 3 Settings Intensity Switch
- · Touchless on/off activation
- · Simulates Mid-Day Light

Belmont BDS-2510 Over the Patient Style Unit

- 3 Handpiece Automatic Control
- Doctor 3 Way Syringe
- Wet/Dry foot control
- Non Retracting water coolant
- Post Mounted Utility
- Stainless Steel Tray
- Assistant's Instruments on Telescoping Arm: 1 Assistant's Syringe, 1 HVE, 1 Saliva Ejector

Available Options

- Additional Handpiece
- Electric Motor System
- Fiber Optic System
- Touchpad for chair operation
- Additional HVE



Dental Lights - Belmont

Bel-Halo Dental Light

Item# 30-92541

Bel-Halo LED dental lights produce cool, natural light with high color rendering performance, for correct tooth shade matching and for differentiation of soft tissue.


Stepless light intensity can be adjusted to fit operatory ambient light conditions.

Specifications: Adjustment and Control, Rating 120V / 60 Hz 0.43A, Intensity 370 to 2970 FTC (Stepless), 510 FTC at composite safe mode, Color temperature 5000° Kelvin at any intensity, Color rendering index More than 90, Focal Distance 25-5/8" (650 mm), Light pattern 3-1/8" x 5-7/8" (80 mm x 150 mm), Bulb Type High Rendering LED.

> Call us for Prices & Available **Options**



Clesta Dental Lights



Clesta dental lights continue as one of the most popular and innovative lights in the dental marketplace. Lights feature a 5000°K color temperature range setting that approximates mid-day sunlight, touchless ON/OFF sensor feature which minimizes potential cross-contamination that can occur as a result of contact with the light between procedures.

Clesta dental lights are available in unit mounted curved post or straight post versions or as wall, ceiling, track and cabinet mounted versions

Standard Features:

- . 3" x 8" oval pattern of illumination w/ feathered edges to minimize eye fatigue.
- . Each light equipped with touchless ON/OFF and manual over-ride switches.
- . Rotary selector for choosing high intensity (2,600 FTC), medium intensity (2,000 FTC) and composite safe mode (740 FTC).
- . Light color temperature range is 4600°K-5000°K
- . Ceiling and track mounted versions available for operatories with ceiling heights of between 8 feet and 10 feet

ECO-Sys Dental Light

ECO-Sys dental lights are the high quality, economical lighting solution perfect for every dental practice

ECO-Sys dental lights are available in unit, ceiling and track mounted versions

Standard Features:

- . 3.3" x 8.7" oval pattern of illumination with feathered edges to minimize eve fatique
- . Selector switch for choosing high intensity (2,600 FTC), low intensity (1,670 FTC) and composite mode (740 FTC).
- . Light color temperature range is 4200°K (high), 4000°K (low) and 3600°K (composite)
- . Ceiling and track mounted versions available for operatories with ceiling heights of between 8 feet and 10 feet
- . Spare replacement bulb

Item# 30-92531

. ETL classified



Digital X-Ray Sensors -MyRay/Dent-X



X-Pod Wireless Dental Digital X-Ray Sensor (MyRay)



Stand-Alone Wireless Digital X-Ray sensor with Handheld Touchscreen

Self-sufficient diagnostics

The sensors have cut corners, a two fold filtering system to give crisp high detailed image boasting 25 lp/mm.

X-POD is smaller than an IPAD and contains its own imaging software. Call for best deal!

X-Pod with sensore size #1 30-11469

X-Pod with sensore size #2 30-11468

X-pod Kit with sensors size 1 and 2, touchscreen, Bluetooth dongle, charger, rayMage imaging 30-11470 software, sensor positioning kits, holster

Bluetooth dongle 30-11471

ZENX Digital X-Ray Sensor (MyRay)



The Zen sensors have cut corners, a two fold filtering system to give crisp high detailed image boasting 25 lp/mm.

Zen-X has been developed to simplify the whole process of taking radiographs thanks to the outstanding ergonomic shape, which ensures maximum patient

Versatility and speed

Powerful USB 2.0 connectivity makes the system extraordinarily convenient and mobile and minimizes the time between X-ray exposure and on-screen viewina.

Zen-X Kit with sensor size 1 (active area 20x30mm), control unit, rayMage imaging software, 30-11482 Call for price sensor positioning kit

Zen-X Kit with sensor size 2 (active area 26x34mm), control unit, rayMage imaging software, 30-11481 Call for price sensor positioning kit

30-11483 Call for price Zen-X Kit Duo both #1 & #2 Sensors with control unit, rayMage imaging software, sensor positioning kit



size #1 30-97791 size #2 30-97792 Call for price

Call for price

Eva Digital X-Ray Sensor (Dent-X)

EVA Dental is a filmless, digital dental imaging radiology system that produces highest resolution, diagnostic quality images. Utilizing patented "Active Column" CMOS technology, EVA produces high efficiency, low noise images which are digitized and transmitted to your computer via a standard USB (Universal Serial Bus) port and is compatible with laptop or desktop systems.

Easy-to-use, state-of-the-art digital imaging eliminates the inconvenience of film processing and the 3 to 6 minute wait for a single X-Ray. Patient archiving is fast and simple for patient data base archives. EVA interfaces with Dent-X ProImage or other image and practice management software suites. The operational simplicity of digital radiography consolidates workflow as it builds productivity.



REX Dental Digital X-Ray Sensor



This sensor is designed with the most innovative features including unique grooves, and easy-to-use sensor holder system with highresolution

Connection eliminates the need for a bulky control box

Size 1	30-97131	4995.00
Size 2	30-97132	5395,00

RXDC eXTend X-Ray Unit (MyRay)

We pleased to announce the eXTend DC x-ray unit is now available for sale. The intra-oral DC market is extremely competetive when it comes to pricing, and the eXTend allows MyRay to be much more competitive.

Simple wireless control

One handheld wireless digital control device allows you to program the unit from wherever you are in the surgery. There are no other wall-mounted or wired control panels to worry about. Easy-to-use and easy-to-handle, the control device offers a full range of intuitive exposure scenarios designed to make correct X-ray acquisition a straightforward process.

No more complex programming or button-crowded panels. RXDC defines automatically the correct exposure by selecting the region of interest.





RXDC eXTend with remote control, 0.7mm focal spot, 16" (40cm) extension arm	30-11346	Call for price
RXDC eXTend with remote control, 0.7mm focal spot, 24" (60cm) extension arm	30-11347	Call for price
RXDC eXTend with remote control, 0.7mm focal spot, 35" (90cm) extension arm	30-11344	Call for price
Wall mounting plate for single stud	30-11345	Call for price

Panoramic X-Ray Units - MyRay



DESIGNED IN ITALY

Hyperion X7 Panoramic Imager Morphology Recognition Technology (MyRay)

Panoramic Imager with Morphology Recognition Technology (MRT)

Hyperion is a highly-advanced panoramic imager, which employs the latest technologyes to enhance radiography acquisition and diagnostics. Via laser-guide multi-motor kinematics, Hyperion positions itself around pationts, reads subjects and scans accordingly, Morophology Recognition Technology (MRT) automatically identifies patient size and all parameters required to ensure correct X-Ray exposure.

No need to program exposure times, KV or mA technical factors.

15 different diagnostic programs are available to satisfy any possible diagnostic need.

Hyperion Panoramic Imager With RayMage Image Software 59-11215

Hyperion X7 Panoramic Imager, Var. Collimator Ceph Upgradable 59-11214

Hyperion X7-C1 Pan/Ceph Imager, Movable Pan/Ceph Sensor 59-11213

Hyperion X7-C2 Pan/Ceph Imager, two Dedicated Sensors 59-11212


Call for best deal!

X7 Upgrade to X7-C2: Ceph Support Arm, right side, and Pan/Ceph sensor 59-11216









Prestigedentalproducts.com



Panoramic X-Ray Units - MyRay

HYPERION X9 3D 3 in 1 Ready Panoramic Images System (MyRay)



Hyperion X9 series is a modular concept which covers all aspects from 2D panoramic imaging, through cephalometric exams up to cone beam 3D (CBCT) with true full arch volumetric scan capability.

Hyperion is an integrated multiple platform, so even if you just take the panoramic imager today, you can upgrade as far as the 3 in 1 solution at any time in the future.



30-29549

Each upgrade you may choose will have little or no impact on your operating hours. Including the full calibration procedure, an upgrade (even to 3D status) will result in no more than 2 hours downtime.

Features: The best clinical software in the business, Adaptive inter-

Panoramic only, future upgradeability to CBCT, Ceph arm w/ movable pan/ceph sensor	30-29541	
Panoramic only, future upgradeability to CBCT, ceph arm w/ two dedicated sensors	30-29542	
With 11x8 cm CBCT	30-29543	
With 11x8 cm CBCT and ceph arm w/ movable pan/ceph sensor	30-29544	Call for available op-
Panoramic only, future upgradeability to CBCT	30-29545	tions and
With 11x5 cm CBCT	30-29546	best deals
With 11x5 cm CBCT and ceph arm w/ movable pan/ceph sensor	30-29547	
With 11x5 cm CBCT and ceph arm w/two dedicated sensors	30-29548	

With 11x8 cm CBCT and ceph arm w/ two dedicated sensors



PHOT-xII Dental Intra-Oral X-Ray Unit (Belmont)



PHOT-xII DC intraoral X-ray systems produce sharp radiographic images, while minimizing patient exposure to radiation. Superb periapical radiographic images, aesthetically designed appearance and ease of use makes PHOT-xII a natural choice for any dental operatory. Standard Features:

- Compact microprocessor control module with kV, mA, patient type, tooth type, cone type, film speed, exposure time and digitalready selection switches
- Compatible with most digital radiographic systems
- Variable setting 60-70kV, 4-7mA system
- 0.7mm x 0.7mm focal spot
- 0.01-3.2 second exposure time
- 8" Cone length

30-42451 30-42452

30-42453

41 YEARS EXPERIENCE

With standard 31.5" Arm: 75-5/8" With optional 20" Arm: 64-1/8" With optional 12" Arm: 56-1/8"

Bel-Ray II 097 Intra-Oral X-Ray Unit (Belmont)

Bel-Ray II Model 097 X-ray delivers reproducible, high quality periapical radiographs and employs simple, intuitive controls for exposure parameter settings.

Bel-Ray II intraoral X-rays are available for wall, 4 x 4 stud mount or pass-thru mount mounting **Standard Features**:

- Compact microprocessor control module with patient type, tooth type, cone type, film speed and exposure time selection switches
- Control module can be installed on wall or on the central power console
- Digital-ready switch
- 70kVp
- 4-7mA (selectable)
- 0.7mm focal spot
- 0.02-3.2 second exposure time
- 8" Cone length
- 31.5" Horizontal arm (Model 097WK31)
- Wall plate for mounting on 16" centers
- ETL classified



Panoramic X-Ray Units - Belmont

BelMAX CM Digital Panoramic/Sephalometric X-Ray System

Belmax CM extraoral X-ray system is a new digital Panoramic/ Cephalometric X-ray system that is simple to use, produces sharp diagnostic quality images and includes built in tomography software.

UL LISTED

Standard Features:

- Sharp images can be obtained, even with mild patient positioning errors.
- High frequency X-ray generator minimizes patient exposure to radiation.
- Single CCD sensor can be moved between panoramic and cephalometric docking ports.
- Pushbutton controlled three-laser beam alignment system for correct positioning.
- Pushbutton controlled X-ray head height adjustment accommodates adults or children, both seated and standing.
- Exposure parameters are easily selected on an outboard computer with a few mouse clicks.
- 60-90kV; 2-12mA
- 0.5mm x 0.5mm focal spot
- Fast 7 second scan or 12 second scan time
- Rotational speed adjusts to reduce shadow effect on the image of the cervical vertebrae
- System includes TWAIN driver to interface with most practice management systems UL listed



Bel-Cypher N Digital Panoramic X-Ray Sys-

Call for available options and best deals



Simple to use and affordable, the Bel-Cypher N digital X-ray system produces outstanding Panoramic, TMJ and Bitewing images.

Standard Features:

- Digital panoramic (child, adult), 4 view lateral and Bitewing (child, adult) imaging
- Simple to use
- Sharp images can be obtained, even with mild positioning errors
- Smooth X-ray head height adjustment with one-touch release
- High-frequency X-ray generator minimizes patient exposure to radiation
- Three-laser beam alignment system for correctly positioning patient mid-sagittal, frankfort and focal-trough planes
- 60-80kV, 2-8mA
- 0.5mm x 0.5mm focal spot
- Fast 10 second scan time
- Reliable CCD sensor technology for the aquisition of 12 bit images TWAIN driver included



XZeal Z70 Wall Mounted X-Ray Unit

Call for best deal!

WALL MOUNTED MODEL

Built with resistant materials, the Z70 mobile unit offers a folding arm with soft movements and precision, providing an easy positioning to take radiographies

The Z70 has an electronic controller with microprocessor with pre-programmed keys that facilitate the daily operation of the equipment. The times of exhibition has a strict control to obtain a better result of the operation

• With capacity of 70 kVp and 7 mA, the X-Ray head has lead covering. It offers radiographic performance with images of excellent contrast and hi definition. The Z70 wall model is prepared to be installed in a "Single Stud" (4x4), "Double Stud" (16" – Wall plate Included) and Block wall. For Passthrough installation is required a minimum width of 14 inches. Also it is possible to adapt a Push Button and Remote Control.

XZeal Z70 Mobile X-Ray Unit

MOBILE MODEL

Built with resistant materials, the Z70 mobile unit offers an arm with soft movements and precision, providing an easy positioning to take radiographies.

Mounted on movable base and column, it allows balanced and safe displacement. The front casters have a security brakes for better use of the device.

The Z70 has an electronic controller with microprocessor with preprogrammed keys that facilitate the daily operation of the equipment. The times of exhibition has a strict control to obtain a better result of the operation.

With capacity of 70 kVp and 7 mA, the X-Ray head has lead covering. It offers radiographic performance with images of excellent contrast and hi definition.



X-Ray Units - Flow X-Ray

nVision

Flow Xray,

2 YEARS WARRANTY











EnVision DC Intraoral X-Ray Machine (Flow X-Ray)

EnVisionDC is designed to deliver the ultimate in x-ray quality and reliability, no matter where your imaging needs take you, today or tomorrow. Its unique high-frequency DC technology is ideally suited for any x-ray media. . . from film to phosphor plates, digital sensors and beyond.

- Exceptional image quality with half exposure time!
- Intuitive user-friendly control panel.
- Advanced self-diagnostics ensure optimal performance.
- Designed to work with all media
- Effortless arm and tubehead positioning
- Reliability from a trusted name
- Rated Peak Tube Potential -65 kVDC
- Rated Tube Current 7mA
- Exposure Time Range & Accuracy-0.01 to 2.00sec in 0.01sec increments, ± 0.01 sec

Wall-Mounted, 74" reach with integrated control panel, hand-held coiled cord exposure switch Wall-Mounted, 58" reach with integrated control panel, hand-held coiled cord exposure switch Wall-Mounted, 74" reach with remote control panel, includes 35 ft. of connecting cable Wall-Mounted, 58" reach with remote control panel, includes 35 ft. of connecting cable Mobile Unit - 230-240V, mounted on wheeled stand Mobile Unit – 120V, mounted on wheeled stand

MADE IN USA

HDX Intraoral X-ray Unit (Flow X-Ray)

HDX offers both high contrast for carries detection and broad grayscale to met the demands of of variable tissues diagnosis.

- Reduced Exposure time.
- Simple, intuitive user control.
- Self Diagnostics.
- Suspension Arm.
- Line Voltage Compensation.
- Fast Track Installation.
- Customize the HDX to your practice.

Wall-Mounted Unit, 74" reach with integrated control panel, hand-held coiled cord exposure switch 30-11229 Wall-Mounted Unit, 58" reach with integrated control panel, hand-held coiled cord exposure switch 30-11228 Wall-Mounted Unit, 74" reach with remote control panel, includes 35 ft. of connecting cable 30-11227 Wall-Mounted Unit, 58" reach with remote control panel, includes 35 ft. of connecting cable 30-112261 Mobile Unit – 120V, mounted on wheeled stand 30-11225 Mobile Unit – 230-240V, mounted on wheeled stand 30-112241



X-Ray & Digital X-Ray Units -MyRay/Dexcowin



RXDC HyperSphere X-Ray Unit (MyRay)



Call for best deal!

HyperSphere technology

Locked and unlocked by 2 touch-sensitive areas, the tube head revolves freely around the spherical ball-joint, enabling freedom and precision in terms of positioning.

Easy controls

The wireless control device, which can be attached to any available surface in the surgery, offers a full range of

intuitive exposure scenarios designed to make correct X-ray acquisition a straightforward process.

MyRay Multi-ModeThe most appropriate combination of technical factors (kV, mA and exposure time) is automatically determined according to patient size and anatomic region of interest.

0.4mm focal spot, remote control, 16" (40cm) extention arm	30-11350
0.4mm focal spot, remote control, 24" (60cm) extention arm	30-11351
0.4mm focal spot, remote control, 35" (90cm) extention arm	30-11348
Wall mounting plate for single stud mounting	30-11349



Portable Digital X-Ray Unit D3

It has the following features:

- Convenience of being cordless using rechargeable Li-polymer battery pack
- Benefit of having a great reduction of X ray exposure to the patient and dentist i-e, about 1/7 radiation of the conventional X ray machines
- Has a high frequency circuit of inverter type incorporated in it
- Has a most suitable and diverse sensor system
- Very easy to use with a comfortable handle for holding it



Full unit plus 1. Shield, Two batteries, Charger, Bag, Manual CD, Software

30-97161

3,695.00

Manufacturer extended warranty

30-97162

500.00

Portable Digital All In One X-Ray Systems D4



Cordless Portable Digital All In One X-Ray Systems D4 helping out your professional skills in dentistry. It is now ready to replace the previous versions of mounted X-Ray machines.

Portable X-ray D4 provides you with

- Convenience of being cordless
- Charging battery pack of loading/unloading type
- Minimum chances of radiation exposure as it emits 1/7th radiations as compared to previous systems
- More compact in size and shape
- has inverter type high frequency circuit incorporated in it
- Applicable to both digital and film type sensor

Unit/Sensor Size 1, Build in Wifi module Unit/Sensor Size 2, Build in Wifi module Manufacturer extended warranty

8594.00 30-97221 9994.00 30-97222 30-97223 500.00

Ask about prices and options Toll Free 877-772-3888

Prestigedentalproducts.com



Phosphor Plate Scanner Apixia

Apixia Phosphor Plate Scanner



Digital Phosphor Plates Scanner

INSTANT & INTELLIGENT

LASER FAST IMAGE PROCESSING FLEXIBLE IN MORE WAYS THAN ONE

POWERFUL SOFTWARE INCLUDED







Imaging is fast and simple. The smart top-loading design harnesses the power of gravity for simple loading and fuss-free use. In less than ten seconds, the crystal clear radiograph appears on the computer screen, ready for viewing. Simply insert the next exposed plate when ready.

Phosphor plates have all the benefits of traditional X-ray film with the immediacy and environmental benefits of digital radiography. There is no more need for hazardous and costly film processing chemicals with the DIGIREX PSP Scanner.

Patient comfort is also assured with thin flexible plates in multiple sizes. After a quick scan of plates, high resolution images are ready to be stored, emailed, and printed at the touch of a button.

Plates can be used over and over saving time and money on costly traditional film. Digital imaging is finally within the reach of any dental office's financial and technical abilities

- Saves: Time, Money, Space & Environment
- Compact Tabletop Design
- High Resolution Scans in a Fraction of the Time
- Automatic In-line Eraser
- Powerful, Easy-To-Use Software Included
- Value-Priced for any Dental Practice
- Dimensions 258 mm x 138 mm x 183 mm, Weight 3.6 kg
- Scan Time 10 seconds
- Connection Type USB 2.0
- Plate Sizes Takes from size 0 to size 3
 Optional integration to all leading brands of practice management software: EasyDent, EagleSoft Practiceworks, Softdent, Dentrix, EZ2000

READY

CO

ENROR

ENROR

DIGITAL IMAGINS

Apixia PSP Scanner + 12 Plates size #2 + Imaging Software + 500 Barriers envelops

30-25805

Call for price



2 YEARS WARRANTY

X-Ray Film Processor - Velopex



Intra-X Automatic X-Ray Film Processor (Velopex)



Dry-To-Dry 4 Minutes; 2 Minute Archivable Endodontic for Intra X-Ray Dental Films only

- Films viewed wet in 2 ½ minutes or dry in 5 minutes archival in both cases.
- Compact and portable.
- Easy installation and requires no plumbing.
- Automatic processing
- Unique film transport system
- Electronic machine management
- Stand-by mode
- Dimensions:

Width:290mm/11½", Height: 315mm/12½", Depth: 635mm/25" with daylight loader & 435mm/17" without daylight loader.

IntraX w/o Daylight Loader

IntraX w/ Daylight Loader

30-11247 **1,494.00** 30-12249 **1,749.95.00**

ExtraX Automatic X-Ray All Film Sizes Processor (Velopex)

- Fast versatile processor for All Film Sizes: Intra-oral,
 Panoramic and Cephalometric films
- Intra-oral films viewed wet (archival) in just 2 minutes
- Self-filling from high capacity developer and fixer reservoirs
- Recirculation pump for automatic chemical recycling with extended chemical life
- Multi-function LED display
- Speed Control
- Endodontic film in as fast as 60 seconds
- Electronic Film Sensing System
- (Dry-To-Dry 4 Minutes; 120 Seconds Endodontic)

EntraX w/o Daylight Loader

Daylight Loader





 30-11479
 3,794.00

 30-11480
 494.00



X-Ray Film Processor - Konica Minolta / Microcopy / Flow X-Ray

Film Processor SRX101A Tabletop (Konica Minolta)



Without Metal Stand Metal Stand

The **SRX101A** tabletop processor offers variable speeds which can be set from within the processor. This allows you to choose the optimum cycle speed to match your processing needs (90 Sec, 120 Sec, 180 Sec). Konica Minolta's 90 second cycle allows fast developing of all super rapid processable films.

- A compact design that saves space
- An automatic standby with jog cycle for conserving water and energy.
- State-of-the-art technology stabilizes developer and dryer temperatures. It also offers automatic replenishment.
- A 17-inch wide film transport system provides faster film feed for larger radiographs, or two 8"x10" films (or smaller) can be processed side-by-side. Up to 75 10"x12" or 60 14"x17" films can be processed per hour at the 90 second processing cycle.

30-11238

30-11208	\$3,299.95
30-11207	\$169.95

Insta-Veloper Manual Chairside X - Ray Film Developer (Microcopy)

Portable Darkroom,

Process quality intraoral X-ray film in seconds - Chairside - under normal office lighting. Tremendous system for endodontics and emergencies - great as an auto processor backup too. Features include: easy see-through light filter panel, unique neoprene / nylon hand entry grips, recessed base holding four processing containers with special hermetic-sealing solution lids. Veloper lid is detachable for easing cleaning. Attractive light Oyster Grey exterior finish with dark interior for maximum film protection.



View Panel - (12 1/4" x 5 1/4") Red 30-11236 \$31.95 Hand Entry Frame Assembly - Gray, 2/Box 30-11235 \$74.95



Box 30-11235 \$74.95

Instant-Vue Chairside Darkroom (Flow X-Ray)

Portable Darkroom

- Optimal hand placement
- Broad panoramic field of vision
- Simple touch and the box cover opens
- Easy replacement of sleeves; no screws
- Suction feet secure to any flat surface
- Easy and economical to maintain
 Heavy Gauge Palstic 12 1/2"H x 17 1/2"W x 17"D

Instant-Vue Chairside Darkroom 30-11239 **\$294.95**

\$319.95

Cameras - MyRay/TPC/Dentamerica



Digital USB 2.0 Camera with Progressive Scan Technology

The MyRay C-U2 Intraoral Camera generates clear, explicit images and features the highest degree of illumination.

The digital video system is fully integrated into the handpiece, and progressive scanning allows perfect image-freeze and guarantees top-quality definition.

The viewing angle is partially inclined away from the extremity of the handpiece for easy access to distal and rear tooth areas.

The C-U2's 12 micro-light provide the highest degree of illumination in its category.

Communication made simple: Efficient communication thanks to sharp images. Encourage patients to undergo treatment by involving them at each step of the plan. Visual communication is a simple and hands-on experience. C-U2 brings this type of communication to life: straightforward and simple to use, totally automatic without the need for any manual adjustments, it generates clear and explicit images. Technologically advanced beneath the surface, it is easy and intuitive to use.

C-U2 is the communication tool designed for professionals who have chosen to increase their efficiency through the use of a computer in the operating area, right beside where they work. The use of a computer makes acquisition and filing of dental images a simple task, organising them in nominal clinical folders, and ensures long-term rapid access for consultation purposes. C-U2, digital by nature.

12 micro-lights: The highest degree of illumination in it's category, enabling an efficient spread of light examining the oral cavity, thus producing bright images w/sharp defined colors, Automatic brightness setting, Progressive scan, Communication made simple, Focus Free, Touch Sensitive Control, Retro Flex Vision, Easy to use and Quick connect

ItraOral Camera USB2,

usb cable, Sheaths, RayMage Imaging Software. 20-11122 **Active holster** for usage in additional room 20-11123 **Hygienic Sheaths** for C-U2 camera (50 pcs) 20-11124





Cammy USB Intraoral Camera (Dentamerica)

20-90122

20-90123

124.95

99.00



Directly connects to a computer via the USB port.

2.5", AIC5111

Barriers 500/Box, AIC500

Designed with a freeze button to capture images and a joystick to control digital zoom.

Self-sufficient, CCD technology, digital image processing.

Four white LED lamp illumination to provide maximum reallistic color reproduction.

built-in lens protector designed to prevent dust and scratches to optical components.

Mini-head design allows for easy access to third molar.

Lightweight (only 92 grams). ergonomically designed handpiece.

User friendly software. Easy to use and integrate into patient management software.

Digital images can be easily stored, retrieved and transmitted electronically. Disposable sleeves included to prevent cross contamination.

(Cammy	USB	Intraoral	Camera
---	-------	------------	-----------	--------

 With Software, Digital Zoom
 20-11112
 594.95

 Disposable Sleeves, 500/Pkg
 20-11113
 39.95

Camrex 191A Intraoral Camera (Dentamerica)



Intraoral Camera with Multiple Image Memory

The CAMREX handpiece is small and lightweight, weighing in at only 89 grams. It contains 4 white LED lamps for illumination to provide maximum color reproduction. The CAMREX has a 4 freeze frame memory stored in its video process unit. Single images can be viewed full screen or 4 images can be viewed simultaneously in a split screen format. The toggle switch is conveniently located on the handpiece so that the user can rotate through the captured images with ease. A built-in lens protector is designed to prevent dust and scratches to the optical components. Also included are disposable sleeves designed to fit snugly on the handpiece to prevent patient cross-contamination.

The Camrex is truly universal, being offered in the NTSC and PAL video formats as well as coming with a universal AC power source (AC 100V~240V). Live images are captured by using either the handpiece freeze button or the included foot pedal. The foot pedal has a special circular design so that it can be comfortably activated from all 360°. The CAMREX 191A is incredibly easy to setup. Just four connections are needed: the AC power supply, the CAMREX handpiece, the foot pedal, and the television video cable. You will be up and running in no time with the simplicity of the CAMREX 191A.

Camera 191A with America NTSC System	20-11117	739.95
Camera 191AP with Europe PAL System	20-11116	739.95
Adapter & softwear	20-11118	139.95
Zoom Lens each	20-11114	48.95
Disposable Sleeves, 500/Pkg	20-11115	42.95

Camrex 192 Wireless Intraoral Camera (Dentamerica)



Built-in wireless receiver with 4 separate frequencies for optimal signal reception.

Videoutput connects directly to TV or computer monitor through AV or VGA input.

Self-sufficient, CCD technology, digital image processing. Four lamp white LED illumination to provide maximum realistic color reproduction.

Built-in lens protector designed to prevent dust and scratches to optical components.

Mini-head design allows for easy access to the third molar region. Disposable sleeves included to prevent cross contamination. NTSC or PAL available.

Camera with PAL Europe System	20-11120	984.95
Camera with NTSC System	20-11121	984.95
Zoom Lens each	20-11119	48.95

Cameras - Dentamerica/GoodDrs/Dentazon

Any Multipurpose Intraoral Camera (GoodDrs)



With Any you can check your oral health at home, You can manage your oral health and your family's oral health easily if you only invest one minute a day with ANY.

Save time and money with early detection, Easy to install and use. Produces quality images similar to professional microscopes used in dentistry.

Also can enhance your dental office's image by increasing the chance of early detection of cline's oral problems.

Disposable plastic covers so you can share ANY with your whole family.



Any Multipurpose Intraoral Camera with

10 feet cord 20-11111 **174.99**

HAWK HD Intraoral Camera (Dentazon)

HAWK HD Offers the industry's highest resolution (1280x720) in the market today and comes readily equipped with a caries detecton mode in XVIite by Apteryx, inc. Delivers precise true-to-life images with the capability to trigger the autofocus system and view the details of any area of the mouth on the screen. The 15 advanced LED lights provide correct color representation while the multi capture buttons ensure ease of use and effectiveness to your practice. Digital images can be easily stored, retrieved and transmitted electronically.

Disposable sleeves included to prevent cross contamination.



Curing Light Units - Bonart/ First Medica

ART-L3 Pro LED Cordless Curing Light (Bonart)

- Built in Li-on battery with estimated charging time of 2 hours and capacity of approximately 180 ten second cures.
- Its LED head designed like a high speed hand piece angle for better reach and durability. It has the optical wavelength of 430-470nm, with flux intensity of 1,000 W/cm2.
- Timer setting and 3 varieties of modes : Fast, Ramp and Pulse.
- Stand up battery charging cradle (as pictured) is included.



Blue Color 25-90071 **224.95**

ART-L3 LED Cordless Curing Light (Bonart)



3 WATTS CORDLESS CURING LIGHT SYSTEM

At long last, introducing the latest innovative dental technology from Bonart, the portable and light weight ART-L3(PS) pen type cordless LED curing light. Great quality, economical, and compact. Built to outlast its competitors.

Blue Color 25-11112 **224.95**

ART-L5 LED Cordless Curing Light (Bonart)



System includes following accessories:

- Light Guide Fiber and Protector
- Rechargeable Base
- AC Power Adpater Cord
- User Manual

 ART-L5 Blue Color
 25-11113
 279.95

 Curing Light Tip
 25-11114
 79.95

 Charge Base
 25-11115
 54.95



Blast-Lite LED Cordless Curing Light (First Medica)



Great curing light.

High power, > 1,600mw/cm2
Five Second or less deep cure
Removable glass tip, does not require sleeve that
can obstruct work area, can be sterilized
Programmable audible beep
Timer setting of 5,10 and 20 seconds
Long lasting Lithium-Ion battery, over 750 5second cures
Metal case allows for easy cleaning
Assembled in USA
2 years warranty

Unit 25-11116 589.95

LED Blast Halogen Curing Light Unit (First Medica)



High Power > 1,100mw/cm², > 1,500mw/cm² with optional Turbo Accelerator tip NiMh battery has long battery life No limitations on cycles – does not shut down after a few cycles Removable glass tip, fits all Hilux™ and Demetron™ units Robust design for hard day in day out use

LED Blast Unit with Standard tip 25-11143 **658.95**

LED Blast Plus Unit includes Standard & Turbo tip

25-11142 **749.95**

Hilux 250 Curing Light (First Medica)



- Best value for the money
- Comes with 11mm tip
- Accepts all Hilux[™] and Demetron[™] light guides
- Output about 600mw/cm2
- 1 year warranty

Unit 25-11138 **514.95**

Hilux 250 Curing Light (First Medica)



HILUX[™] HALOGEN LIGHTS have been a market leader for over 10 years. Hilux[™] has earned a reputation for reliability and exceptional value. Hilux[™] Lights will cure all light activated materials.

25-11139 **584.95**

Curing Light Units - First Medica/SDI/GoodDr's

Hilux 250 Turbo Curing Light (First Medica)



- Comes with 11mm tip and Turbo tip
- Accepts all Hilux[™] and Demetron[™] light guides
- Output over 1,000mw/cm2
- Light has "always on" mode and can be used for bleaching
- 2 year warranty

Unit

25-11140

684.95

Mini-Blast LED Cordless Curing Light (First Medica)



Mini-Blast LED Cordless Curing Light (First Medica)

- High power, 5 seconds > 1,000mw/cm2, 20 seconds > 700mw/cm2
- Removable glass tip can be sterilized
- Beeps at on/every 5 seconds/off
- Timer settings of 5, 10 and 20 seconds
- Long lasting LIon battery Metal case allows for easy cleaning
- · Assembled in USA
- 1 year warranty

Unit

25-11175

385.95

LedMax 550 Cordless Curing Light (First Medica)



- High power > 1,500mw/cm2
- User replaceable Li-Ion battery
- Up to 90 minutes continuous use
- Integrated Light Meter with duo color indicator
- 3 color battery indicator
- Programmable audio signals every
 5 seconds or silent

Unit

25-89561

829.95

Radii Plus LED Curing Light Unit (SDI)



Cordless LED Curing Light. High Intensity: 1500m W/cm2., 6mm depth of cure 360 Degree turning tip.


Lightweight 6.2 oz/177g. 1200 ten second cures before needing to be recharged.

Built-in radiometer, No noisy fan

Unit 25-11178 **879.95**



Radii-Cal LED Curing Light Unit (SDI)



Cordless lightweight
Radically powerful
Intensity of 1200mW/cm²,
Stays charged for 720 ten second cures
No noisy fan

Built in radiometer

Unit 25-11179 **519.95**

We Work Hard So You Don't Have To. 877-772-3888

Dr's Light Wireless Curing Light (Gooddrs)



High-Tech, High-Performance Wireless, LED Curing Light, Full Color Display and 6 Curing Modes Specifications: 5 Seconds are enough for composite cure

- High power 1600mW/cm² (+10%)
- Various curing program modes
- Ergonomic design (gun type & pen type)
- Color LCD screen
- Unique thermal control system
- Long time use
- Warranty Terms: 18 Month limited warranty


Curing Light Unit	25-11131	699.95
Guide tip 3.3mm	25-11130	139.95
Guide tip 8mm	25-11129	129.95
Guide tip 11mm	25-11128	119.95
Battery for Dr's Light	25-11127	124.95
Anti-glare Shield	25-11126	19.95

Curing Light Units - Dentmate/ First Medica

Ledex Violet LED Curing Light Unit (Dentmate)

•Radiant intensity up to 1800 mw/cm2
•LEDs type: 10 watt violet & blue LEDs
•LEDs wavelength: 390 ~ 480 nm, peck: 405, 460 nm
•Efficient optics: Up to cure resin 2mm in 3 seconds (High

Mode)



- •Handpiece size Ø 38 mm (max.) x L190 mm
- •Handpiece weight 180g
- •Cradle size Ø 115 mm (max.) x H68 mm
- •Battery type Lithiu-ion, 3.7V, 2500mAh
- •Battery charge time Apprx. 2.5Hours
- •Operating time 720 times in 10 seconds standard mode
- •Power supply Input: 1~ 240 V, 50/60 Hz, output: DC 5 V / 1.2 A

Full Unit: Hand piece, Battery, Cradle, Power supply (AC100~240V/DC5V), Optical fiber light guide rod (Ø 11>8mm), Optical fiber light guide rod (Ø 11>5mm), Filter, FINDTM Optical Filter, Anti-glare shield, Light Guide Sleeve, Curing Light Sleeve and User'

shield, Light Guide Sleeve, Curing Light Sleeve and User'	25-99971	424.95
Battery Fit WL-90+WL,3.7V/2500mAh	25-99972	94.95
Optical Fiber Light guide Ø 11>5mm, black, sterilize-able	25-99973	94.95
Optical fiber light guide Ø 11>3mm, black, sterilize-able	25-99974	94.95
Optical fiber light guide Ø 11>8mm, black, sterilize-able	25-99975	89.95
Curing Light Sleeve Fit LEDX WL-90+, 100Pcs/Box	25-99976	14.95









Fusion Curing Light Unit (Dentlight)



Dentlight has developed patient pending focus beam technology- FBT. FBT allows fusion to unleash high power intensity, light beam and more importantly maintaining high power intensity over distance. This high intensity beam can be seen when testing the unit. Fusion Cures 2mm A3 and lighter shades in less than 5 secondsand can cure bulk composites as deep as 10mm in 20-30 seconds.

Silver Color	25-11137	895.95
Pink Color	25-11136	895.95
Blue Color	25-11135	895.95
Gold Color	25-11134	895.95
Battery Replacement	25-11133	109.95
Safety Glasses	25-11132	15.95

Curing Light Units— Dentazon/Dentamerica

Cybird XD Cordless LED Curing Light (Dentazon)



- •2700 mW/cm² Light intensity.
- •1.5 Seconds to cure composite
- 2 Exceptionally powerful curing modes for rapid curing of lightcured materials
- Constructed with robust industrial grade aluminum for lightweight, excellent durability and heat dissipation
- Built-in advanced protection module prevents the device from overheating and guarantees safe and flawless performance

•2 year warranty

Unit

25-98801

639.95

Litex 696 Turbo Cordless LED Curing Light (Dentamerica)



- Ultra high intensity over 2000 mW/cm²
- Cure composite 4mm thick in just 3 Seconds
- 360 Degree rotatable light guide for easy access
- Large lithium battery capacity provides hundreds of curing cycles
- Low battery warning beeper

• Built-in light intensity indicator

Unit

25-16301

549.95

Litex 695 LED Pen Type Dual Intensity Curing Light (Dentamerica)

Thin & lightweight dual intensity polymerization LED curing light. LED life 100,000 hours. Automatic timer with audible tone and digital display on handpiece. Light intensity of 1,200 mW/cm2 cures composites in seconds. 1 year warranty

Unit



Prestige Dental Products, Inc. Tel: 877-772-3888

Litex 682 Halogen Dual Intensity Curing Light (Dentamerica)



- Two-phase polymerization curing
- User programmable intensity and time settings conveniently located on the handpiece for fingertip control
- Built-in intensity meter
- Light weight, aseptic and ergonomic handpiece design
- Digital countdown timer with audible beeper at every 10 seconds, onset and completion of both phrases of curing cycles
- 75 watts, 12 volts halogen lamp
- Interrupt cycle capability
- Autoclavable fiber optic probe, full 360 degree rotation
- Standard package includes 9mm general purpose probe and eye protection for safety operation. Optional light guides (3mm and 13mm available)

Unit

25-11163 **369.95**

Litex 696 Cordless LED Dual Intensity Curing Light (Dentamerica)



- Delivers 1200 mW/ cm2 of power—cures to a depth of 4mm in under 10 seconds.
- Large lithium battery capacity provides 750 10-second cycles when fully charged.
- Recharges to full power in six hours.
- 10-minute auto

power-off battery saver.

- Smooth, contoured ergonomic design offers maximum comfort and control—weighs only 5.9 oz.!
- One-touch start/cycle-interrupt button.
- Autoclavable 8.5mm fiberoptic glass tip rotates 360° for full arch access.
- Built-in light intensity monitor.
- Low-battery warning beeper.

Unit

25-11174 **449.95**

Curing Light Units - TPC/ Coltene-Whaledent/Saab


Cordless Curing Light System LED 60N (TPC)



- Low battery visual and audible alarm
- Easy to read LCD display
- High light intensity -5 to 10 second cure
- No down time
- Flexibility corded and cordless light cure
- Quiet fan extends life of LED
- Sleep mode

Cordless Curing Light 25-17001 359.95

Cordless Curing Light System LED 60N (TPC)




- Easy to read LCD display
- High light intensity 5 to 10 second cure
- No down time
- Flexibility corded and cordless light
- Quiet fan extends life of LED
- Sleep mode
- Fast mode 3 output modes 2,000 1,500 - 1,000

LED 70N Unit

25-16991

449.95



Dimensions: 7"L x 1"W x 1"H Weight: 160 g

LED 55N Unit 25-17021 349.95



Coltolux LED (Coltene Whaledent)

High Power LED Curing Light - Slim, Powerful, Cordless

Coltulux®LED combines a slim curing probe with high output in a cordless lightweight pen-style design. Its heat sink technology reduces the amount of heat emission and eliminates the need for a fan.

Ideal for hard to reach posteriou areas. Audible signal every 10 seconds and automatic power saving sleep mode after 60 seconds of operation.

Hundreds of cures with a fully charged battery.

Coltolux LED Curing Light Unit 25-26111 **419.95**

SPEC 3 LED Curing Light (Coltene/Whaledent)



Chair time can be effectively reduced due to rapid and deep polymerization on various light cured materials. The sealed construction of the S.P.E.C. 3's aluminum body ensures quick and easy disinfection between patients. The powerful Lithium Polymer Battery offers to perform over 300 ten second cures between charges. S.P.E.C. 3 features multiple curing modes (3K, Standard, Ortho) for maximum functionality in any clinical situation.

SPEC3 Cordless Curing Light 25-11189 989.95

Saab Cordless LED Curing Light (Saab)

Cordless LED curing light Very Light Curing light Blu-Ray Illumination >1700Mw/

Cm² and more.

High power LED 7w power Two digital display,

Output tube time: .20.30.40 sec-

Power supply: lithium batteries, A C110 240V.

Saab Cordless Curing Light







Autoclaves & Sterilizers



Order Now



877-772-3888



Autoclaves & Sterilizers - Tuttenauer



M Series (Tuttnauer) !!! Best Seller !!!

Manual autoclave is designed to compliment any health-care facility. The bright new easy to use panel was designed with the operator in mind. Our 2340M autoclave will satisfy all of your sterilization needs without compromising on quality, safety or reliability.

Features:

- Automatic shut off at the end of both the sterilization and dry cycles
- A long life electro polished chamber and door
- Double safety locking device prevents door from opening while chamber is pressurized
- Drain valve is located on the front, allowing for quick and easy draining of water reservoir
- Dual safety thermostat to protect against overheating
- International certifications



1 YEAR WARRANTY

Tuttnauer 2340M - 19 L

30-11145 Call for Price

Tuttnauer 2540M - 23 L Tuttnauer 3870M - 85 L **30-114111 Call for Price**

30-112257 Call for Price

MK Series Manual Kwiklav (Tuttnauer)



1 YEAR WARRANTY


23 LITER

The Tuttnauer 2540MK Series is also available in a quick cycle model, the Kwiklave (MK). This sterilizer offers all the proven, dependable features of our manual autoclave, with the added benefit of reducing the total heat up time. This autoclave is the perfect choice for quick instrument turn-around or a high volume office. Speed and reliability are accomplished without sacrificing load size. 1 year parts and labor warranty. Model 2540MK requires a voltage between 220V and 235V for proper operation.

Features:

- Automatic shut off at the end of both the sterilization and dry cycles
- A long life electro polished chamber and door
- Double safety locking device prevents door from opening while chamber is pressurized
- Drain valve is located on the front, allowing for quick and easy draining of water reservoir
- Dual safety thermostat to protect against overheating
- International certification

Tuttnauer 2540MK 30-11274 **3749.95**





SCAN HE QR CODE TO ACCESS OUR WEBSITE AND GET YOUR OFFER

Ask about prices and options Toll Free 877-772-3888

Prestigedentalproducts.com



Autoclaves & Sterilizers - Tuttenauer

EZ Series Automatic Autoclave/Sterilizer (Tuttnauer)

Fully Automatic Autoclaves EZ9 & EZ10

With the simplicity of one touch design, all your sterilization and drying needs are fulfilled. The Tuttnauer fully automatic autoclaves fill, sterilize, exhaust and dry at the touch of a button. FORGET IT ONCE YOU SET IT. Features:

- •Closed door active drying system to maintain sterility and ensure efficient drying of packs and pooches
- •High efficiency air pump circulates hot air after the sterilization cycle for fast drying
- •Hepa filter 0.2µm air filter (replaceable)
- Pre-programmed cycles for: unwrapped instruments; wrapped/packs; glassware and additional drying cycle
- •All program parameters can be customized and stored
- •Automatic shut off at the end of both the sterilization and dry cycles
- Audible and visual cycle interruption alert
- •Double safety locking device prevents door from opening while chamber is pressurized
- •Low water sensor prevents activation of sterilization cycle when there is insufficient water in the chamber or reservoir.
- •Constant monitoring of temperature and pressure for sterilization
- Power outage recovery system
- •Door design prevents steam from coming in contact with control panel
- •Optional internal printer documents: date, time, temperature and pressure
- •510k clearance for dental hand pieces
- •Drain valve is located on the front, allowing for quick and easy draining of water reservoir
- International certifications

Fully Automatic KwiklaveTM EZ 10K

The Tuttnauer EZ series is also available in a quick cycle model, the Kwiklave (EZ10k). This sterilizer offers all the proven, dependable features of our fully automatic autoclaves, with the added benefit of reducing the total heat up time. This autoclave is the perfect choice for quick instrument turnaround or a high volume office. Speed and reliability are accomplished without sacrificing load size. 2 year parts and labor warranty. Model EZ10k requires a voltage between 220V and 235V for proper operation.

When applicable a buck/boost transformer (0.5KVA) may be required.



Tuttnauer EZ1030-11205Call for PriceTuttnauer EZ930-11204Call for PriceTuttnauer EZ10K30-11206Call for Price

2 YEARS WARRANTY

Autoclaves & Sterilizers - Tuttenauer



Valueklave 1730 Sterilizer (Tuttnauer)

- •The Valueklave 1730 Autoclave will satisfy all of your basic sterilization needs at an economical price
- •The compact size (7" chamber) makes it a perfect primary unit for small offices or a second autoclave for larger practices
- •The fast cycle time and heated drying delivers a quick turnaround for wrapped or unwrapped instruments
- •The simple controls and easy closing door make this unit a breeze to operate
- •**High speed** and reliability are built into every Valueklave 1730



Valueklave 1730

30-114141

1949.95



85 LITER
Also available in other sizes

2 YEARS WARRANTY

EA Series Large Capacity Fully Automatic Autoclave/Sterilizer (Tuttnauer 3870EA)

Perfect for multi-doctor practices, clinics or surgery centers. 15"x 30" chamber accommodates longer instruments or a large number of small instruments. Capacity for 15 full size IMS cassettes.

Features:

- Closed door active drying system to maintain sterility and ensure efficient drying of packs and pouches
- HEPA filter 0.2 µm air filter (replaceable)
- Rapid cycles optimize the availability of ready-to-use sterile instruments
- Easy-to-use, single touch control system increases productivity
- 3 Pre-set sterilization programs
- Program and customize cycle parameters to suit your needs and maximize flexibility
- Integrated printer for cycle documentation (optional)
- Interdependent temperature and pressure monitoring
- Cycle information recovery in the case of power failure or cycle interruption
- Insufficient water detector with automatic shut-off

Tuttnauer 3870EA

30-11256 Call for Price

Place Your Order Now



www.prestigedentalproducts.com Tel: 877-772-3888



Autoclaves & Sterilizers - Tuttenauer/Pelton & Crane

Elara 11 Class B Automatic Autoclave Sterilizer (Tuttnauer)



The Elara 11 Sterilizer is designed for sterilization of wrapped, porous and hollow loads. The chamber volume is large, external dimensions are small, making it especially suitable for smaller clinics requiring a high turnover. The control system is smart and intuitive, easy to use and has a large memory for consistent and reliable performance.

Efficient:

- Short cycle and high volume pre and post vacuum pump for perfect class B sterilization results
- 316L grade stainless steel chamber and door with electro-polish finish
- A built-in steam generator provides steam and facilitates a standby steam mode
- The door closes smoothly and locks automatically

Features:

- Large 7.5 Gallon chamber within a small foot print. A perfect fit for standard 24 inch shelves or counters
- 5 stainless steel trays and can also hold cassettes
- Water filling from the front economizes on office space by eliminating the need to keep the top of the autoclave accessible

Safety Features:

- Cycle will not start unless the door is properly locked
- Automated double locking safety device prevents the door from opening while the chamber is pressurized
- An automatic safety shut-off prevents overheating of the chamber
- The autoclave comes with safety pressure-release valves for the chamber and generator

Elara 11 Class B 30-11190 Call for Price



Delta Q Sterilizer (Pelton & Crane)



- Closed door filtered air drying ensures a higher quality of sterilization
- Sterilization cycle time of 15 minutes for unwrapped instruments
- Automatic chamber preheat
- Electronic temperature and time control monitor sterilization conditions in chamber
- One custom and four automatic preprogrammed sterilization settings
- Approved for hand piece sterilization
- Digital function display allows easy and accurate monitoring
- Designed and built to ASME specifications

Specifications	Delta Q 8	Delta Q 10		
Chamber Size	8 1/4" x 14" (21 x 36cm.)	9 7/8" x 17 1/2" (25.1 x 44.5cm.)		
Chamber Ca- pacity	739cu.in. (12,110cu.cm.) Holds 2 European trays	1340cu.in. (22cu.cm.) - Holds 3 large or 9 small Hu- Friedy cassettes or 3 European trays		
Start-Up Time (to 134°C)	10-13min. Warm	12min. Warm		
Sterilization Time	16min. Warm (unwrapped)	16min. Warm (unwrapped)		
Drying Cycle Time	30min. Pre- programmed, variable 0-99min.	30min. Prepro- grammed, variable 0-99min.		
Outside Dimensions (with stand)	17 1/2" W x 12 1/4" H x 19 1/4" D (44 x 31 x 50cm.)	19 1/2" W x 14" H x 23" D (49 x 36 x 60cm.)		
Amp Circuit	Requires dedicated 20-amp circuit			

Delta Q 8, 8 in. 115V, each	30-13201	Call for Price
Delta Q 10, 10 in. 115V, each	30-13203	Call for Price
Delta Q 10, 10 in. 230V, each	30-13204	Call for Price

Autoclaves & Sterilizers - SciCan/CPAC

Statim 5000 Automatic Autoclave (SciCan)



Fully automatic. Simply select one of four sterilization programs and with a single touch of the keypad, begin the cycle. An advanced microprocessor controls all functions and maintains optimal sterilization conditions, from start to finish.

SciCan's Statim cassette sterilizers have a biological effectiveness that has been proven in tests for hollow and solid instruments at many internationally recognized institutes in Canada, the United States and Europe.

Cycle times do not include drying

Specifications:

• Unit Size: L 21.75" x W 16.25" x H 7.5"

• Cassette Internal Dimensions: L 15" x W 7" x H 3"

• Reservoir Capacity: 4.0 litres (distilled water) Ap-

proximately 40 cycles

• Weight without water: 33 kg / 72 lbs

Power Consumption: 110-120 V, 60Hz, 1300 W

Optional Stat printer:

Type: Thermal PrinterPrint: 20 characters/lineSpeed: 1 line/sec

• Capacity: 80 cycles/roll

Unit 30-26011 Call for Price





Dry Heat Sterilizer (CPAC)

The Only F.D.A. registered dry heat sterilizer of its kind.



It takes about 15-

30 minutes from normal room temperature it reaches desired sterilizing temperatures 160° to 180°C (320° to 360°F).

Unit with 2 Draws, 110V	30-92391		
Unit with 2 Draws, 220V	30-92392	Call	for Price
Unit with 3 Draws, 110V	30-92393	Call	for Price
Unit with 3 Draws, 220V	30-92394	Call	for Price



BEST QUALITY DENTAL SUPPLIES



Rapid COX Dry Heat Sterilizer (CPAC)

6 Minutes cycle Low maintenance - No supplies needed

• You can adjust the time to: 6 Minutes cycle time for unwrapped Instrument, or 8 Minutes cycle time for Hand pieces,



or 12 Minutes cycle time for wrapped Instrument

- Contaminated Implants or those needing alterations can be re-sterilized fast
- Avoids added risk and time of making new appointment and re-sedating patient if alteration is needed
- Quick cycle times which reduce needs for increased instrument inventory
- Excludes corrosion, rust and dulling associated with steam sterilizers
- No foul odors, chemical residues or possible health hazards attributed to chemical sterilizers
- Scheduling of your patients at your convenience instead of waiting for sterilization of long cycle sterilizers

Unit, 110V 30-92381 **3995.95** Unit, 220V 30-92382 **4095.95**

Dry Heat Sterilizer (DA)

- Cost efficient
- •Sterilize trays with lid on
- Automatic timer
- Even heat, rapid heat-up
- Simple to operate
- •Burnout-proof heating element
- Precision thermostat
- •No pressure, no moisture
- •Chamber sealing door
- •Stainless steel, rust resistant
- •2-Tray Sterilizer Dimensions, Outside: 15 1/2" W x 10 1/2" H x 9 1/2" D, Inside: 12 1/2" W x 5 1/2" H x 7 1/2" D, Tray: 10" x 6 1/2"

1 YEAR WARRANTY

•3-Tray Sterilizer Dimensions, Outside: 19" W x 14 1/2" H x 11" D, Inside: 15" W x 7 1/2" H x 9" D, Tray: 11 1/4" x 7 1/2"

2 Trays Unit Model 200, 450 Watts 30-92401

3 Trays Unit Model 300, 650 Watts 30-92402

Autoclaves & Sterilizers - CPAC/DA

Prestige Cassette Sterilizer

Stylish aesthetics, together with a host of enhanced features, build on the successful attributes of the original Series 2100 range, to ensure the 2100 'Classic' perfectly complements today's modern clinics and the exacting needs of the healthcare professional.



Prestige Medical 210025 Dental Cassette Sterilizer, as an

ISO 9001-2000 / EN13485 accredited company ensures all products including the 2100 Classic have been designed to the latest international standards for safety and performance and are fully CE marked to the Medical Devices Directive 93/42/EEC.

Specifications:

- Chamber Size: 9" (H) X 8" (W) 0" Deep
- Automatic (electronic) controlled
- Steam Sterilizer Power Supply: 110V
- •16 minutes cycle
- Table Style

Unit 30-11306

BEST QUALITY DENTAL EQUIPMENT

