







Prestige Dental Products, Inc

PrestigeDental.com 877-772-3888

Welcome to Prestige Dental Products. Inc.

located in Anaheim, California USA is recognized for its exceptional customer service, high quality products, and its competitive low prices.

As an authorized Dealer of many brands in North America, we have provided dentists with advanced dental supplies and equipment, along with excellent customer service. Our bulk purchases allow us to provide products to our clients with highly competitive low prices, thus ensuring that our customers' needs are met with full satisfaction.

Prestige Dental Products offers all Dental Specialties a comprehensive choice of the products and equipment that are necessary to operate a successful dental practice in the fields of General Dentistry, Cosmetic Dentistry, Orthodontics, Oral Surgery, Endodontic, Periodontics, Pedodontics and Implant Dentistry.

Our Mission is to provide innovative, integrated Dental products and excellent services; and to be trusted advisors and consultants to our customers, enabling them to deliver the best quality patient care and enhance their practice efficiency and

Customer Information

Order

ORDER

PHONE To place an order by phone, please call toll free Number 877-772-3888 Monday through Friday 9.00 a.m. -5:00 p.m. (PST).

FAX You may FAX your orders to 714-632-8821.

INTERNET www.prestigedentalproducts.com

You Can Place Orders Online any time in our secure website.

Our Online Catalog offers access to our Product Line, Monthly Specials, Manufacturer Specials, and Promotions.

 $\underline{\textit{Note}}\textsc{:}$ New Customers/First time buyers do not need User ID and Password to shop from us.

Simply add items to the shopping cart. At CHECKOUT, you will have the option to pay with a Credit Card through our Secure Servers.

Customize order for special customer

Email us to mass@prestigedentalproducts.com a list of the items you order on a regular basis, or contact our sales representative to the Toll Free (877) 772-3888 and we will prepare a special Price list just for you.

Pavment

<u>CREDIT CARD</u> We accept Visa, MasterCard, American Express and PayPal. Credit card order will ship only to credit card holders name and address. If you want to ship your order to different address than the billing address, please pay through PayPal or through Bank to Bank method.

Bank to Bank payment through High Secure Intuit Payment-Network

Pay electronically through high secure payment network, after you place your order, Prestige Dental Products will email you the invoice which has a link to guide you through a one-time set-up process to send your payment, and it is free for you. The payment transaction will be processed from your bank account to Prestige dental Products bank account securely. Nobody can see or know your bank information through this high secure Payment-Network.

MONTHLY BILLING "Net 30 days payment"

To get a net 30 days payment terms, please fill out our credit application form. These accounts are subject to our open account terms pending credit approval. Satisfactory credit references are required. Your account payment will be due upon receipt of your monthly statement.

Shipping

GROUND DELIVERY

Free shipping for all Orders \$400.00 or more "Tax not included \$400.00" in the state of the west coast (Excluding: Equipment, Solutions, Large Heavy Cases of disposable Goods, Casting Materials, Hazardous and Refrigerated Items).

EXPEDITED SHIPPING UPS Next Day and Second Day Service for which additional shipping fees will be charged.

SHIPPING HAZARDOUS ITEMS All Hazardous products will have an Additional \$20.00 charge due to Dept. of Transportation Regulations. Hazardous materials may not be shipped by air (for example: Alcohol, Methanol, Ethanol, Laboratory Reagents, or anything flammable). No returns will be accepted.

All Refrigerated Items are non-returnable and are shipped Next Day Air only and charges are added to Invoice.

State and federal laws

DEA CERTIFICATE & LICENSE

To enable us to ship to you in compliance with the law, we mandatory request that you supply us with a copy of your DEA Registration Certificate and Physician License prior to your first order of any purchase items such as needles, syringes, I.V. Products, anesthetics and pharmaceuticals.

Prestige Dental Products does not take responsibility for any typographical errors.

All Prices And Specifications In This Catalog Are Subject To Change Without Prior Notice.



Endo Ice (Hygenic)



6oz Spray Bottle

29-16551 **17.95**

Formocresol Bottle


Endodontic medicament for root canal therapy and for pulp devitilization



1oz Bottle 29-16561 **24.95**

Micro Aspirators (Vista)

- •Universal high-speed, low-speed valve fitment available on autoclavable style
- Provides for fast and efficient micro aspiration



•Bendable needle that resists crimping

20g Luer HVE Adap. 20/Pkg 39-24851 **17.95**

Endo Units

Therma-Flo Composite Applicator (Vista)

Therma-Flo[™] Composite Applicator is revolutionizing composite delivery!

Fill bulk restorations in seconds - multiple levels for improved composite handling properties and increased ability to use highly filles composites.



Features:

- Automated delivery of composite material
- •Warms up to four compules for multiple restorations or layering
- Adjustable heating levels for improved composite handling properties
- •Allows increased ability to use highly filled composites
- •Tip maintains heat level for optimal temperature at point of delivery
- •Cordless, compact, lightweight ergonomic design reduces hand fatigue
- •Compatible with most standard compules

Full Unit: 20 of 2x Step-Down tips, 20 of 4x Step-down tips, Rechargeable handpiece & warming base with 3 nose cones

29-26201 **1149.95**



 Step Down tips 2x, 40 Cup/Pkg
 29-26202
 29.95

 Step Down tips 4x, 40 Cup/Pkg
 29-26203
 29.95

Therma-Flo Composite Warming Kit (Vista)



For precision placement of highly filled composites...

Therma-Flo TM is a warming kit engineered for optimal composite performance.

Evidence shows that when

highly filled composites are heated, they perform with the same clinical ease of flowables!

Vista's new Therma-FloTM Composite Warming Kit offers you an easy way to increase the flowable viscosity of composite material without compromising tensile strength, wear-resistance or aesthetics.

Benefits of HEAT:

- •Increased flowability = Easy extrusion
- •Improved polymerization= Reduced voids
- •Reduced curing time
- •Greater wear resistance

Composite Warming Kit Features:

- •Heats composite up to 155° F
- •Warms multiple compules dome accommodates multiple syringes
- •Compatible with most standard compules and composite syringes
- •Includes *patent pending* Step Down tips for precise placement of composite material

110V Kit: (1) Warmer unit (2) Composite syringes (20) 4X Step Down tips (20) 2X Step Down tips	29-26221	495.95
220V Kit: (1) Warmer unit (2) Composite syringes (20) 4X Step Down tips (20) 2X Step Down tips	29-26222	495.95
Step Down tips 2x, 40 Cup/Pkg	29-26211-1	29.95
Step Down tips 4x, 40 Cup/Pkg	29-26212-1	29.95


Vibringe Sonic Irrigation System (Vibringe)

The Vibringe is the first endodontic sonic irrigation system that enables activation of the irrigation solution, acoustic streaming, in the root canal, in only one step.

The activation of the disinfectant enriches and completes your irrigation procedure and improves the success rate of your endodontic treatments, without any hassle!







Vibringe® is developed to make the dental practioners life easier. That is why we design easy-to-use products. At Vibringe B.V. we believe that we should not interrupt into your actual processes and routines too much. Therefore the Vibringe® embraces your actual irrigation procedure, but will improve your success rate by using the patented sonic flow technology which causes acoustic streaming in the root canal.

Superclean: Vibringe® has been clinically proven to realize a more thorough debridement and disruption of the smear layer than conventional hand irrigation. The patented sonic flow technology will realize a full irrigation to the apex and eliminates blockage. The Vibringe® is enabling the solution to reach and disinfect all portions of the canal. One can think of the lateral canals, fins, webs and anastomoses. When using ultrasonic irrigation, the Vibringe® is a perfect complementary device instead of the normal syringe to realize an even higher predictable outcome.

Vibringe® has clinically proven that it removes organic and inorganic debris from hard-to-reach areas *faster* than the conventional syringe.

Vibringe® is shown to be *completely safe* for all endodontic irrigation procedures and is compatible with all irrigation solutions like for example sodium hypochlorite and EDTA.

Vibringe® designed and developed this product in close cooperation with general practioners and endodontists. During this extensive research and development stage finally 8 out of 10 dentists love to work with Vibringe[®]. Main reasons for that? It is an easy-to-use device which embraces conventional irrigation techniques and realizes a higher predictable outcome in shorter

One Year Warranty

Including

time!

Adapter & 15 disposable syringes 29-12534 **469.95** Disposable 10 ml Luer Lock Sterilized Syringes, 50/Pkg 29-12533 69.95

29-12535 **159.95 Power Supply**

Cordless Thermal Condensor Unit (Dentazon)

Efficient cordless endodontic Thermal Condensor system which offers optimum functionality and reliable apical control along with excellent tactile sense.

- ·Light weight and highly
- •360° Easy Swivel (no tool required)
- •Complete thermal protection for patient
- •Ultra-fast heating for less chair time
- •Ergonomic and user-friendly operation
- •Maximum portability with stylish design
- •Greatly reduces hand and wrist fatigue

One Year Warranty

Unit 29-11221 **595.95**

Endodontics

E-Cube Black Endo Rotray System W/Contra Angle (Saeshin)

Compare to "NSK Endo-Mate DT"

Auto reverse feature upon overload sensor detection 9 customizable user programmable preset programs Up to 5 hour batter life back up and electrically powered Constant torque settings for safe control Speed ranges from 125 Rpm - 13,000 Light weight handpiece (3.74 oz) Slim style handpiece (4.25" long) and 3/4" diameter Universal power supply





- O Auto Reverse function O Torque control from 0.6 to 5.2 N.cm
- O Gear ratio : 16:1 @9 Programmable preset memorizing
- O Foot control On/Off switch OUp to 5-hour battery life Compact designed controller including various function
- OSupply with stable torque Operation available with battery or adapter

●A type On/Off Button ACL(B)-42EP + CUBE EP B type Non On/Off Buttor

PRODUCT COMPONENTS

ACL(B)-42EM + CUBE EM

- (1) AC Adapter / cable (2) Control Unit (2type)
- (3) On/Off Switch (Option) (4) Handpiece Stand
- (5) Contra Angle (1EA)







Adapter		Control Box	
Input	100~240V 47/63Hz	Rated input	DC20V 0.5A
	0.9~0.34A	Output	DC4.5V 0.4A
Output	20V 1.42A max	Charging time	5 hours approx.
Dimensions	W 62 X D 118 X H 39mm	Dimensions	W 110 X D 196 X H 139mm
Weight	298g	Weight	582g
Rated input Dimensions	DC4.5V 0.4A ¢ 19.8 X L 61.7mm	Rated input Dimensions	DC4.5V 0.4A ¢ 20 X L108mm
D	(CUBE EM)		(CUBE EP)
Dimensions	¢ 19.8 X L 61.7mm		
Weight	116g	Weight	106g
RPM	13.000rpm	RPM	13.000rpm
Contra Angle I	Handpiece (ACL(B)-42EM)	Contra Angle	
Gear Ratio	16:1	Gear Ratio	16:1
Dimensions	¢ 19.6 X L 95.2mm	Dimensions	¢ 16.7 X L63mm
Weight	52g	Weight	34.8g

E-Cube Black (Auto Reverse) w/Plastic HP & Angle PEDAL ON/OFF	29-11232	695.95
E-Cube Blue (Non-Auto Reverse) w/Plastic HP & Angle PEDAL ON/OFF	29-11234	695.95
E-Cube Black (Auto Reverse) w/Metal HP & Angle PEDAL ON/OFF	29-11235	695.95
E-Cube Black (Auto Reverse) Controller Only	29-11236	329.95
E-Cube Blue (Non-Auto Reverse) Controller Only	29-11237	329.95
E-Cube Handpiece Type A (On/Off Button) - Plastic	29-11238	329.95
E-Cube Handpiece Type B (Non On/Off Button) - Metal	29-11239	279.95
E-Cube Charger 110-240V	29-11240	29.95
E-Cube On-Off Pedal Only	29-11241	22.95
E-Cube Handpiece Stand	29-11242	14.95
16:1 Mini Head Contra Angle Plastic	29-11243	174.95
16:1 Mini Head Contra Angle Metal	29-11244	199.95

I-Root Digital Apex Locator (Meta Biomed)

5th generation Apex Locator by dual frequency type.



Best accuracy in any root canal condition (Dry, Bleeding, Wet, Saline, EDTA, NaOCl or Chlorhexidine etc...) Can measure the apical constriction exactly without mismeasurement. Developed & upgraded based on the technology of e-Magic Finder (EMF-100 Series) Apex Locater.

Measurement by eye and ear at the same time: Available for checking the apex by digital No., graph and beep sound. When the file is closer to the apex, indication sound is intermittent beep sound. When reaches to the apex It provides continuous beep sound and red Apex indication for user's convenient and saving time, it helps to find apex easily and quickly.



Color Display: From graph 2.0 to 1.0, Indicates graph by blue color. From graph 0.9 to 0.5, Indicates graph by green color. From graph 0.4 to -0.5, Indicates graph by red color. From the 0.5mm to -0.5mm. The tooth graphic and Apex indication will be blink with color display.

I-Root A Type Digital Apex Locator, Rechargeable battery / Without PM	29-11747	549.95
I-Root S Type Digital Apex Locator, Purple Color Rechargeable battery / With PMS (with computer monitoring options)	20 12747	(20.05
I-Root S Type Digital Apex Locator, Yellow color Rechargeable battery / With	29-12747	639.95
PMS (with computer monitoring options)	29-12748	639.95
Rechargeable Liion Battery, 2200		
mAh 7.2 Volts, Each	29-12749	29.95

Endomax Cordless Endodontic Handpiece (Dentamerica)



- •Auto-stop and auto-reverse mechanisms for patient safety
- •Heavy-duty high torque motor
- •Reciprocating setting available without use of additional attachment: The file reciprocates in a back and forth motion at 45°.
- •Ergonomic design provides comfort and easy operation
- •Features five torque settings
- Automatic forward/reverse functions
 - Clockwise rotation
 - •Reverses when torque limit is reached
 - •When the load is removed, rotation continues forward
 - •Auto-Reverse Stop
- •Five rotation speeds available for different applications
- •High capacity lithium-ion battery provides stable and prolonged usage
- •Offers quick and easy coupling
- •Weight: 150g

Endomax Cordless Endodontic Handpiece Unit	29-11346	694.95
Replacement: Latch Attachment (for Endomax)	29-22346	189.95
Replacement: Battery Pack (for Endomax)	29-22347	94.95



Endo Gripper for All Finger Instrument (Miltex)

- •Push button endodontic handpiece for finger instrument
- •1/4 turn,1/16 speed reduction ISO E-type attachments
- Accepts all plastic handles


Autoclavable



Each 29-92151 499.95

Endo Irrigator System (Vista)

- •Instantaneous, fingertip-controlled system
- •Site-specific pinpoint irrigation is cleaner and more efficient
- •Handpiece control allows you to instantly select irrigating solutions with the touch of a button, without leaving the field
- •Built-in heater allows for the delivery of heated irrigating solutions for improved chemical reaction



- •Multiple mounting options
- •OPTIONAL Air Handpiece that includes the Stropko-IrrigatorTM for the delivery of low pressure, moisture free air to your surgical site

Kit Includes:

29-11314

72,95

•1 – Autoclavable tip manifold

•30 - assorted Endo-Irrigator™ irrigating tips

1-Button Air/Water Syringe Kit		
Unit heated 3 bottle includes: wall or pole mount, 30 assorted irrigating tips	29-11312	1995.95
pole mount, 30 assorted irrigating tips	29-11313	1595.95

EndoApex Cordless Obturation System (Dentazon)

Light weight and highly efficient cordless endodontic dual obturation system which offers optimum functionality and reliable apical control along with excellent tactile sense

•360° Easy Swivel (no tool required)

(Includes 7ft. tubing and metal tip)

- •Complete thermal protection for patient
- •Ultra-fast heating for less chair time
- •Ergonomic and user-friendly operation
- •Maximum portability with stylish design
- •Greatly reduces hand and wrist fatigue
- Color coded pen tips
- •Delivers reliable and predictable clinical results

One Year Warranty

2-in-1 Obturation System 29-11315 **1295.95**

Endodontics

Gutta Easy Cordless Thermal Obturation System (Dentazon)

Light weight and highly efficient cordless endodontic obturation system which offers optimum functionality and reliable apical control along with excellent tactile sense.

- •360° Easy Swivel (no tool required)
- •Complete thermal protection for patient
- •Ultra-fast heating for less chair time
- •Ergonomic and user-friendly operation
- •Maximum portability with stylish design
- •Greatly reduces hand and wrist fatigue
- •Color coded pen tips
- •Delivers reliable and predictable clinical results

One Year Warranty

Unit 29-11538 **695.95**

Gutta Percha Cutter and Trimmer

In 3 seconds only

This instrument is developed for the easy and safe removal and trimming of excess guttapercha and thermal dense filling in your endodontic cases. It is composed ofendo-remover and trimmer operated by two AAA, NiMH rechargeable batteries, which are included in the package.



ERGONOMIC DESIGN

SLIM: To feel comfortable for the treatment in the mouth like dental handpieces

LIGHTWEIGHT: It weighs only 50g together wit 2 cells which leads to easiness in your treatment

PRODUCTIVE ENVIRONMENTS

There is no need for alcohol lamp or burner to heat some instrument to remove the excess, also no need for an assistant.

ECONOMICAL:

If NI-HM batteries are used, you can use this instrument in very powerful and economical ways than disposable alkaline batteries . Normally, it has about 400-500 charging cycles which leads to long lasting usages, also if fully charged, normal usage is between 15-20 times

SAFETY & DURABILITY

This instrument might be semi-permanent only if batteries and tip are refilled, also the patient can not notice the treatment because they can not see compared than the usage of conventional alcohol lamp usage. The patients feels comfortable.

Prior to using this instrument ,please charge and check the batter-

- 1. Push the button only when are ready to operate
- 2. Place the edge of the tip to the canal orifice, and then push the button for 3 or 4 seconds. It produces enough heat to cut the excess within seconds. That means you don't need to hold the button for overlong time.
- 3. After removing the excess ,please pull the instrument carefully not to touch the skin of the patient.
- 4. After it comes cool ,please clean the tip with wet alcohol gauze or sterilize for the next usage.

Cutter & Trimmer Unit: with 4 X AAA rechargeable Ni-MH batteries, Rapid charger and two cutting and trimmer tips

29-11539 **139.95**

Endodntic C.A. (DA)

- •1/4 Turn twisting motion
- •Allows a 30 degree onequarter turn
- •Fully autoclavable



Each 29-92171 **139.95**

Gutta Percha Cutter and Trimmer (MTI)

- •Hot cutting of gutta percha prevents the GP points from moving and loosening unintentionally
- •Designed for precise cutting of gutta percha
- •This cordless handpiece and the interchangeable loop tips provide safe and easy access precisely at the canal orifice
- •The instrument is introduced cold and with a touch of a button the tip heats instantly and trims off the excess gutta percha material.



One Year Warranty

Includes: handpiece, charger, set of 4 tip (assorted)

29-89841 **254.95**

Hygiene Irrigator (Vista)

2 – bottle variable pressure reservoir to accommodate a variety of irrigating solutions

•Built-in ultrasonic adapter is compatible for use with Vista's Piezo Advantage™ ultrasonic scaler and other ultrasonic styles or air polishers •OPTIONAL Hygiene Irrigation handpieces for site specific micro irrigation of pockets, fistulas, etc.



Kit Includes:

- •Hygiene IrrigatorTM Reservoir System
- Stainless Steel Autoclavable Irrigator Handpiece
- •Stropko IrrigatorTM or Stropko XL
- Choice of wall, pole or stand mount
- •Installation Kit

Hygiene Irrigator Reservoir System 29-11743 474.95
Hygiene Irrigator Reservior Only 29-11742 399.95
Quick Change air handpiece w/
Stropko Irrigator 29-11744 329.95

Integrity Endo Handpiece (Osseo Scientific)

90° reciprocation Action - for Hand Files Connect to E-Type Air motor



Each 29-92161 **264.95**



Mark VII Apex Locator (Miltex)

The Mark VII Apex Locator gives dental professionals an exact measurement of the canal

length under all conditions, including dry, wet and bleeding. This makes working in the canal easier and more accurate. It precisely measures the distance from the tip of the endodontic file to the foramen. The Mark VII allows dental professionals to know the



depth of the canal by showing when they are 2.0 mm, 1.5 mm, 1.0 mm, 0.5 mm, 0.25 mm away from, and then the apex has been reached.

The Mark VII Apex Locator is easy to use and designed to be placed near the oral cavity, in the operator's field of vision. The apex locator is often clipped to the patient's napkin to ensure that the unit does not accidentally fall. The Mark VII does not require calibration between measuring multiple canals, thereby immediately enabling accurate measurement of another canal.

Features:

- •Can be used in any canal condition
- •Provides Accurate Readings
- Compact Size, Easy to Use
- •Does not require calibration at the start of a procedure or between canals

Benefits:

- •Saves time and canal does not require certain condition
- •Allows dental professional to know where they are in the canal in relation to the apex
- •Can be placed near the oral cavity, in the operator's field of vision
- •Does not require any counter space
- •Reduces procedural and set up time
- •Reduces tray set up time and time it takes to measure multiple canals

Mark VII Unit 29-11982 669.95

Tri Auto ZX Cordless Endodontic Handpiece (J-Morita)

The cordless Tri Auto ZX is the only endodontic handpiece with a built-in apex locator, providing the capability and convenience to electronically monitor the root canal before, during and after instrumentation. With the combined technology and accuracy of the Root ZX apex locator, the Tri Auto ZX can significantly increase accuracy and safety.



The Tri Auto ZX also offers greater control and flexibility with the adjustable torque settings

The choice of automatic or manual mode operations provide versatility.




The three automatic functions include:

- •Auto Start/Stop
- Auto Apical Reverse
- Auto

Unit Includes: Handpiece, Contra Head, Charger, Battery, Probe Cord, File Holders (3). Contrary Electrode (5), Function Tester, AR Oil, Practice 29-12483 1999.99 Block, Instructional Video 29-12482 799.95 Contra Head Handpiece only 619.95 (Battery & Contra Head not included) 29-12479 29-12481 494.95 Charger 29-12480 30.95 Tri Auto ZX Sleeves (500)

Root ZX II Apex Locator (J-Morita)

Apex Locator with Low Speed Handpiece



As the world's best selling apex locator, Root ZX II has set the industry standard for accuracy and patient safety.

Invented in 1992, it was the first unit with the ability to work in wet canals - measurement is not affected by the presence or absence of blood, other discharges, or electrolytes. Root ZX® II features patented technology which offers an accuracy rate of 97.5%*. User friendly, its display screen is large and easy to read. The action of the meter in the display corresponds exactly to the tactile sensation of using the file. Other features include: slim, lightweight file holder, no zero-adjustment, automatic calibration, battery power indication, and automatic power off function.

As an optional upgrade, a module enables the unit to function as a low speed handpiece, apex locator, or a combination of both. The module snaps easily onto the back of the unit and offers numerous safety features including Auto Apical Reverse and Auto Apical Slow Down.

APEX LOCATOR FEATURES

- •97.5% accuracy rate*
- •Automatic calibration
- •Ability to work in wet canals
- •Easy to read display screen
- •Upgrade option to Low Speed Handpiece

Endodontics

Long File Holder

A long touch file holder is available to be used with the probe cord. It features a fork-like tip that allows the clinician to get an apex reading by simply touching the file. The file holder is 5 inches long, autoclave safe and ideal for hard-to-reach molar procedures, thus increasing access to the work area.

Indications

Apex location/measurement of root canal length

Canal Measurement Module, Includes: Probe Cord, File Holders (3), Contrary Electrodes (5), Function Tester, "AA" Alkali Batteries (3)	29-12409	994.95
Low Speed Handpiece Module, Includes: Micromotor (TR800), Contra Angle, Handpiece Cord, Handpiece Rest, AR Oil, AC Adapter, Battery (pre-installed) Foot Switch, Plastic		
Sleeves (20)	29-12408	1494.95
Micromotor (TR400)	29-12407	349.95
Micromotor (TR800)	29-12405	349.95
Contra Head	29-12406	849.95
Heandpiece Cord	29-12404	369.95
Handpiece Rest	29-12403	24.95
Probe Cord (Root ZX II)	29-12402	45.90
Probe Cord (Original Root ZX)	29-12401	45.90
File Holders (5)	29-12399	134.99
Contrary Electrodes (Lip Clips) (5)	29-12400	49.95

RootPro Endo Motor-Apex Locator (Pac-Dent)

CANAL PREPARATION & APEX LOCATOR SYTEM

RootProTM Wireless is the most advanced apex locator / endo motor all-in-one system of its kind. With a newly added wireless foot pedal, the RootPro dramatically reduces the clutter and improves your efficiency

Long File Holder



29-12398

19.95

The RootProTM endodontic motor with Low-Speed Handpiece is a dual-function device that prepares root canals while displaying accurate measurements of the root canal. The RootProTM offers many automatic safety control options, making it the ideal choice for Dentist or Endodontist. It provides the user with expected predictability in today's dental practice.RootProTM also accurately and precisely locates the position of the file inside a root canal without requiring the user

to set the machine to zero. RootProTM's unique automatic calibration funtion ensures accuracy and eliminates the effect of changes in temperature, moisture, etc. inside the canal even during treatment. It comes with a wireless foot switch, dramatically reducing clutter and drag during operation, ensuring a user-friendly experience throughout.

ADVANTAGES

- •Prepares root canals while displaying accurate & precise measurements of the root canal
- •Offers many automatic safety control options: Auto Motor Start/ Stop, Auto Torque Reverse, Auto Apical Reverse
- Accurately and precisely locates the position of the file inside a root canal
- •No zero-adjustments needed
- •Automatic calibration ensures accuracy & eliminates the effect of changes in temperature and moisture
- •Wireless foot switch for a user-friendly & clutter-free operation

1x Complete RootPro Unit: 1 x Root-

Pro main unit with low-speed handpiece, 1 x probe cord, 3 x file holders, 1 x handpiece rest, 1 x foot switch, 1 x ac adapter, 5 x contrary electrodes, 1 x canal-length tester,

contrary electrodes, 1 x canal-length tester, 1 x AR oil	29-25480	819.95
1x Low-speed handpiece replacement	29-25481	310.75
Foot Switch	29-25482	52.45
AC Adapter (110V~240V, 50/60Hz)	29-25483	31.45
Low-Speed contra-angle handpiece sleeves, 250/box	29-25484	37.75

Vibring (Dentazon)

- •Compatible with 10cc irrigation syringe of most brands
- •No special syringe or attachment is required to use
- •It is proven to be perfectly safe for every endodontic irrigation procedure and is 100% compatible with every type of irrigation solution



Unit 29-89521 **299.95**

Obturation Systems

Therma-Kor Obturators

Made in USA

Therma-Kor is an endodontic obturator comparable to Soft Core

Compare to Thermafil or Densfill Obturators (Dentsply)

# 20, 25mm (6/Pk)	39-52412	29.95
# 25, 25mm (6/Pk)	39-52413	29.95
# 30 , 25mm (6/Pk)	39-52414	29.95



#35, 25mm (6/Pk)	39-52415	29.95
#40, 25mm (6/Pk)	39-52416	29.95
#45, 25mm (6/Pk)	39-52417	29.95
#50, 25mm (6/Pk)	39-52418	29.95

Hand Files-Stainless Steel

Barbed Broaches, Stainless Steel

ISO color coded handle.

Designed for fast pulpal tiss			
Size XXXX-F, Color Purple #0, 0.20, L	ength 21mm	29-11167	5.95
Size XXX-F, Color White #1, 0.25, Le	ength 21mm	29-11168	5.95
Size XX-F, Color Yellow #2, 0.30, I	Length 21mm	29-11169	5.95
Size X-Fine, Color Red #3, 0.35, Leng	gth 21mm	29-11170	5.95
Size Fine, Color Blue #4, 0.40, Len	ngth 21mm	29-11171	5.95
Size Medium, Color Green #5, 0.50, Le	ength 21mm	29-11173	5.95
Size Coarse, Color Black #6, 0.60, Le	ength 21mm	29-11174	5.95
Asst., Length 21mm		29-11172	5.95

Finger Pluggers, Stainless Steel (JS Dental)



Size 15, Length 21mm, 6/Pkg	29-11468	7.95
Size 20, Length 21mm, 6/Pkg	29-11479	7.95
Size 25, Length 21mm, 6/Pkg	29-11480	7.95
Size 30, Length 21mm, 6/Pkg	29-11481	7.95
Size 35, Length 21mm, 6/Pkg	29-11482	7.95
Size 40, Length 21mm, 6/Pkg	29-11483	7.95
Size 15-40, Length 21mm, 6/Pkg	29-11485	7.95
Size 15, Length 25mm, 6/Pkg	29-11484	7.95
Size 20, Length 25mm, 6/Pkg	29-11486	7.95
Size 25, Length 25mm, 6/Pkg	29-11478	7.95
Size 30, Length 25mm, 6/Pkg	29-11477	7.95



40.		
Size 35, Length 25mm, 6/Pkg	29-11476	7.95
Size 40, Length 25mm, 6/Pkg	29-11467	7.95
Size 15-40, Length 25mm, 6/Pkg	29-11469	7.95
Size 15, Length 31mm, 6/Pkg	29-11470	7.95
Size 20, Length 31mm, 6/Pkg	29-11471	7.95
Size 25, Length 31mm, 6/Pkg	29-11472	7.95
Size 30, Length 31mm, 6/Pkg	29-11473	7.95
Size 35, Length 31mm, 6/Pkg	29-11474	7.95
Size 40, Length 31mm, 6/Pkg	29-11475	7.95
Size 15-40, Length 31mm, 6/Pkg	29-11487	795

Finger Spreaders, Stainless Steel (JS Dental)

ISO color coded handle.

- •Smooth conical shape wit pointed tip.
- •Designed for compacting of gutta percha and other filling materials

Size 15, Length 21m	m, 6/Pkg	29-11511	7.95
Size 20, Length 21m	m, 6/Pkg	29-11492	7.95
Size 25, Length 21m	m, 6/Pkg	29-11491	7.95
Size 30, Length 21m	m, 6/Pkg	29-11490	7.95
Size 35, Length 21m	m, 6/Pkg	29-11489	7.95
Size 40, Length 21m	m , 6/Pkg	29-11488	7.95
Size 15-40, Length 2	1mm, 6/Pkg	29-11513	7.95
Size XF, Length 21m	m, 6/Pkg	29-11512	7.95
Size FF, Length 21m	m, 6/Pkg	29-11514	7.95
Size MF, Length 21r	nm , 6/Pkg	29-11515	7.95
Size F, Length 21mm	n, 6/Pkg	29-11516	7.95
Size FM, Length 21r	nm, 6/Pkg	29-11517	7.95
Size M, Length 21m	m, 6/Pkg	29-11518	7.95
Size Asst., Length 21	mm, 6/Pkg	29-11519	7.95
Size 15, Length 25m	m, 6/Pkg	29-11522	7.95
Size 20, Length 25m	m, 6/Pkg	29-11521	7.95
Size 25, Length 25m	m, 6/Pkg	29-11493	7.95
Size 30, Length 25m	m, 6/Pkg	29-11494	7.95
Size 35, Length 25m	m, 6/Pkg	29-11495	7.95
Size 40, Length 25m	m, 6/Pkg	29-11510	7.95
Size 15-40, Length 2	5mm, 6/Pkg	29-11509	7.95
Size XF, Length 25m	m, 6/Pkg	29-11508	7.95

Endodontics

Size FF, Length 25mm, 6/Pkg	29-11507	7.95
Size MF, Length 25mm, 6/Pkg	29-11506	7.95
Size F, Length 25mm, 6/Pkg	29-11505	7.95
Size FM, Length 25mm, 6/Pkg	29-11504	7.95
Size M, Length 25mm, 6/Pkg	29-11503	7.95
Size Asst., Length 25mm, 6/Pkg	29-11502	7.95
Size 15, Length 31mm, 6/Pkg	29-11501	7.95
Size 20, Length 31mm, 6/Pkg	29-11500	7.95
Size 25, Length 31mm, 6/Pkg	29-11499	7.95
Size 30, Length 31mm, 6/Pkg	29-11498	7.95
Size 35, Length 31mm, 6/Pkg	29-11497	7.95
Size 40, Length 31mm, 6/Pkg	29-11496	7.95
Size 15-40, Length 31mm, 6/Pkg	29-11520	7.95

H-Files Stainless Steel with Endo Stop (ATW)

- •High Quality Stainless Steel H-Files with Endo Stop
- •FDA and ISO approved
- •Color Coded Handles

	1	
Size 8, Length 21mm, 6/Pkg	29-11636	5.95
Size 10, Length 21mm, 6/Pkg	29-11635	5.95
Size 15, Length 21mm, 6/Pkg	29-11634	5.95
Size 20, Length 21mm, 6/Pkg	29-11633	5.95
Size 25, Length 21mm, 6/Pkg	29-11632	5.95
Size 30, Length 21mm, 6/Pkg	29-11637	5.95
Size 35, Length 21mm, 6/Pkg	29-11638	5.95
Size 40, Length 21mm, 6/Pkg	29-11621	5.95
Size 15-40, Length 21mm, 6/Pkg	29-11620	5.95
Size 45, Length 21mm, 6/Pkg	29-11631	5.95
Size 50, Length 21mm, 6/Pkg	29-11630	5.95
Size 55, Length 21mm, 6/Pkg	29-11617	5.95
Size 60, Length 21mm, 6/Pkg	29-11629	5.95
Size 70, Length 21mm, 6/Pkg	29-11639	5.95
Size 80, Length 21mm, 6/Pkg	29-11628	5.95
Size 45-80, Length 21mm, 6/Pkg	29-11643	5.95
Size 8, Length 25mm, 6/Pkg	29-11623	5.95
Size 10, Length 25mm, 6/Pkg	29-11622	5.95
Size 15, Length 25mm, 6/Pkg	29-11627	5.95

Size 20, Length 25mm, 6/Pkg	29-11624	5.95
Size 25, Length 25mm, 6/Pkg	29-11625	5.95
Size 30, Length 25mm, 6/Pkg	29-11626	5.95
Size 35, Length 25mm, 6/Pkg	29-11644	5.95
Size 40, Length 25mm, 6/Pkg	29-11645	5.95
Size 15-40, Length 25mm, 6/Pkg	29-11660	5.95
Size 45, Length 25mm, 6/Pkg	29-11646	5.95
Size 50, Length 25mm, 6/Pkg	29-11641	5.95
Size 55, Length 25mm, 6/Pkg	29-11640	5.95
Size 60, Length 25mm, 6/Pkg	29-11658	5.95
Size 70, Length 25mm, 6/Pkg	29-11659	5.95
Size 80, Length 25mm, 6/Pkg	29-11647	5.95
Size 45-80, Length 25mm, 6/Pkg	29-11648	5.95
Size 8, Length 31mm, 6/Pkg	29-11649	5.95
Size 10, Length 31mm, 6/Pkg	29-11661	5.95
Size 15, Length 31mm, 6/Pkg	29-11662	5.95
Size 20, Length 31mm, 6/Pkg	29-11663	5.95
Size 25, Length 31mm, 6/Pkg	29-11653	5.95
Size 30, Length 31mm, 6/Pkg	29-11652	5.95
Size 35, Length 31mm, 6/Pkg	29-11651	5.95
Size 40, Length 31mm, 6/Pkg	29-11650	5.95
Size 15-40, Length 31mm, 6/Pkg	29-11642	5.95
Size 45, Length 31mm, 6/Pkg	29-11664	5.95
Size 50, Length 31mm, 6/Pkg	29-11619	5.95
Size 55, Length 31mm, 6/Pkg	29-11618	5.95
Size 60, Length 31mm, 6/Pkg	29-11655	5.95
Size 70, Length 31mm, 6/Pkg	29-11654	5.95
Size 80, Length 31mm, 6/Pkg	29-11657	5.95
Size 45-80, Length 31mm, 6/Pkg	29-11656	5.95
H-Files Stainless Steel (JS Dental)		
•ISO color coded plastic handle. •Fast cutting instrument with one continuous flute for fast removal of debris.	nu-	
Size 08, Length 21mm, 6/Pkg	29-11712	6.95



Size 25, Length 21mm, 6/Pkg	29-11696	6.95
Size 30, Length 21mm, 6/Pkg	29-11695	6.95
Size 35, Length 21mm, 6/Pkg	29-11694	6.95
Size 40, Length 21mm, 6/Pkg	29-11693	6.95
Size 45, Length 21mm, 6/Pkg	29-11692	6.95
Size 50, Length 21mm, 6/Pkg	29-11691	6.95
Size 55, Length 21mm, 6/Pkg	29-11690	6.95
Size 60, Length 21mm, 6/Pkg	29-11700	6.95
Size 70, Length 21mm, 6/Pkg	29-11701	6.95
Size 80, Length 21mm, 6/Pkg	29-11711	6.95
Size 15-40, Length 21mm, 6/Pkg	29-11710	6.95
Size 45-80, Length 21mm , 6/Pkg	29-11709	6.95
Size 08, Length 25mm, 6/Pkg	29-11708	6.95
Size 10, Length 25mm, 6/Pkg	29-11707	6.95
Size 15, Length 25mm, 6/Pkg	29-11706	6.95
Size 20, Length 25mm, 6/Pkg	29-11705	6.95
Size 25, Length 25mm, 6/Pkg	29-11704	6.95
Size 30, Length 25mm, 6/Pkg	29-11703	6.95
Size 35, Length 25mm, 6/Pkg	29-11702	6.95
Size 40, Length 25mm, 6/Pkg	29-11689	6.95
Size 45, Length 25mm, 6/Pkg	29-11688	6.95
Size 50, Length 25mm, 6/Pkg	29-11675	6.95
Size 55, Length 25mm, 6/Pkg	29-11674	6.95
Size 60, Length 25mm, 6/Pkg	29-11673	6.95
Size 70, Length 25mm, 6/Pkg	29-11672	6.95
Size 80, Length 25mm, 6/Pkg	29-11671	6.95
Size 15-40, Length 25mm , 6/Pkg	29-11670	6.95
Size 45-80, Length 25mm , 6/Pkg	29-11669	6.95
Size 08, Length 31mm, 6/Pkg	29-11668	6.95
Size 10, Length 31mm, 6/Pkg	29-11667	6.95
Size 15, Length 31mm, 6/Pkg	29-11666	6.95
Size 20, Length 31mm, 6/Pkg	29-11676	6.95
Size 25, Length 31mm, 6/Pkg	29-11677	6.95
Size 30, Length 31mm, 6/Pkg	29-11687	6.95
Size 35, Length 31mm, 6/Pkg	29-11686	6.95
Size 40, Length 31mm, 6/Pkg	29-11685	6.95
Size 45, Length 31mm, 6/Pkg	29-11684	6.95

6.95

6.95

29-11698

29-11697

Size 15, Length 21mm, 6/Pkg

Size 20, Length 21mm, 6/Pkg



Size 50, Length 31mm, 6/Pkg	29-11683	6.95
Size 55, Length 31mm, 6/Pkg	29-11682	6.95
Size 60, Length 31mm, 6/Pkg	29-11681	6.95
Size 70, Length 31mm, 6/Pkg	29-11680	6.95
Size 80, Length 31mm, 6/Pkg	29-11679	6.95
Size 15-40, Length 31mm, 6/Pkg	29-11678	6.95
Size 45-80, Length 31mm, 6/Pkg	29-11665	6.95

K-Files Stainless Steel with Endo Stop (ATW)

•High quality stainless steel K-Files with Endo Stop

•FDA and ISO approved

•Color Coded Handles

Size 8, Length 21mm, 6/Pkg	29-11892	4.95
Size 10, Length 21mm, 6/Pkg	29-11878	4.95
Size 15, Length 21mm, 6/Pkg	29-11879	4.95
Size 20, Length 21mm, 6/Pkg	29-11876	4.95
Size 25, Length 21mm, 6/Pkg	29-11877	4.95
Size 30, Length 21mm, 6/Pkg	29-11875	4.95
Size 35, Length 21mm, 6/Pkg	29-11873	4.95
Size 40, Length 21mm, 6/Pkg	29-11874	4.95
Size 15-40, Length 21mm, 6/Pkg	29-11872	4.95
Size 45, Length 21mm, 6/Pkg	29-11870	5.95
Size 50, Length 21mm, 6/Pkg	29-11871	5.95
Size 55, Length 21mm, 6/Pkg	29-11880	5.95
Size 60, Length 21mm, 6/Pkg	29-11881	5.95
Size 70, Length 21mm, 6/Pkg	29-11862	5.95
Size 80, Length 21mm, 6/Pkg	29-11885	5.95
Size 45-80, Length 21mm, 6/Pkg	29-11891	5.95
Size 8, Length 25mm, 6/Pkg	29-11890	4.95
Size 10, Length 25mm, 6/Pkg	29-11889	4.95
Size 15, Length 25mm, 6/Pkg	29-11888	4.95
Size 20, Length 25mm, 6/Pkg	29-11887	4.95
Size 25, Length 25mm, 6/Pkg	29-11886	4.95
Size 30, Length 25mm, 6/Pkg	29-11884	4.95
Size 35, Length 25mm, 6/Pkg	29-11883	4.95
Size 40, Length 25mm, 6/Pkg	29-11882	4.95
Size 15-40, Length 25mm, 6/Pkg	29-11869	4.95

Endodontics

Size 45, Length 25mm, 6/Pkg	29-11868	5.95
Size 50, Length 25mm, 6/Pkg	29-11855	5.95
Size 55, Length 25mm, 6/Pkg	29-11854	5.95
Size 60, Length 25mm, 6/Pkg	29-11853	5.95
Size 70, Length 25mm, 6/Pkg	29-11852	5.95
Size 80, Length 25mm, 6/Pkg	29-11851	5.95
Size 45-80, Length 25mm, 6/Pkg	29-11850	5.95
Size 8, Length 31mm, 6/Pkg	29-11849	4.95
Size 10, Length 31mm, 6/Pkg	29-11848	4.95
Size 15, Length 31mm, 6/Pkg	29-11847	4.95
Size 20, Length 31mm, 6/Pkg	29-11846	4.95
Size 25, Length 31mm, 6/Pkg	29-11856	4.95
Size 30, Length 31mm, 6/Pkg	29-11857	4.95
Size 35, Length 31mm, 6/Pkg	29-11867	4.95
Size 40, Length 31mm, 6/Pkg	29-11866	4.95
Size 15-40, Length 31mm, 6/Pkg	29-11865	4.95
Size 45, Length 31mm, 6/Pkg	29-11864	5.95
Size 50, Length 31mm, 6/Pkg	29-11863	5.95
Size 55, Length 31mm, 6/Pkg	29-11861	5.95
Size 60, Length 31mm, 6/Pkg	29-11858	5.95
Size 70, Length 31mm, 6/Pkg	29-11859	5.95
Size 80, Length 31mm, 6/Pkg	29-11860	5.95
Size 45-80, Length 31mm, 6/Pkg	29-11845	5.95

K-Files Stainless Steel (JS Dental)

•ISO color coded plastic handle

•Strong and stable instrument for cleaning and shaping the canal walls

Size 06, Length 21mm, 6/Pkg	29-11929	6.95
Size 08, Length 21mm, 6/Pkg	29-11928	6.95
Size 10, Length 21mm, 6/Pkg	29-11927	6.95
Size 15, Length 21mm, 6/Pkg	29-11937	6.95
Size 20, Length 21mm, 6/Pkg	29-11926	6.95
Size 25, Length 21mm, 6/Pkg	29-11925	6.95
Size 30, Length 21mm, 6/Pkg	29-11924	6.95
Size 35, Length 21mm, 6/Pkg	29-11923	6.95
Size 40, Length 21mm, 6/Pkg	29-11922	6.95

Size 45, Length 21mm, 6/Pkg	29-11921	6.95
Size 50, Length 21mm, 6/Pkg	29-11920	6.95
Size 55, Length 21mm, 6/Pkg	29-11930	6.95
Size 60, Length 21mm, 6/Pkg	29-11931	6.95
Size 70, Length 21mm, 6/Pkg	29-11932	6.95
Size 80, Length 21mm, 6/Pkg	29-11943	6.95
Size 15-40, Length 21mm, 6/Pkg	29-11942	6.95
Size 45-80, Length 21mm, 6/Pkg	29-11941	6.95
Size 06, Length 25mm, 6/Pkg	29-11940	6.95
Size 08, Length 25mm, 6/Pkg	29-11939	6.95
Size 10, Length 25mm, 6/Pkg	29-11938	6.95
Size 15, Length 25mm, 6/Pkg	29-11936	6.95
Size 20, Length 25mm, 6/Pkg	29-11935	6.95
Size 25, Length 25mm, 6/Pkg	29-11934	6.95
Size 30, Length 25mm, 6/Pkg	29-11933	6.95
Size 35, Length 25mm, 6/Pkg	29-11919	6.95
Size 40, Length 25mm, 6/Pkg	29-11918	6.95
Size 45, Length 25mm, 6/Pkg	29-11917	6.95
Size 50, Length 25mm, 6/Pkg	29-11903	6.95
Size 55, Length 25mm, 6/Pkg	29-11902	6.95
Size 60, Length 25mm, 6/Pkg	29-11901	6.95
Size 70, Length 25mm, 6/Pkg	29-11900	6.95
Size 80, Length 25mm, 6/Pkg	29-11899	6.95
Size 15-40, Length 25mm , 6/Pkg	29-11897	6.95
Size 45-80, Length 25mm , 6/Pkg	29-11898	6.95
Size 06, Length 31mm, 6/Pkg	29-11896	6.95
Size 08, Length 31mm, 6/Pkg	29-11895	6.95
Size 10, Length 31mm, 6/Pkg	29-11894	6.95
Size 15, Length 31mm, 6/Pkg	29-11904	6.95
Size 20, Length 31mm, 6/Pkg	29-11905	6.95
Size 25, Length 31mm, 6/Pkg	29-11906	6.95
Size 30, Length 31mm, 6/Pkg	29-11916	6.95
Size 35, Length 31mm, 6/Pkg	29-11915	6.95
Size 40, Length 31mm, 6/Pkg	29-11914	6.95
Size 45, Length 31mm, 6/Pkg	29-11913	6.95
Size 50, Length 31mm, 6/Pkg	29-11912	6.95
Size 55, Length 31mm, 6/Pkg	29-11911	6.95



Prestige Dental Products Prestigedental products		
Tel: 877-772-3888		
Size 60, Length 31mm, 6/Pkg	29-11910	6.95
Size 70, Length 31mm, 6/Pkg	29-11909	6.95
Size 80, Length 31mm, 6/Pkg	29-11908	6.95
Size 15-40, Length 31mm , 6/Pkg	29-11907	6.95
Size 45-80, Length 31mm , 6/Pkg	29-11893	6.95
Mity Nickel-Titanium Compactors (JS	Dental)	
ISO color coded aluminum handle. Instruments used to compact gutta-percand other filling materials.	ha	
Size 25, Length 21mm, 6/Pkg	29-11992	28.95
Size 35, Length 21mm, 6/Pkg	29-11991	28.95
Size 45, Length 21mm, 6/Pkg	29-11990	28.95
Size 25, Length 25mm, 6/Pkg	29-11989	28.95
Size 35, Length 25mm, 6/Pkg	29-11988	28.95
Size 45, Length 25mm, 6/Pkg	29-11987	28.95
Mity Nickel-Titanium Finger Pluggers	(JS Dental)	
•ISO color coded plastic handle.		
Smooth conical instrument with flat tip. Designed for vertical and lateral compacting of gutta percha and other filling materials	H	
tip. •Designed for vertical and lateral compacting of gutta percha and other fill-	29-12141	20.40
tip. •Designed for vertical and lateral compacting of gutta percha and other filling materials		
tip. •Designed for vertical and lateral compacting of gutta percha and other filling materials Size 15, Length 21mm, 6/Pkg	29-12141	20.40
tip. •Designed for vertical and lateral compacting of gutta percha and other filling materials Size 15, Length 21mm, 6/Pkg Size 20, Length 21mm, 6/Pkg	29-12141 29-12129	20.40 20.40
tip. •Designed for vertical and lateral compacting of gutta percha and other filling materials Size 15, Length 21mm, 6/Pkg Size 20, Length 21mm, 6/Pkg Size 25, Length 21mm, 6/Pkg	29-12141 29-12129 29-12128	20.40 20.40 20.40
tip. •Designed for vertical and lateral compacting of gutta percha and other filling materials Size 15, Length 21mm, 6/Pkg Size 20, Length 21mm, 6/Pkg Size 25, Length 21mm, 6/Pkg Size 30, Length 21mm, 6/Pkg	29-12141 29-12129 29-12128 29-12127	20.40 20.40 20.40 20.40
tip. •Designed for vertical and lateral compacting of gutta percha and other filling materials Size 15, Length 21mm, 6/Pkg Size 20, Length 21mm, 6/Pkg Size 25, Length 21mm, 6/Pkg Size 30, Length 21mm, 6/Pkg Size 35, Length 21mm, 6/Pkg	29-12141 29-12129 29-12128 29-12127 29-12126	20.40 20.40 20.40 20.40 20.40
tip. •Designed for vertical and lateral compacting of gutta percha and other filling materials Size 15, Length 21mm, 6/Pkg Size 20, Length 21mm, 6/Pkg Size 25, Length 21mm, 6/Pkg Size 30, Length 21mm, 6/Pkg Size 35, Length 21mm, 6/Pkg Size 40, Length 21mm, 6/Pkg	29-12141 29-12129 29-12128 29-12127 29-12126 29-12125	20.40 20.40 20.40 20.40 20.40 20.40
tip. •Designed for vertical and lateral compacting of gutta percha and other filling materials Size 15, Length 21mm, 6/Pkg Size 20, Length 21mm, 6/Pkg Size 25, Length 21mm, 6/Pkg Size 30, Length 21mm, 6/Pkg Size 35, Length 21mm, 6/Pkg Size 40, Length 21mm, 6/Pkg Size 40, Length 21mm, 6/Pkg	29-12141 29-12129 29-12128 29-12127 29-12126 29-12125 29-12124	20.40 20.40 20.40 20.40 20.40 20.40
tip. •Designed for vertical and lateral compacting of gutta percha and other filling materials Size 15, Length 21mm, 6/Pkg Size 20, Length 21mm, 6/Pkg Size 25, Length 21mm, 6/Pkg Size 30, Length 21mm, 6/Pkg Size 35, Length 21mm, 6/Pkg Size 40, Length 21mm, 6/Pkg Size 40, Length 21mm, 6/Pkg Size 15-40, Length 21mm, 6/Pkg Size 15, Length 25mm, 6/Pkg	29-12141 29-12129 29-12128 29-12127 29-12126 29-12125 29-12124 29-12123	20.40 20.40 20.40 20.40 20.40 20.40 20.40
tip. •Designed for vertical and lateral compacting of gutta percha and other filling materials Size 15, Length 21mm, 6/Pkg Size 20, Length 21mm, 6/Pkg Size 25, Length 21mm, 6/Pkg Size 30, Length 21mm, 6/Pkg Size 35, Length 21mm, 6/Pkg Size 40, Length 21mm, 6/Pkg Size 40, Length 21mm, 6/Pkg Size 15-40, Length 21mm, 6/Pkg Size 15, Length 25mm, 6/Pkg Size 20, Length 25mm, 6/Pkg	29-12141 29-12129 29-12128 29-12127 29-12126 29-12125 29-12124 29-12123 29-12122	20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40
tip. •Designed for vertical and lateral compacting of gutta percha and other filling materials Size 15, Length 21mm, 6/Pkg Size 20, Length 21mm, 6/Pkg Size 25, Length 21mm, 6/Pkg Size 30, Length 21mm, 6/Pkg Size 35, Length 21mm, 6/Pkg Size 40, Length 21mm, 6/Pkg Size 40, Length 21mm, 6/Pkg Size 15-40, Length 21mm, 6/Pkg Size 15, Length 25mm, 6/Pkg Size 20, Length 25mm, 6/Pkg Size 25, Length 25mm, 6/Pkg	29-12141 29-12129 29-12128 29-12127 29-12126 29-12125 29-12124 29-12123 29-12122 29-12130	20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40
tip. •Designed for vertical and lateral compacting of gutta percha and other filling materials Size 15, Length 21mm, 6/Pkg Size 20, Length 21mm, 6/Pkg Size 25, Length 21mm, 6/Pkg Size 30, Length 21mm, 6/Pkg Size 35, Length 21mm, 6/Pkg Size 40, Length 21mm, 6/Pkg Size 40, Length 21mm, 6/Pkg Size 15-40, Length 21mm, 6/Pkg Size 15, Length 25mm, 6/Pkg Size 20, Length 25mm, 6/Pkg Size 25, Length 25mm, 6/Pkg Size 25, Length 25mm, 6/Pkg	29-12141 29-12129 29-12128 29-12127 29-12126 29-12125 29-12124 29-12123 29-12122 29-12130 29-12131	20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40
tip. •Designed for vertical and lateral compacting of gutta percha and other filling materials Size 15, Length 21mm, 6/Pkg Size 20, Length 21mm, 6/Pkg Size 25, Length 21mm, 6/Pkg Size 30, Length 21mm, 6/Pkg Size 35, Length 21mm, 6/Pkg Size 40, Length 21mm, 6/Pkg Size 40, Length 21mm, 6/Pkg Size 15-40, Length 21mm, 6/Pkg Size 15, Length 25mm, 6/Pkg Size 20, Length 25mm, 6/Pkg Size 25, Length 25mm, 6/Pkg Size 30, Length 25mm, 6/Pkg Size 30, Length 25mm, 6/Pkg	29-12141 29-12129 29-12128 29-12127 29-12126 29-12125 29-12124 29-12123 29-12122 29-12130 29-12131 29-12132	20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40
tip. •Designed for vertical and lateral compacting of gutta percha and other filling materials Size 15, Length 21mm, 6/Pkg Size 20, Length 21mm, 6/Pkg Size 25, Length 21mm, 6/Pkg Size 30, Length 21mm, 6/Pkg Size 35, Length 21mm, 6/Pkg Size 40, Length 21mm, 6/Pkg Size 15-40, Length 21mm, 6/Pkg Size 15, Length 25mm, 6/Pkg Size 20, Length 25mm, 6/Pkg Size 25, Length 25mm, 6/Pkg Size 30, Length 25mm, 6/Pkg Size 30, Length 25mm, 6/Pkg Size 35, Length 25mm, 6/Pkg Size 35, Length 25mm, 6/Pkg	29-12141 29-12129 29-12128 29-12127 29-12126 29-12125 29-12124 29-12123 29-12122 29-12130 29-12131 29-12132 29-12132	20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40 20.40

29-12137

20.40

Size 20, Length 31mm, 6/Pkg



Size 25, Length 31mm, 6/Pkg	29-12136	20.40
Size 30, Length 31mm, 6/Pkg	29-12135	20.40
Size 35, Length 31mm, 6/Pkg	29-12134	20.40
Size 40, Length 31mm, 6/Pkg	29-12133	20.40
Size 15-40, Length 31mm , 6/Pkg	29-12121	20.40

Path Finders K-Type-Stainless Steel (JS Dental)



Size 12, Length 21mm, 6/Pkg	29-12261	9.95
Size 12, Length 25mm, 6/Pkg	29-12262	9.95

Reamers Files-Stainless Steel (JS Dental)

- •ISO color coded plastic handle.
- •Designed for smooth preparation of canal walls

-	
-	

Size 08, Length 21mm, 6/Pkg	29-12354	6.95
Size 10, Length 21mm, 6/Pkg	29-12353	6.95
Size 15, Length 21mm, 6/Pkg	29-12337	6.95
Size 20, Length 21mm, 6/Pkg	29-12355	6.95
Size 25, Length 21mm, 6/Pkg	29-12356	6.95
Size 30, Length 21mm, 6/Pkg	29-12357	6.95
Size 35, Length 21mm, 6/Pkg	29-12358	6.95
Size 40, Length 21mm, 6/Pkg	29-12359	6.95
Size 45, Length 21mm, 6/Pkg	29-12360	6.95
Size 50, Length 21mm, 6/Pkg	29-12361	6.95
Size 55, Length 21mm, 6/Pkg	29-12362	6.95
Size 60, Length 21mm, 6/Pkg	29-12352	6.95
Size 70, Length 21mm, 6/Pkg	29-12351	6.95
Size 80, Length 21mm, 6/Pkg	29-12344	6.95
Size 15-40, Length 21mm, 6/Pkg	29-12343	6.95
Size 45-80, Length 21mm, 6/Pkg	29-12342	6.95
Size 08, Length 25mm, 6/Pkg	29-12341	6.95
Size 10, Length 25mm, 6/Pkg	29-12347	6.95
Size 15, Length 25mm, 6/Pkg	29-12345	6.95
Size 20, Length 25mm, 6/Pkg	29-12346	6.95
Size 25, Length 25mm, 6/Pkg	29-12348	6.95

Endodontics

Size 30, Length 25mm, 6/Pkg	29-12363	6.95
Size 35, Length 25mm, 6/Pkg	29-12350	6.95
Size 40, Length 25mm, 6/Pkg	29-12349	6.95
Size 45, Length 25mm, 6/Pkg	29-12364	6.95
Size 50, Length 25mm, 6/Pkg	29-12340	6.95
Size 55, Length 25mm, 6/Pkg	29-12339	6.95
Size 60, Length 25mm, 6/Pkg	29-12338	6.95
Size 70, Length 25mm, 6/Pkg	29-12336	6.95
Size 80, Length 25mm, 6/Pkg	29-12335	6.95
Size 15-40, Length 25mm, 6/Pkg	29-12334	6.95
Size 45-80, Length 25mm, 6/Pkg	29-12333	6.95
Size 08, Length 31mm, 6/Pkg	29-12332	6.95
Size 10, Length 31mm, 6/Pkg	29-12331	6.95
Size 15, Length 31mm, 6/Pkg	29-12376	6.95
Size 20, Length 31mm, 6/Pkg	29-12330	6.95
Size 25, Length 31mm, 6/Pkg	29-12375	6.95
Size 30, Length 31mm, 6/Pkg	29-12366	6.95
Size 35, Length 31mm, 6/Pkg	29-12365	6.95
Size 40, Length 31mm, 6/Pkg	29-12367	6.95
Size 45, Length 31mm, 6/Pkg	29-12368	6.95
Size 50, Length 31mm, 6/Pkg	29-12369	6.95
Size 55, Length 31mm, 6/Pkg	29-12371	6.95
Size 60, Length 31mm, 6/Pkg	29-12370	6.95
Size 70, Length 31mm, 6/Pkg	29-12373	6.95
Size 80, Length 31mm, 6/Pkg	29-12372	6.95
Size 15-40, Length 31mm, 6/Pkg	29-12374	6.95
Size 45-80, Length 31mm, 6/Pkg	29-12329	6.95
I		

Reamers PLUS Files-Stainless Steel (JS Dental)

•ISO color coded plastic handle. •Rubber stop and mm markings •Designed for smooth preparation of car walls	nal	
Size 08, Length 21mm, 6/Pkg	29-12298	7.95
Size 10, Length 21mm, 6/Pkg	29-12311	7.95
Size 15, Length 21mm, 6/Pkg	29-12312	7.95
Size 20, Length 21mm, 6/Pkg	29-12313	7.95
Size 25, Length 21mm, 6/Pkg	29-12314	7.95
Size 30. Length 21mm, 6/Pkg	29-12315	7.95

200000	1100	
Size 35, Length 21mm, 6/Pkg	29-12316	7.95
Size 40, Length 21mm, 6/Pkg	29-12317	7.95
Size 45, Length 21mm, 6/Pkg	29-12318	7.95
Size 50, Length 21mm, 6/Pkg	29-12319	7.95
Size 55, Length 21mm, 6/Pkg	29-12320	7.95
Size 60, Length 21mm, 6/Pkg	29-12310	7.95
Size 70, Length 21mm, 6/Pkg	29-12309	7.95
Size 80, Length 21mm, 6/Pkg	29-12299	7.95
Size 15-40, Length 21mm, 6/Pkg	29-12300	7.95
Size 45-80, Length 21mm, 6/Pkg	29-12301	7.95
Size 08, Length 25mm, 6/Pkg	29-12302	7.95
Size 10, Length 25mm, 6/Pkg	29-12303	7.95
Size 15, Length 25mm, 6/Pkg	29-12304	7.95
Size 20, Length 25mm, 6/Pkg	29-12305	7.95
Size 25, Length 25mm, 6/Pkg	29-12306	7.95
Size 30, Length 25mm, 6/Pkg	29-12307	7.95
Size 35, Length 25mm, 6/Pkg	29-12308	7.95
Size 40, Length 25mm, 6/Pkg	29-12321	7.95
Size 45, Length 25mm, 6/Pkg	29-12322	7.95
Size 50, Length 25mm, 6/Pkg	29-12291	7.95
Size 55, Length 25mm, 6/Pkg	29-12290	7.95
Size 60, Length 25mm, 6/Pkg	29-12289	7.95
Size 70, Length 25mm, 6/Pkg	29-12288	7.95
Size 80, Length 25mm, 6/Pkg	29-12287	7.95
Size 15-40, Length 25mm, 6/Pkg	29-12285	7.95
Size 45-80, Length 25mm, 6/Pkg	29-12286	7.95
Size 08, Length 31mm, 6/Pkg	29-12284	7.95
Size 10, Length 31mm, 6/Pkg	29-12283	7.95
Size 15, Length 31mm, 6/Pkg	29-12282	7.95
Size 20, Length 31mm, 6/Pkg	29-12292	7.95
Size 25, Length 31mm, 6/Pkg	29-12293	7.95
Size 30, Length 31mm, 6/Pkg	29-12323	7.95
Size 35, Length 31mm, 6/Pkg	29-12324	7.95
Size 40, Length 31mm, 6/Pkg	29-12325	7.95
Size 45, Length 31mm, 6/Pkg	29-12326	7.95
Size 50, Length 31mm, 6/Pkg	29-12328	7.95
Size 55, Length 31mm, 6/Pkg	29-12327	7.95



Size 60, Length 31mm, 6/Pkg	29-12297	7.95
Size 70, Length 31mm, 6/Pkg	29-12296	7.95
Size 80, Length 31mm, 6/Pkg	29-12295	7.95
Size 15-40, Length 31mm, 6/Pkg	29-12294	7.95
Size 45-80, Length 31mm, 6/Pkg	29-12281	7.95
S-Files with mm markings –Stainless	Steel (JS Den	tal)
Ç	`	,
•ISO color coded plastic handle an d mm marks		
•Perfect blend of flexibility, durability and	TATA SALES	
cutting ability	100000	
Size 08, Length 21mm, 6/Pkg	29-12456	11.95
Size 10, Length 21mm, 6/Pkg	29-12443	11.95
Size 15, Length 21mm, 6/Pkg	29-12442	11.95
Size 20, Length 21mm, 6/Pkg	29-12441	11.95
Size 25, Length 21mm, 6/Pkg	29-12440	11.95
Size 30, Length 21mm, 6/Pkg	29-12439	11.95
Size 35, Length 21mm, 6/Pkg	29-12438	11.95
Size 40, Length 21mm, 6/Pkg	29-12437	11.95
Size 45, Length 21mm, 6/Pkg	29-12436	11.95
Size 50, Length 21mm, 6/Pkg	29-12435	11.95
Size 55, Length 21mm, 6/Pkg	29-12444	11.95
Size 60, Length 21mm, 6/Pkg	29-12445	11.95
Size 70, Length 21mm, 6/Pkg	29-12446	11.95
Size 80, Length 21mm, 6/Pkg	29-12455	11.95
Size 15-40, Length 21mm, 6/Pkg	29-12453	11.95
Size 45-80, Length 21mm, 6/Pkg	29-12454	11.95
Size 08, Length 25mm, 6/Pkg	29-12452	11.95
Size 10, Length 25mm, 6/Pkg	29-12451	11.95
Size 15, Length 25mm, 6/Pkg	29-12450	11.95
Size 20, Length 25mm, 6/Pkg	29-12449	11.95
Size 25, Length 25mm, 6/Pkg	29-12448	11.95
Size 30, Length 25mm, 6/Pkg	29-12447	11.95
Size 35, Length 25mm, 6/Pkg	29-12434	11.95
Size 40, Length 25mm, 6/Pkg	29-12433	11.95
Size 45, Length 25mm, 6/Pkg	29-12432	11.95
Size 50, Length 25mm, 6/Pkg	29-12419	11.95



Size 60, Length 25mm, 6/Pkg	29-12417	11.95
Size 70, Length 25mm, 6/Pkg	29-12416	11.95
Size 80, Length 25mm, 6/Pkg	29-12415	11.95
Size 15-40, Length 25mm, 6/Pkg	29-12414	11.95
Size 45-80, Length 25mm, 6/Pkg	29-12413	11.95
Size 10, Length 28mm, 6/Pkg	29-12412	11.95
Size 15, Length 28mm, 6/Pkg	29-12411	11.95
Size 20, Length 28mm, 6/Pkg	29-12420	11.95
Size 25, Length 28mm, 6/Pkg	29-12421	11.95
Size 30, Length 28mm, 6/Pkg	29-12422	11.95
Size 35, Length 28mm, 6/Pkg	29-12431	11.95
Size 40, Length 28mm, 6/Pkg	29-12430	11.95
Size 45, Length 28mm, 6/Pkg	29-12429	11.95
Size 50, Length 28mm, 6/Pkg	29-12428	11.95
Size 55, Length 28mm, 6/Pkg	29-12427	11.95
Size 60, Length 28mm, 6/Pkg	29-12426	11.95
Size 70, Length 28mm, 6/Pkg	29-12425	11.95
Size 80, Length 28mm, 6/Pkg	29-12424	11.95
Size 15-40, Length 28mm, 6/Pkg	29-12410	11.95
Size 45-80, Length 28mm, 6/Pkg	29-12423	11.95
S-Finder-Stainless Steel (JS Dental)		
Path finding instrument in S-File configuration	3	
	and the state of t	
and the same of th		
Size 08, Length 18mm, 6/Pkg	29-12457	17.99
Size 08, Length 21mm, 6/Pkg	29-12458	17.99
Turbo Files-Stainless Steel (JS Denta	al)	
•ISO color coded plastic handle •Rubber stops and mm markings combina of a K-File and H-File with two •A continuous flutes makes this instrumer	and the state of t	

8.95

8.95

8.95

8.95

8.95

29-12512

29-12520

29-12519

29-12518

29-12517

Endodontics

Size 30, Length 21mm, 6/Pkg	29-12516	8.95
Size 35, Length 21mm, 6/Pkg	29-12515	8.95
Size 40, Length 21mm, 6/Pkg	29-12514	8.95
Size 45, Length 21mm, 6/Pkg	29-12513	8.95
Size 50, Length 21mm, 6/Pkg	29-12511	8.95
Size 55, Length 21mm, 6/Pkg	29-12510	8.95
Size 60, Length 21mm, 6/Pkg	29-12521	8.95
Size 70, Length 21mm, 6/Pkg	29-12522	8.95
Size 80, Length 21mm, 6/Pkg	29-12532	8.95
Size 15-40, Length 21mm, 6/Pkg	29-12531	8.95
Size 45-80, Length 21mm, 6/Pkg	29-12530	8.95
Size 08, Length 25mm, 6/Pkg	29-12529	8.95
Size 10, Length 25mm, 6/Pkg	29-12528	8.95
Size 15, Length 25mm, 6/Pkg	29-12527	8.95
Size 20, Length 25mm, 6/Pkg	29-12526	8.95
Size 25, Length 25mm, 6/Pkg	29-12525	8.95
Size 30, Length 25mm, 6/Pkg	29-12524	8.95
Size 35, Length 25mm, 6/Pkg	29-12523	8.95
Size 40, Length 25mm, 6/Pkg	29-12509	8.95
Size 45, Length 25mm, 6/Pkg	29-12508	8.95
Size 50, Length 25mm, 6/Pkg	29-12496	8.95
Size 55, Length 25mm, 6/Pkg	29-12497	8.95
Size 60, Length 25mm, 6/Pkg	29-12498	8.95
Size 70, Length 25mm, 6/Pkg	29-12499	8.95
Size 80, Length 25mm, 6/Pkg	29-12491	8.95
Size 15-40, Length 25mm, 6/Pkg	29-12489	8.95
Size 45-80, Length 25mm, 6/Pkg	29-12490	8.95
Size 08, Length 31mm, 6/Pkg	29-12488	8.95
Size 10, Length 31mm, 6/Pkg	29-12487	8.95
Size 15, Length 31mm, 6/Pkg	29-12486	8.95
Size 20, Length 31mm, 6/Pkg	29-12495	8.95
Size 25, Length 31mm, 6/Pkg	29-12494	8.95
Size 30, Length 31mm, 6/Pkg	29-12507	8.95
Size 35, Length 31mm, 6/Pkg	29-12506	8.95
Size 40, Length 31mm, 6/Pkg	29-12505	8.95
Size 45, Length 31mm, 6/Pkg	29-12504	8.95
Size 50, Length 31mm, 6/Pkg	29-12503	8.95

Size 08, Length 21mm, 6/Pkg

Size 10, Length 21mm, 6/Pkg

Size 15, Length 21mm, 6/Pkg

Size 20, Length 21mm, 6/Pkg

Size 25, Length 21mm, 6/Pkg

Size 55, Length 31mm, 6/Pkg	29-12502	8.95
Size 60, Length 31mm, 6/Pkg	29-12501	8.95
Size 70, Length 31mm, 6/Pkg	29-12500	8.95
Size 80, Length 31mm, 6/Pkg	29-12492	8.95
Size 15-40, Length 31mm, 6/Pkg	29-12493	8.95
Size 45-80, Length 31mm, 6/Pkg	29-12485	8.95

Xtreme K-Files No Memory (JS Dental)

•MM markings and rubber stops

•Strong and stable instrument for cleaning and shaping the canal



Size 15, Length 21mm, 6/Pkg	29-12550	30.15
Size 20, Length 21mm, 6/Pkg	29-12562	30.15
Size 25, Length 21mm, 6/Pkg	29-12563	30.15
Size 30, Length 21mm, 6/Pkg	29-12565	30.15
Size 35, Length 21mm, 6/Pkg	29-12566	30.15
Size 40, Length 21mm, 6/Pkg	29-12567	30.15
Size 15-40, Length 21mm, 6/Pkg	29-12568	30.15
Size 15, Length 25mm, 6/Pkg	29-12569	30.15
Size 20, Length 25mm, 6/Pkg	29-12570	30.15
Size 25, Length 25mm, 6/Pkg	29-12561	30.15
Size 30, Length 25mm, 6/Pkg	29-12560	30.15
Size 35, Length 25mm, 6/Pkg	29-12559	30.15
Size 40, Length 25mm, 6/Pkg	29-12551	30.15
Size 15-40, Length 25mm, 6/Pkg	29-12552	30.15
Size 15, Length 31mm, 6/Pkg	29-12553	30.15
Size 20, Length 31mm, 6/Pkg	29-12554	30.15
Size 25, Length 31mm, 6/Pkg	29-12555	30.15
Size 30, Length 31mm, 6/Pkg	29-12556	30.15
Size 35, Length 31mm, 6/Pkg	29-12557	30.15
Size 40, Length 31mm, 6/Pkg	29-12558	30.15
Size 15-40, Length 31mm, 6/Pkg	29-12564	30.15

Xtreme Turbo Files No Memory (JS Dental)

- •ISO color coded plastic handle
- •MM markings and rubber stops
- •A combination instrument for fast removal of debris





	ocis, inc.		
Size	15, Length 21mm, 6/Pkg	29-12591	30.15
Size	20, Length 21mm, 6/Pkg	29-12579	30.15
Size	25, Length 21mm, 6/Pkg	29-12578	30.15
Size	30, Length 21mm, 6/Pkg	29-12577	30.15
Size	35, Length 21mm, 6/Pkg	29-12576	30.15
Size	40, Length 21mm, 6/Pkg	29-12575	30.15
Size	15-40, Length 21mm, 6/Pkg	29-12574	30.15
Size	15, Length 25mm, 6/Pkg	29-12573	30.15
Size	20, Length 25mm, 6/Pkg	29-12580	30.15
Size	25, Length 25mm, 6/Pkg	29-12572	30.15
Size	30, Length 25mm, 6/Pkg	29-12581	30.15
Size	35, Length 25mm, 6/Pkg	29-12582	30.15
Size	40, Length 25mm, 6/Pkg	29-12590	30.15
Size	15-40, Length 25mm, 6/Pkg	29-12589	30.15
Size	15, Length 31mm, 6/Pkg	29-12587	30.15
Size	20, Length 31mm, 6/Pkg	29-12588	30.15
Size	25, Length 31mm, 6/Pkg	29-12586	30.15
Size	30, Length 31mm, 6/Pkg	29-12585	30.15
Size	35, Length 31mm, 6/Pkg	29-12584	30.15
Size	40, Length 31mm, 6/Pkg	29-12583	30.15
Size	15-40, Length 31mm, 6/Pkg	29-12571	30.15

Hand Files-Nickel Titanium

Eco-NiTi H-File (JS Dental)



- •ISO color coded plastic handle.
- •Rubber Stops K-Files and H-•Files of highest quality nickel titanium at a very low price



Size 15, Length 21mm, 6/Pkg	29-11252	11.70
Size 20, Length 21mm, 6/Pkg	29-11264	11.70
Size 25, Length 21mm, 6/Pkg	29-11265	11.70
Size 30, Length 21mm, 6/Pkg	29-11266	11.70
Size 35, Length 21mm, 6/Pkg	29-11267	11.70
Size 40, Length 21mm, 6/Pkg	29-11268	11.70
Size 15-40, Length 21mm, 6/Pkg	29-11269	11.70
Size 15, Length 25mm, 6/Pkg	29-11270	11.70
Size 20, Length 25mm, 6/Pkg	29-11272	11.70



Size 25, Ler	ngth 25mm, 6/Pkg	29-11263	11.70
Size 30, Len	199 25mm , 6/Pkg	29-11262	11.70
Size 35, Len	199 25mm , 6/Pkg	29-11261	11.70
Size 40, Ler	199 25mm , 6/Pkg	29-11254	11.70
Size 15-40,	Length 25mm, 6/Pkg	29-11253	11.70
Size 15, Ler	1989 1989 1989 1989 1999 1999 1999 1999 1999 1999 1999 1999 1999	29-11255	11.70
Size 20, Ler	1989 1989 1989 1989 1999 1999 1999 1999 1999 1999 1999 1999 1999	29-11256	11.70
Size 25, Ler	1989 1989 1989 1989 1989 1989 1989 1989 1989 1989 1989 1989	29-11257	11.70
Size 30, Ler	1989 1989 1989 1989 1989 1989 1989 1989 1989 1989 1989 1989	29-11258	11.70
Size 35, Len	1989 1989 1989 1989 1989 1989 1989 1989 1989 1989 1989 1989	29-11259	11.70
Size 40, Ler	1989 1989 1989 1989 1989 1989 1989 1989 1989 1989 1989 1989	29-11260	11.70
Size 15-40,	Length 28mm, 6/Pkg	29-11271	11.70

Eco-NiTi K-File (JS Dental)



•ISO color coded plastic handle.

•Rubber Stop K-Files and H-Files of highest quality nickel titanium at a very low price



Size 15, Length 21mm, 6/Pkg	29-11273	11.70
Size 20, Length 21mm, 6/Pkg	29-11293	11.70
Size 25, Length 21mm, 6/Pkg	29-11292	11.70
Size 30, Length 21mm, 6/Pkg	29-11291	11.70
Size 35, Length 21mm, 6/Pkg	29-11290	11.70
Size 40, Length 21mm, 6/Pkg	29-11289	11.70
Size 15-40, Length 21mm, 6/Pkg	29-11288	11.70
Size 15, Length 25mm, 6/Pkg	29-11287	11.70
Size 20, Length 25mm, 6/Pkg	29-11286	11.70
Size 25, Length 25mm, 6/Pkg	29-11284	11.70
Size 30, Length 25mm, 6/Pkg	29-11283	11.70
Size 35, Length 25mm, 6/Pkg	29-11282	11.70
Size 40, Length 25mm, 6/Pkg	29-11274	11.70
Size 15-40, Length 25mm, 6/Pkg	29-11275	11.70
Size 15, Length 28mm, 6/Pkg	29-11276	11.70
Size 20, Length 28mm, 6/Pkg	29-11277	11.70
Size 25, Length 28mm, 6/Pkg	29-11278	11.70
Size 30, Length 28mm, 6/Pkg	29-11279	11.70
	Size 20, Length 21mm, 6/Pkg Size 25, Length 21mm, 6/Pkg Size 30, Length 21mm, 6/Pkg Size 35, Length 21mm, 6/Pkg Size 40, Length 21mm, 6/Pkg Size 15-40, Length 21mm, 6/Pkg Size 20, Length 25mm, 6/Pkg Size 25, Length 25mm, 6/Pkg Size 30, Length 25mm, 6/Pkg Size 35, Length 25mm, 6/Pkg Size 35, Length 25mm, 6/Pkg Size 40, Length 25mm, 6/Pkg Size 40, Length 25mm, 6/Pkg Size 15-40, Length 25mm, 6/Pkg Size 15, Length 28mm, 6/Pkg Size 20, Length 28mm, 6/Pkg Size 25, Length 28mm, 6/Pkg	Size 20, Length 21mm, 6/Pkg 29-11293 Size 25, Length 21mm, 6/Pkg 29-11292 Size 30, Length 21mm, 6/Pkg 29-11291 Size 35, Length 21mm, 6/Pkg 29-11290 Size 40, Length 21mm, 6/Pkg 29-11289 Size 15-40, Length 21mm, 6/Pkg 29-11288 Size 20, Length 25mm, 6/Pkg 29-11287 Size 25, Length 25mm, 6/Pkg 29-11286 Size 30, Length 25mm, 6/Pkg 29-11283 Size 35, Length 25mm, 6/Pkg 29-11282 Size 40, Length 25mm, 6/Pkg 29-11274 Size 15, Length 25mm, 6/Pkg 29-11275 Size 15, Length 28mm, 6/Pkg 29-11276 Size 20, Length 28mm, 6/Pkg 29-11277 Size 25, Length 28mm, 6/Pkg 29-11278

Endodontics

Size 35, Length 28mm, 6/Pkg	29-11280	11.70
Size 40, Length 28mm, 6/Pkg	29-11281	11.70
Size 15-40, Length 28mm, 6/Pkg	29-11285	11.70

K-Files Nickel Titanium with Endo Stop (ATW)

- •FDA and ISO approved
- •Color Coded Handles
 •High Quality Nickel Titanium K-File
- •High Quality Nickel Titanium K-Files with Endo Stop

			4	
		B	10	
1	£			
-				

with Endo Stop		
Size 8, Length 21mm, 6/Pkg	29-11752	6.95
Size 10, Length 21mm, 6/Pkg	29-11765	6.95
Size 15, Length 21mm, 6/Pkg	29-11766	6.95
Size 20, Length 21mm, 6/Pkg	29-11767	6.95
Size 25, Length 21mm, 6/Pkg	29-11768	6.95
Size 30, Length 21mm, 6/Pkg	29-11769	6.95
Size 35, Length 21mm, 6/Pkg	29-11770	6.95
Size 40, Length 21mm, 6/Pkg	29-11771	6.95
Size 15-40, Length 21mm, 6/Pkg	29-11772	6.95
Size 45, Length 21mm, 6/Pkg	29-11773	7.95
Size 50, Length 21mm, 6/Pkg	29-11774	7.95
Size 55, Length 21mm, 6/Pkg	29-11764	7.95
Size 60, Length 21mm, 6/Pkg	29-11763	7.95
Size 70, Length 21mm, 6/Pkg	29-11753	7.95
Size 80, Length 21mm, 6/Pkg	29-11754	7.95
Size 45-80, Length 21mm, 6/Pkg	29-11755	7.95
Size 8, Length 25mm, 6/Pkg	29-11756	6.95
Size 10, Length 25mm, 6/Pkg	29-11757	6.95
Size 15, Length 25mm, 6/Pkg	29-11758	6.95
Size 20, Length 25mm, 6/Pkg	29-11761	6.95
Size 25, Length 25mm, 6/Pkg	29-11760	6.95
Size 30, Length 25mm, 6/Pkg	29-11759	6.95
Size 35, Length 25mm, 6/Pkg	29-11762	6.95
Size 40, Length 25mm, 6/Pkg	29-11775	6.95
Size 15-40, Length 25mm, 6/Pkg	29-11776	6.95
Size 45, Length 25mm, 6/Pkg	29-11789	7.95
Size 50, Length 25mm, 6/Pkg	29-11790	7.95
Size 55, Length 25mm, 6/Pkg	29-11791	7.95

Size 60, Length 25mm, 6/Pkg	29-11792	7.95
Size 70, Length 25mm, 6/Pkg	29-11793	7.95
Size 80, Length 25mm, 6/Pkg	29-11794	7.95
Size 45-80, Length 25mm, 6/Pkg	29-11795	7.95
Size 8, Length 31mm, 6/Pkg	29-11796	6.95
Size 10, Length 31mm, 6/Pkg	29-11751	6.95
Size 15, Length 31mm, 6/Pkg	29-11750	6.95
Size 20, Length 31mm, 6/Pkg	29-11788	6.95
Size 25, Length 31mm, 6/Pkg	29-11787	6.95
Size 30, Length 31mm, 6/Pkg	29-11777	6.95
Size 35, Length 31mm, 6/Pkg	29-11778	6.95
Size 40, Length 31mm, 6/Pkg	29-11780	6.95
Size 15-40, Length 31mm, 6/Pkg	29-11779	6.95
Size 45, Length 31mm, 6/Pkg	29-11783	7.95
Size 50, Length 31mm, 6/Pkg	29-11782	7.95
Size 55, Length 31mm, 6/Pkg	29-11781	7.95
Size 60, Length 31mm, 6/Pkg	29-11785	7.95
Size 70, Length 31mm, 6/Pkg	29-11784	7.95
Size 80, Length 31mm, 6/Pkg	29-11749	7.95
Size 45-80, Length 31mm, 6/Pkg	29-11786	7.95

Mity Nickel-Titanium H-Files (JS Dental)



- •ISO color coded plastic handle
- •MM markings and rubber stops.
- •Fast cutting instrument with one continuous flute for fast removal of debris

Size 10, Length 21mm, 6/Pkg	29-12028	20.40
Size 15, Length 21mm, 6/Pkg	29-12040	20.40
Size 20, Length 21mm, 6/Pkg	29-12041	20.40
Size 25, Length 21mm, 6/Pkg	29-12042	20.40
Size 30, Length 21mm, 6/Pkg	29-12043	20.40
Size 35, Length 21mm, 6/Pkg	29-12044	20.40
Size 40, Length 21mm, 6/Pkg	29-12045	20.40
Size 45, Length 21mm, 6/Pkg	29-12046	20.40
Size 50, Length 21mm, 6/Pkg	29-12047	20.40
Size 55, Length 21mm, 6/Pkg	29-12048	20.40



Size 60, Length 21mm, 6/Pkg	29-12039	20.40
Size 70, Length 21mm, 6/Pkg	29-12038	20.40
Size 80, Length 21mm, 6/Pkg	29-12029	20.40
Size 15-40, Length 21mm, 6/Pkg	29-12030	20.40
Size 45-80, Length 21mm, 6/Pkg	29-12031	20.40
Size 10, Length 25mm, 6/Pkg	29-12032	20.40
Size 15, Length 25mm, 6/Pkg	29-12033	20.40
Size 20, Length 25mm, 6/Pkg	29-12034	20.40
Size 25, Length 25mm, 6/Pkg	29-12035	20.40
Size 30, Length 25mm, 6/Pkg	29-12036	20.40
Size 35, Length 25mm, 6/Pkg	29-12037	20.40
Size 40, Length 25mm, 6/Pkg	29-12049	20.40
Size 45, Length 25mm, 6/Pkg	29-12050	20.40
Size 50, Length 25mm, 6/Pkg	29-12051	20.40
Size 60, Length 25mm, 6/Pkg	29-12063	20.40
Size 55, Length 25mm, 6/Pkg	29-12064	20.40
Size 70, Length 25mm, 6/Pkg	29-12065	20.40
Size 80, Length 25mm, 6/Pkg	29-12066	20.40
Size 15-40, Length 25mm, 6/Pkg	29-12067	20.40
Size 45-80, Length 25mm, 6/Pkg	29-12068	20.40
Size 10, Length 31mm, 6/Pkg	29-12069	20.40
Size 15, Length 31mm, 6/Pkg	29-12070	20.40
Size 20, Length 31mm, 6/Pkg	29-12071	20.40
Size 25, Length 31mm, 6/Pkg	29-12062	20.40
Size 30, Length 31mm, 6/Pkg	29-12061	20.40
Size 35, Length 31mm, 6/Pkg	29-12052	20.40
Size 40, Length 31mm, 6/Pkg	29-12053	20.40
Size 45, Length 31mm, 6/Pkg	29-12054	20.40
Size 50, Length 31mm, 6/Pkg	29-12055	20.40
Size 55, Length 31mm, 6/Pkg	29-12056	20.40
Size 60, Length 31mm, 6/Pkg	29-12057	20.40
Size 70, Length 31mm, 6/Pkg	29-12058	20.40
Size 80, Length 31mm, 6/Pkg	29-12059	20.40
Size 15-40, Length 31mm, 6/Pkg	29-12060	20.40
Size 45-80, Length 31mm, 6/Pkg	29-12072	20.40



Mity Nickel-Titanium K-Files (JS Dental)



- •ISO color coded plastic handle.
- •MM markings and rubber stops.
- •Strong and stable instrument for cleaning and shaping the canal walls

Size 08, Length 21mm, 6/Pkg	29-12120	20.40
Size 10, Length 21mm, 6/Pkg	29-12107	20.40
Size 15, Length 21mm, 6/Pkg	29-12106	20.40
Size 20, Length 21mm, 6/Pkg	29-12105	20.40
Size 25, Length 21mm, 6/Pkg	29-12104	20.40
Size 30, Length 21mm, 6/Pkg	29-12103	20.40
Size 35, Length 21mm, 6/Pkg	29-12102	20.40
Size 40, Length 21mm, 6/Pkg	29-12101	20.40
Size 45, Length 21mm, 6/Pkg	29-12100	20.40
Size 50, Length 21mm, 6/Pkg	29-12099	20.40
Size 55, Length 21mm, 6/Pkg	29-12098	20.40
Size 60, Length 21mm, 6/Pkg	29-12108	20.40
Size 70, Length 21mm, 6/Pkg	29-12109	20.40
Size 80, Length 21mm, 6/Pkg	29-12119	20.40
Size 15-40, Length 21mm, 6/Pkg	29-12118	20.40
Size 45-80, Length 21mm, 6/Pkg	29-12117	20.40
Size 08, Length 25mm, 6/Pkg	29-12116	20.40
Size 10, Length 25mm, 6/Pkg	29-12115	20.40
Size 15, Length 25mm, 6/Pkg	29-12114	20.40
Size 20, Length 25mm, 6/Pkg	29-12113	20.40
Size 25, Length 25mm, 6/Pkg	29-12112	20.40
Size 30, Length 25mm, 6/Pkg	29-12111	20.40
Size 35, Length 25mm, 6/Pkg	29-12110	20.40
Size 40, Length 25mm, 6/Pkg	29-12097	20.40
Size 45, Length 25mm, 6/Pkg	29-12096	20.40
Size 50, Length 25mm, 6/Pkg	29-12083	20.40
Size 55, Length 25mm, 6/Pkg	29-12082	20.40
Size 60, Length 25mm, 6/Pkg	29-12081	20.40
Size 70, Length 25mm, 6/Pkg	29-12080	20.40

Endodontics

Size 80, Length 25mm, 6/Pkg	29-12079	20.40
Size 15-40, Length 25mm, 6/Pkg	29-12078	20.40
Size 45-80, Length 25mm, 6/Pkg	29-12077	20.40
Size 10, Length 31mm, 6/Pkg	29-12076	20.40
Size 08, Length 31mm, 6/Pkg	29-12075	20.40
Size 15, Length 31mm, 6/Pkg	29-12074	20.40
Size 20, Length 31mm, 6/Pkg	29-12084	20.40
Size 25, Length 31mm, 6/Pkg	29-12085	20.40
Size 30, Length 31mm, 6/Pkg	29-12095	20.40
Size 35, Length 31mm, 6/Pkg	29-12094	20.40
Size 40, Length 31mm, 6/Pkg	29-12093	20.40
Size 45, Length 31mm, 6/Pkg	29-12092	20.40
Size 50, Length 31mm, 6/Pkg	29-12091	20.40
Size 55, Length 31mm, 6/Pkg	29-12090	20.40
Size 60, Length 31mm, 6/Pkg	29-12089	20.40
Size 70, Length 31mm, 6/Pkg	29-12088	20.40
Size 80, Length 31mm, 6/Pkg	29-12087	20.40
Size 15-40, Length 31mm, 6/Pkg	29-12086	20.40
Size 45-80, Length 31mm, 6/Pkg	29-12073	20.40

Mity Nickel-Titanium Spreaders (JS Dental)

- •ISO color coded plastic handle.
- •Smooth conical instrument with pointed tip.
- •Designed for compacting of gutta percha and other filling materials



Size 15, Length 21mm, 6/Pkg	29-12170	20.40
Size 20, Length 21mm, 6/Pkg	29-12182	20.40
Size 25, Length 21mm, 6/Pkg	29-12183	20.40
Size 30, Length 21mm, 6/Pkg	29-12184	20.40
Size 35, Length 21mm, 6/Pkg	29-12185	20.40
Size 40, Length 21mm, 6/Pkg	29-12186	20.40
Size 15-40, Length 21mm, 6/Pkg	29-12187	20.40
Size 15, Length 25mm, 6/Pkg	29-12188	20.40
Size 20, Length 25mm, 6/Pkg	29-12190	20.40
Size 25, Length 25mm, 6/Pkg	29-12181	20.40
Size 30, Length 25mm, 6/Pkg	29-12180	20.40
Size 35, Length 25mm, 6/Pkg	29-12179	20.40
Size 40, Length 25mm, 6/Pkg	29-12171	20.40
Size 15-40, Length 25mm, 6/Pkg	29-12172	20.40

Size 15, Length 31mm, 6/Pkg	29-12173	20.40
Size 20, Length 31mm, 6/Pkg	29-12174	20.40
Size 25, Length 31mm, 6/Pkg	29-12175	20.40
Size 30, Length 31mm, 6/Pkg	29-12176	20.40
Size 35, Length 31mm, 6/Pkg	29-12177	20.40
Size 40, Length 31mm, 6/Pkg	29-12178	20.40
Size 15-40, Length 31mm, 6/Pkg	29-12189	20.40

Mity Nickel-Titanium Turbo Files (JS Dental)



- •ISO color coded plastic handle
- •MM markings and rubber stops
- •A combination of a K-File and H-File with two continuous flutes makes this instrument effective and stable for fast removal of debris

Size 08, Length 21mm, 6/Pkg	29-12205	20.40
Size 10, Length 21mm, 6/Pkg	29-12191	20.40
Size 15, Length 21mm, 6/Pkg	29-12204	20.40
Size 20, Length 21mm, 6/Pkg	29-12206	20.40
Size 25, Length 21mm, 6/Pkg	29-12207	20.40
Size 30, Length 21mm, 6/Pkg	29-12208	20.40
Size 35, Length 21mm, 6/Pkg	29-12209	20.40
Size 40, Length 21mm, 6/Pkg	29-12210	20.40
Size 45, Length 21mm, 6/Pkg	29-12211	20.40
Size 50, Length 21mm, 6/Pkg	29-12212	20.40
Size 55, Length 21mm, 6/Pkg	29-12213	20.40
Size 60, Length 21mm, 6/Pkg	29-12203	20.40
Size 70, Length 21mm, 6/Pkg	29-12202	20.40
Size 80, Length 21mm, 6/Pkg	29-12192	20.40
Size 15-40, Length 21mm, 6/Pkg	29-12193	20.40
Size 45-80, Length 21mm, 6/Pkg	29-12197	20.40
Size 08, Length 25mm, 6/Pkg	29-12196	20.40
Size 10, Length 25mm, 6/Pkg	29-12195	20.40
Size 15, Length 25mm, 6/Pkg	29-12194	20.40
Size 20, Length 25mm, 6/Pkg	29-12198	20.40
Size 25, Length 25mm, 6/Pkg	29-12199	20.40
Size 30, Length 25mm, 6/Pkg	29-12200	20.40
Size 35, Length 25mm, 6/Pkg	29-12201	20.40



ocis, inc		
Size 40, Length 25mm, 6/Pkg	29-12214	20.40
Size 45, Length 25mm, 6/Pkg	29-12215	20.40
Size 50, Length 25mm, 6/Pkg	29-12228	20.40
Size 55, Length 25mm, 6/Pkg	29-12229	20.40
Size 60, Length 25mm, 6/Pkg	29-12230	20.40
Size 70, Length 25mm, 6/Pkg	29-12231	20.40
Size 80, Length 25mm, 6/Pkg	29-12233	20.40
Size 15-40, Length 25mm, 6/Pkg	29-12232	20.40
Size 45-80, Length 25mm, 6/Pkg	29-12234	20.40
Size 08, Length 31mm, 6/Pkg	29-12235	20.40
Size 10, Length 31mm, 6/Pkg	29-12236	20.40
Size 15, Length 31mm, 6/Pkg	29-12237	20.40
Size 20, Length 31mm, 6/Pkg	29-12227	20.40
Size 25, Length 31mm, 6/Pkg	29-12226	20.40
Size 30, Length 31mm, 6/Pkg	29-12216	20.40
Size 35, Length 31mm, 6/Pkg	29-12217	20.40
Size 40, Length 31mm, 6/Pkg	29-12218	20.40
Size 45, Length 31mm, 6/Pkg	29-12219	20.40
Size 50, Length 31mm, 6/Pkg	29-12220	20.40
Size 55, Length 31mm, 6/Pkg	29-12221	20.40
Size 60, Length 31mm, 6/Pkg	29-12222	20.40
Size 70, Length 31mm, 6/Pkg	29-12223	20.40
Size 80, Length 31mm, 6/Pkg	29-12224	20.40
Size 15-40, Length 31mm, 6/Pkg	29-12225	20.40
Size 45-80, Length 31mm, 6/Pkg	29-12238	20.40

Rotary Engine Files

Engine H-Files Stainless Steel (JS Dental)

- •ISO color coded R/A aluminum handle
- •Use in 1/4 hand-piece only
- •Fast cutting instrument with one continuous flute for fast removal of debris

	And the second	
Size 10, Length 21mm, 6/Pkg	29-11376	8.95
Size 15, Length 21mm, 6/Pkg	29-11360	8.95
Size 20, Length 21mm, 6/Pkg	29-11359	8.95
Size 25, Length 21mm, 6/Pkg	29-11358	8.95
Size 30, Length 21mm, 6/Pkg	29-11357	8.95
Size 35, Length 21mm, 6/Pkg	29-11356	8.95
Size 40, Length 21mm, 6/Pkg	29-11355	8.95



C10, 1110		
Size 45, Length 21mm, 6/Pkg	29-11354	8.95
Size 50, Length 21mm, 6/Pkg	29-11353	8.95
Size 55, Length 21mm, 6/Pkg	29-11352	8.95
Size 60, Length 21mm, 6/Pkg	29-11351	8.95
Size 70, Length 21mm, 6/Pkg	29-11350	8.95
Size 80, Length 21mm, 6/Pkg	29-11349	8.95
Size 15-40, Length 21mm, 6/Pkg	29-11348	8.95
Size 45-80, Length 21mm, 6/Pkg	29-11361	8.95
Size 10, Length 25mm, 6/Pkg	29-11362	8.95
Size 15, Length 25mm, 6/Pkg	29-11375	8.95
Size 20, Length 25mm, 6/Pkg	29-11374	8.95
Size 25, Length 25mm, 6/Pkg	29-11373	8.95
Size 30, Length 25mm, 6/Pkg	29-11372	8.95
Size 35, Length 25mm, 6/Pkg	29-11371	8.95
Size 40, Length 25mm, 6/Pkg	29-11370	8.95
Size 45, Length 25mm, 6/Pkg	29-11369	8.95
Size 50, Length 25mm, 6/Pkg	29-11368	8.95
Size 55, Length 25mm, 6/Pkg	29-11367	8.95
Size 60, Length 25mm, 6/Pkg	29-11366	8.95
Size 70, Length 25mm, 6/Pkg	29-11365	8.95
Size 80, Length 25mm, 6/Pkg	29-11364	8.95
Size 15-40, Length 25mm, 6/Pkg	29-11347	8.95
Size 45-80, Length 25mm, 6/Pkg	29-11363	8.95

Engine Reamers- Stainless Steel (JS Dental)

- •ISO color coded R/A aluminum handle
- •Use in 1/4 hand-piece only
- •Designed for smooth preparation of canal walls

Size 10, Length 21mm, 6/Pkg	29-11377	9.95
Size 15, Length 21mm, 6/Pkg	29-11393	9.95
Size 20, Length 21mm, 6/Pkg	29-11394	9.95
Size 25, Length 21mm, 6/Pkg	29-11395	9.95
Size 30, Length 21mm, 6/Pkg	29-11396	9.95
Size 35, Length 21mm, 6/Pkg	29-11397	9.95
Size 40, Length 21mm, 6/Pkg	29-11398	9.95
Size 45, Length 21mm, 6/Pkg	29-11399	9.95
Size 50, Length 21mm, 6/Pkg	29-11406	9.95

Endodontics

29-11405	9.95
29-11404	9.95
29-11403	9.95
29-11402	9.95
29-11401	9.95
29-11392	9.95
29-11391	9.95
29-11378	9.95
29-11379	9.95
29-11380	9.95
29-11381	9.95
29-11382	9.95
29-11383	9.95
29-11384	9.95
29-11385	9.95
29-11386	9.95
29-11387	9.95
29-11388	9.95
29-11389	9.95
29-11400	9.95
29-11390	9.95
	29-11404 29-11403 29-11402 29-11401 29-11392 29-11391 29-11378 29-11380 29-11381 29-11382 29-11383 29-11384 29-11385 29-11386 29-11387 29-11388 29-11388 29-11389 29-11400

Engine S-Files Stainless Steel (JS Dental)

- •ISO color coded R/A aluminum handle
- •Rubber stops and mm marks
- •Use in 1/4 turn handpiece only
- •Perfect blend of flexibility, durability and cutting ability

Size 10, Length 21mm, 6/Pkg	29-11407	14.95
Size 15, Length 21mm, 6/Pkg	29-11423	14.95
Size 20, Length 21mm, 6/Pkg	29-11424	14.95
Size 25, Length 21mm, 6/Pkg	29-11425	14.95
Size 30, Length 21mm, 6/Pkg	29-11426	14.95
Size 35, Length 21mm, 6/Pkg	29-11427	14.95
Size 40, Length 21mm, 6/Pkg	29-11428	14.95
Size 45, Length 21mm, 6/Pkg	29-11429	14.95
Size 50, Length 21mm, 6/Pkg	29-11430	14.95
Size 55, Length 21mm, 6/Pkg	29-11431	14.95
Size 60, Length 21mm, 6/Pkg	29-11432	14.95

Size 70, Length 21mm, 6/Pkg 29-11433	14.95
27 11 100	
Size 80, Length 21mm, 6/Pkg 29-11434	14.95
Size 15-40, Length 21mm, 6/Pkg 29-11435	14.95
Size 45-80, Length 21mm, 6/Pkg 29-11422	14.95
Size 10, Length 25mm, 6/Pkg 29-11421	14.95
Size 15, Length 25mm, 6/Pkg 29-11408	14.95
Size 20, Length 25mm, 6/Pkg 29-11409	14.95
Size 25, Length 25mm, 6/Pkg 29-11410	14.95
Size 30, Length 25mm, 6/Pkg 29-11411	14.95
Size 35, Length 25mm, 6/Pkg 29-11412	14.95
Size 40, Length 25mm, 6/Pkg 29-11413	14.95
Size 45, Length 25mm, 6/Pkg 29-11414	14.95
Size 50, Length 25mm, 6/Pkg 29-11415	14.95
Size 55, Length 25mm, 6/Pkg 29-11416	14.95
Size 60, Length 25mm, 6/Pkg 29-11417	14.95
Size 70, Length 25mm, 6/Pkg 29-11418	14.95
Size 80, Length 25mm, 6/Pkg 29-11419	14.95
Size 15-40, Length 25mm, 6/Pkg 29-11436	14.95
Size 45-80, Length 25mm, 6/Pkg 29-11420	14.95

Engine T-Files Stainless Steel (JS Dental)

- •ISO color coded R/A aluminum handle
- •Rubber stops and mm markings
- •A combination of a K-File and H-File with two continuous flutes makes this instrument effective and stable for fast removal of debris

effective and stable for fast removal of debris		
Size 10, Length 21mm, 6/Pkg	29-11437	11.95
Size 15, Length 21mm, 6/Pkg	29-11445	11.95
Size 20, Length 21mm, 6/Pkg	29-11454	11.95
Size 25, Length 21mm, 6/Pkg	29-11455	11.95
Size 30, Length 21mm, 6/Pkg	29-11456	11.95
Size 35, Length 21mm, 6/Pkg	29-11457	11.95
Size 40, Length 21mm, 6/Pkg	29-11458	11.95
Size 45, Length 21mm, 6/Pkg	29-11459	11.95
Size 50, Length 21mm, 6/Pkg	29-11466	11.95
Size 55, Length 21mm, 6/Pkg	29-11465	11.95
Size 60, Length 21mm, 6/Pkg	29-11464	11.95
Size 70, Length 21mm, 6/Pkg	29-11463	11.95
Size 80, Length 21mm, 6/Pkg	29-11462	11.95



Size 15-40, Length 21mm, 6/Pkg	29-11461	11.95
Size 45-80, Length 21mm, 6/Pkg	29-11446	11.95
Size 10, Length 25mm, 6/Pkg	29-11447	11.95
Size 15, Length 25mm, 6/Pkg	29-11438	11.95
Size 20, Length 25mm, 6/Pkg	29-11439	11.95
Size 25, Length 25mm, 6/Pkg	29-11440	11.95
Size 30, Length 25mm, 6/Pkg	29-11441	11.95
Size 35, Length 25mm, 6/Pkg	29-11442	11.95
Size 40, Length 25mm, 6/Pkg	29-11443	11.95
Size 45, Length 25mm, 6/Pkg	29-11444	11.95
Size 50, Length 25mm, 6/Pkg	29-11453	11.95
Size 55, Length 25mm, 6/Pkg	29-11452	11.95
Size 60, Length 25mm, 6/Pkg	29-11451	11.95
Size 70, Length 25mm, 6/Pkg	29-11450	11.95
Size 80, Length 25mm, 6/Pkg	29-11449	11.95
Size 15-40, Length 25mm, 6/Pkg	29-11460	11.95
Size 45-80, Length 25mm, 6/Pkg	29-11448	11.95
l .		

Gates Glidden Drills Stainless Steel

•Swiss made latch type instrument for enlarging the coronal portion of the tooth •450-800 rpm

•		
Size 1 ø 0.50, Length Short 28mm	29-11536	17.95
Size 2 ø 0.70, Length Short 28mm	29-11524	17.95
Size 3 ø 0.90, Length Short 28mm	29-11535	17.95
Size 4 ø 1.10, Length Short 28mm	29-11534	17.95
Size 5 ø 1.30, Length Short 28mm	29-11532	17.95
Size 6 ø 1.50, Length Short 28mm	29-11533	17.95
Size 1-6 Asst, Length Short 28mm	29-11531	17.95
Size 1 ø 0.50, Length 32mm	29-11530	17.95
Size 2 ø 0.70, Length 32mm	29-11529	17.95
Size 3 ø 0.90, Length 32mm	29-11528	17.95
Size 4 ø 1.10, Length 32mm	29-11527	17.95
Size 5 ø 1.30, Length 32mm	29-11526	17.95
Size 6 ø 1.50, Length 32mm	29-11525	17.95
Size 1-6 Asst, Length 32mm	29-11537	17.95



Hyflex CM NiTi Rotary Files 19mm (Coltene)

CONTROLLED MEMORY EF-

FECT: HYFLEX CM NiTi Files have been manufactured utilizing a unique process that controls the material's memory, making the files extremely flexible, with no re-bound. This enhancement in NiTi file production technology gives the file the ability to more closely follow the aparton.



the ability to more closely follow the anatomy of the canal, reducing the risk of the file separation, binding and complications such as ledging, transportation, and perforation.

FATIGUE RESISTANT-LESS BREAKAGE: HYFLEX®

CM Niti Files with Controlled memory Effect are up to 385% more resistant to cyclical fatigue compared to other Niti files, reducing the incidence of file separation.

EASY TO FOLLOW, SAFE FILE SEQUENCE: HY-

FLEX CM Niti Files come with a recommended sequence of 3-6 files depending on the size of the root canal, making the procedure straightforward and easy to follow.

08/25, 19mm, 6/Pk

29-11713 **53.95**

Hyflex CM NiTi Rotary Files 21mm (Coltene)

CONTROLLED MEMORY EF-

FECT: HYFLEX CM NiTi Files have been manufactured utilizing a unique process that controls the material's memory, making the files extremely flexible, with no re-bound. This enhancement in NiTi file production technology gives the file the ability to more closely follow the anatomy of the canal, reducing the risk of the file separation, binding and complications such as ledging, transportation, and perforation.



FATIGUE RESISTANT-LESS BREAKAGE: HYFLEX®

CM Niti Files with Controlled memory Effect are up to 385% more resistant to cyclical fatigue compared to other Niti files, reducing the incidence of file separation

EASY TO FOLLOW, SAFE FILE SEQUENCE: HY-

FLEX CM Niti Files come with a recommended sequence of 3-6 files depending on the size of the root canal, making the procedure straightforward and easy to follow.

06/25, 21mm, 6/Pkg	29-11717	53.95
06/30, 21mm, 6/Pkg	29-11716	53.95
06/35, 21mm, 6/Pkg	29-11715	53.95
06/40, 21mm, 6/Pkg	29-11714	53.95
04/15, 21mm, 6/Pkg	29-11727	53.95
04/20, 21mm, 6/Pkg	29-11726	53.95

Endodontics

04/25, 21mm, 6/Pkg	29-11725	53.95
04/30, 21mm, 6/Pkg	29-11724	53.95
04/35, 21mm, 6/Pkg	29-11723	53.95
04/40, 21mm, 6/Pkg	29-11722	53.95
04/45, 21mm, 6/Pkg	29-11721	53.95
04/50, 21mm, 6/Pkg	29-11720	53.95
04/60, 21mm, 6/Pkg	29-11719	53.95
06/20, 21mm, 6/Pkg	29-11718	53.95

Hyflex CM NiTi Rotary Files 25mm (Coltene)

300% more resistance to separation HyFlex® CM™ NiTi files with Controlled Memory are up to 300% more resistant to cyclical fatigue compared to other NiTi files* which substantially helps reducing the incidence of file separation. No rebound + Extreme flexibility = Superior Canal Tracking



HyFlex® Controlled Memory NiTi files have been manufactured utilizing a unique process that controls the material's memory, making the files extremely flexible but without the shape memory of other NiTi files. This gives the file the ability to follow the anatomy of the canal very closely, reducing the risk of ledging, transportation or perforation. Regains shape after sterilization = Multi-use The shape and strength of files with straightened spirals can be restored during autoclaving and reused. Files not returning to original shape should be discarded.

04/15 Taper Files, 25mm, 6/Pkg	29-11741	53.95
04/20 Taper Files, 25mm, 6/Pkg	29-11740	53.95
04/25 Taper Files, 25mm, 6/Pkg	29-11739	53.95
04/30 Taper Files, 25mm, 6/Pkg	29-11738	53.95
04/35 Taper Files, 25mm, 6/Pkg	29-11737	53.95
04/40 Taper Files, 25mm, 6/Pkg	29-11736	53.95
04/45 Taper Files, 25mm, 6/Pkg	29-11735	53.95
04/50 Taper Files, 25mm, 6/Pkg	29-11734	53.95
04/60 Taper Files, 25mm, 6/Pkg	29-11733	53.95
06/20 Taper Files, 25mm, 6/Pkg	29-11732	53.95
06/25 Taper Files, 25mm, 6/Pkg	29-11731	53.95
06/30 Taper Files, 25mm, 6/Pkg	29-11730	53.95
06/35 Taper Files, 25mm, 6/Pkg	29-11729	53.95
06/40 Taper Files, 25mm, 6/Pkg	29-11728	53.95

I entulo	Paste Fillers	Stainless	Steel	(Ic Dental)
Lenturo	raste riners	Stanness	Steel	(JS Dentai)

Latch type instrument designed for delivery of root canal sealers, cements, and medicaments

Size 25, Length 21mm, 4/Pkg	29-11944	9.95
Size 30, Length 21mm, 4/Pkg	29-11952	9.95
Size 35, Length 21mm, 4/Pkg	29-11951	9.95
Size 40, Length 21mm, 4/Pkg	29-11950	9.95
Size 25-40, Length 21mm, 4/Pkg	29-11948	9.95
Size 25, Length 25mm, 4/Pkg	29-11949	9.95
Size 30, Length 25mm, 4/Pkg	29-11947	9.95
Size 35, Length 25mm, 4/Pkg	29-11946	9.95
Size 40, Length 25mm, 4/Pkg	29-11945	9.95
Size 25-40, Length 25mm, 4/Pkg	29-11953	9.95

Liberator Nickel Titanium Rotary Files (Miltex)

The liberatorTM rotary nickel-titanium endodontic files are the result of years of research and development as well as feedback from leading clinicians in the field of endodontics. The files incorporate a

unique straight flute design and manufacturing



process that eliminates the traditional helical flutes found on virtually all rotary endodontic files.

Feel the safety and control - The patented design of the noncutting Roane tip minimizes ledging and transportation while helping to keep liberator files centered in the canal.

Liberator files are designed with straight flutes that will not self-thread, unlike helically fluted files. As proof, a controlled study measure the incidence of self-threading of the Liberator compared to competitive rotary files as shown here.

Feel the superior cutting efficiency - The triangular cross section and lack of radial lands provide sharp cutting edges and reduce torque demand on Liberator files. Because the files operate at high RPM (1,500-200) compared to conventional files (300-500), torque is further reduced according to this basic rule of physics

Efficient debris removal - A vortex created by the high rotational speed effectively removes debris.

Faster, Easy-Use - Liberator files rotating at 1,500-2000RPM cut dentin faster than conventional rotary files at 300RPM. This higher speed also provides excellent tactile feel in canals. Plus, torque control is not required for electric motors. And even airdriven handpieces may be used at 1,500 to 2,000 RPM.

#15 .02 Taper 21mm, 6/Pkg 29-11979 **45.95**



101. 077-772-3000		
#20 .02 Taper 21mm, 6/Pkg	29-11978	45.95
#25 .02 Taper 21mm, 6/Pkg	29-11977	45.95
#30 .02 Taper 21mm, 6/Pkg	29-11976	45.95
#35 .02 Taper 21mm, 6/Pkg	29-11975	45.95
#40 .02 Taper 21mm, 6/Pkg	29-11974	45.95
#15-40 .02 Taper 21mm, 6/Pkg	29-11973	45.95
#45 .02 Taper 21mm, 6/Pkg	29-11970	45.95
#50 .02 Taper 21mm, 6/Pkg	29-11972	45.95
#55 .02 Taper 21mm, 6/Pkg	29-11971	45.95
#60 .02 Taper 21mm, 6/Pkg	29-11969	45.95
#70 .02 Taper 21mm, 6/Pkg	29-11968	45.95
#80 .02 Taper 21mm, 6/Pkg	29-11967	45.95
#45-80 .02 Taper 21mm, 6/Pkg	29-11966	45.95
#15 .02 Taper 25mm, 6/Pkg	29-11965	45.95
#20 .02 Taper 25mm, 6/Pkg	29-11964	45.95
#25 .02 Taper 25mm, 6/Pkg	29-11963	45.95
#30 .02 Taper 25mm, 6/Pkg	29-11962	45.95
#35 .02 Taper 25mm, 6/Pkg	29-11961	45.95
#40 .02 Taper 25mm, 6/Pkg	29-11958	45.95
#15-40 .02 Taper 25mm, 6/Pkg	29-11959	45.95
#45 .02 Taper 25mm, 6/Pkg	29-11960	45.95
#50 .02 Taper 25mm, 6/Pkg	29-11957	45.95
#55 .02 Taper 25mm, 6/Pkg	29-11956	45.95
#60 .02 Taper 25mm, 6/Pkg	29-11955	45.95
#70 .02 Taper 25mm, 6/Pkg	29-11954	45.95
#80 .02 Taper 25mm, 6/Pkg	29-11980	45.95
#45-80 .02 Taper 25mm, 6/Pkg	29-11981	45.95
	·	

Mity Gates Glidden Nickel-Titanium (JS Dental)

•ISO color coded aluminum handle

•Instrument used to enlarge the coronal portion of tooth

of tooth	1	
Size 1, Length 32mm, 6/Pkg	29-12027	28.95
Size 2, Length 32mm, 6/Pkg	29-12026	28.95
Size 3, Length 32mm, 6/Pkg	29-12025	28.95
Size 4, Length 32mm, 6/Pkg	29-12024	28.95
Size 5, Length 32mm, 6/Pkg	29-12023	28.95
Size 6, Length 32mm, 6/Pkg	29-12022	28.95
Size 1-6, Length 32mm, 6/Pkg	29-12021	28.95
l .		



Mity Nickel Titanium 360 Rotary Files (JS Dental)

- •ISO cc aluminum handle
- •MM markings and stops
- •Full rotation engine driven instrument for preparing a smoother, rounder, more uniform canal



difficili cuitai	No. of Street,		
Size 15, Length 21mm, 6/Pkg		29-12169	29.95
Size 20, Length 21mm, 6/Pkg		29-12154	29.95
Size 25, Length 21mm, 6/Pkg		29-12153	29.95
Size 30, Length 21mm, 6/Pkg		29-12152	29.95
Size 35, Length 21mm, 6/Pkg		29-12151	29.95
Size 40, Length 21mm, 6/Pkg		29-12150	29.95
Size 45, Length 21mm, 6/Pkg		29-12149	29.95
Size 50, Length 21mm, 6/Pkg		29-12148	29.95
Size 55, Length 21mm, 6/Pkg		29-12147	29.95
Size 60, Length 21mm, 6/Pkg		29-12146	29.95
Size 70, Length 21mm, 6/Pkg		29-12145	29.95
Size 80, Length 21mm, 6/Pkg		29-12144	29.95
Size 15-40, Length 21mm, 6/Pkg		29-12143	29.95
Size 45-80, Length 21mm, 6/Pkg		29-12155	29.95
Size 15, Length 25mm, 6/Pkg		29-12156	29.95
Size 20, Length 25mm, 6/Pkg		29-12168	29.95
Size 25, Length 25mm, 6/Pkg		29-12167	29.95
Size 30, Length 25mm, 6/Pkg		29-12166	29.95
Size 35, Length 25mm, 6/Pkg		29-12165	29.95
Size 40, Length 25mm, 6/Pkg		29-12164	29.95
Size 45, Length 25mm, 6/Pkg		29-12163	29.95
Size 50, Length 25mm, 6/Pkg		29-12162	29.95
Size 55, Length 25mm, 6/Pkg		29-12161	29.95
Size 60, Length 25mm, 6/Pkg		29-12160	29.95
Size 70, Length 25mm, 6/Pkg		29-12159	29.95
Size 80, Length 25mm, 6/Pkg		29-12158	29.95
Size 15-40, Length 25mm, 6/Pkg		29-12157	29.95
Size 45-80, Length 25mm, 6/Pkg		29-12142	29.95

Mity Nickel Titanium Engine T-Files (JS Dental)

- •ISO color coded aluminum handle
- •MM markings and rubber stops
- •Engine driven 1/4 turn Mity Turbo file



Endodontics

Size 15, Length 21mm, 6/Pkg	29-12020	29.95
Size 20, Length 21mm, 6/Pkg	29-12005	29.95
Size 25, Length 21mm, 6/Pkg	29-12004	29.95
Size 30, Length 21mm, 6/Pkg	29-12003	29.95
Size 35, Length 21mm, 6/Pkg	29-12002	29.95
Size 40, Length 21mm, 6/Pkg	29-12001	29.95
Size 45, Length 21mm, 6/Pkg	29-12000	29.95
Size 50, Length 21mm, 6/Pkg	29-11999	29.95
Size 55, Length 21mm, 6/Pkg	29-11998	29.95
Size 60, Length 21mm, 6/Pkg	29-11997	29.95
Size 70, Length 21mm, 6/Pkg	29-11996	29.95
Size 80, Length 21mm, 6/Pkg	29-11995	29.95
Size 15-40, Length 21mm, 6/Pkg	29-11994	29.95
Size 45-80, Length 21mm, 6/Pkg	29-12006	29.95
Size 15, Length 25mm, 6/Pkg	29-12007	29.95
Size 20, Length 25mm, 6/Pkg	29-12019	29.95
Size 25, Length 25mm, 6/Pkg	29-12018	29.95
Size 30, Length 25mm, 6/Pkg	29-12017	29.95
Size 35, Length 25mm, 6/Pkg	29-12016	29.95
Size 40, Length 25mm, 6/Pkg	29-12015	29.95
Size 45, Length 25mm, 6/Pkg	29-12014	29.95
Size 50, Length 25mm, 6/Pkg	29-12013	29.95
Size 55, Length 25mm, 6/Pkg	29-12012	29.95
Size 60, Length 25mm, 6/Pkg	29-12011	29.95
Size 70, Length 25mm, 6/Pkg	29-12010	29.95
Size 80, Length 25mm, 6/Pkg	29-12009	29.95
Size 15-40, Length 25mm, 6/Pkg	29-12008	29.95
Size 45-80, Length 25mm, 6/Pkg	29-11993	29.95

Peeso Reamers Stainless Steel Files (JS Dental)

Swiss made latch type instrument for removal of coronal portion of tooth as well as gutta-percha for post placement.

well as gutta-percha for post placement.		
Size 1 ø 0.70, Length Short 28mm	29-12263	17.95
Size 2 ø 0.90, Length Short 28mm	29-12268	17.95
Size 3 ø 1.10, Length Short 28mm	29-12269	17.95
Size 4 ø 0.70, Length Short 28mm	29-12270	17.95
Size 5 ø 1.50, Length Short 28mm	29-12271	17.95

29-12273	17.95
29-12272	17.95
29-12274	17.95
29-12275	17.95
29-12276	17.95
29-12266	17.95
29-12265	17.95
29-12264	17.95
29-12267	17.95
_	29-12272 29-12274 29-12275 29-12276 29-12266 29-12265 29-12264

Large Tapered NiTi Rotary Files - Protaper Type (ATW)

NiTi Rotary files with good elasticity and appearance



SX, 25mm, 6/Pkg	29-19221	19.95
S1, 25mm, 6/Pkg	29-19222	19.95
S2, 25mm, 6/Pkg	29-19223	19.95
F1, 25mm, 6/Pkg	29-19224	19.95
F2, 25mm, 6/Pkg	29-19225	19.95
F3, 25mm , 6/Pkg	29-19226	19.95
SX, 21mm, 6/Pkg	29-19227	19.95
S1, 21mm, 6/Pkg	29-19228	19.95
S2, 21mm, 6/Pkg	29-19229	19.95
F1, 21mm, 6/Pkg	29-19230	19.95
F2, 21mm, 6/Pkg	29-19231	19.95
F3, 21mm, 6/Pkg	29-19232	19.95

Safet Spring Spiral Fillers Stainless Steel (JS Dental)

Similar to Paste Filler but with a safety spring all the way to the handle for extra flexibility and safer use.

Size 25, Length 25mm, 4/Pkg	29-12462	10.95
Size 30, Length 25mm, 4/Pkg	29-12461	10.95
Size 35, Length 25mm, 4/Pkg	29-12459	10.95
Size 40, Length 25mm, 4/Pkg	29-12460	10.95
Size 25-40, Length 25mm, 4/Pkg	29-12463	10.95



Versa Brush (Vista)

Versa BrushTM is a rotational utility brush which is ideal for a variety of endodontic and restorative procedures



Incredibly versatile, strong and bendable, *Versa Brush*TM *is a* "must have" for both endodontists and restorative dentists. It is the ideal tool for cleaning endodontic access cavities and removing contaminents left behind, such as sealer components and smear layer.

Used in a latch-grip handpiece at 250rpm or less, the prepared space can be literally scrubbed clean, allowing for more reliable and predictable bonding.

Versa BrushTM is perfect for:

- •Cement removal
- Post hole cleaning
- •Cleaning coronal access openings
- •Use with EDTA to enhance cleansing and removal of smear layer

40/Pkg	23-26241	124.95
5/Pkg	23-26242	29.95

Xtreme 360° Files No Memory (JS Dental)

- •ISO cc aluminum handle
- •MM markings and stops
- •Rotary engine driven instrument for preparing a smoother, rounder, more uniform canal

Size 15, Length 21mm, 6/Pkg	29-12549	35.40
Size 20, Length 21mm, 6/Pkg	29-12537	35.40
Size 25, Length 21mm, 6/Pkg	29-12538	35.40
Size 30, Length 21mm, 6/Pkg	29-12539	35.40
Size 35, Length 21mm, 6/Pkg	29-12540	35.40
Size 40, Length 21mm, 6/Pkg	29-12541	35.40
Size 15-40, Length 21mm, 6/Pkg	29-12542	35.40
Size 15, Length 25mm, 6/Pkg	29-12543	35.40
Size 20, Length 25mm, 6/Pkg	29-12544	35.40
Size 25, Length 25mm, 6/Pkg	29-12545	35.40
Size 30, Length 25mm, 6/Pkg	29-12546	35.40
Size 35, Length 25mm, 6/Pkg	29-12548	35.40
Size 40, Length 25mm, 6/Pkg	29-12547	35.40
Size 15-40, Length 25mm, 6/Pkg	29-12536	35.40



Endodontic Stops

Ease Stops (JS Dental)

White dispenser filled with 250 stops of your color choice. Push button and place stop right onto file. Left and right measuring ruler for exact placement of stops.



Color Rust, 250 Stops/Pkg	29-11245	19.95
Color White, 250 Stops/Pkg	29-11246	19.95
Color Yellow, 250 Stops/Pkg	29-11247	19.95
Color Red, 250 Stops/Pkg	29-11248	19.95
Color Blue, 250 Stops/Pkg	29-11249	19.95
Color Green, 250 Stops/Pkg	29-11250	19.95
Color Black, 250 Stops/Pkg	29-11251	19.95

Silicone Stops (JS Dental)





15 20 25 30 35 40

Color Rust, Round, 100/Pkg	29-12464	7.95
Color Rust, Teardrop, 100/Pkg	29-12465	7.95
Color Asst., Round, 100/Pkg	29-12467	7.95
Color Asst., Teardrop, 100/Pkg	29-12466	7.95

Absorbent Paper Points

Absorbent Paper Points (Meta Biomed)

200 point color coded per Box	Absorbert Paper Points Standard Standar	CE and
Standardized Size 8	29-11112	5.99
Standardized Size 10	29-11111	5.99
Standardized Size 15	29-11113	5.99
Standardized Size 20	29-11114	5.99
Standardized Size 25	29-11115	5.99
Standardized Size 30	29-11116	5.99
Standardized Size 35	29-11117	5.99
Standardized Size 40	29-11118	5.99
Standardized Size 45	29-11119	5.99
Standardized Size 50	29-11120	5.99

Endodontics

Standardized Size 55	29-11121	5.99
Standardized Size 60	29-11122	5.99
Standardized Size 70	29-11123	5.99
Standardized Size 80	29-11124	5.99
Standardized Size 90	29-11125	5.99
Standardized Size 100	29-11126	5.99
Standardized Size 110	29-11127	5.99
Standardized Size 120	29-11128	5.99
Standardized Size 130	29-11129	5.99
Standardized Size 140	29-11130	5.99
Non-Standardized Size XX-Fine	29-11131	5.99
Non-Standardized Size X-Fine	29-11132	5.99
Non-Standardized Size Fine	29-11133	5.99
Non-Standardized Size Medium	29-11134	5.99
Non-Standardized Size Coarse	29-11135	5.99
Non-Standardized Size X-Coarse	29-11136	5.99

Absorbent Paper Points Special Taper (Meta Biomed)



Special Taper .04 Siz	e 15	29-11137	7.99
Special Taper .04 Siz	e 20	29-11138	7.99
Special Taper .04 Siz	e 25	29-11139	7.99
Special Taper .04 Siz	e 30	29-11140	7.99
Special Taper .04 Siz	e 35	29-11141	7.99
Special Taper .04 Siz	e 40	29-11142	7.99
Special Taper .04 Siz	e 45	29-11143	7.99
Special Taper .04 Siz	e 50	29-11144	7.99
Special Taper .04 Siz	e 55	29-11145	7.99
Special Taper .04 Siz	e 60	29-11146	7.99
Special Taper .04 Siz	e 70	29-11147	7.99
Special Taper .04 Siz	e 80	29-11148	7.99
Special Taper .06 Siz	e 15	29-11149	7.99
Special Taper .06 Siz	e 20	29-11150	7.99
Special Taper .06 Siz	e 25	29-11151	7.99
Special Taper .06 Siz	e 30	29-11152	7.99

Special Taper .06 Size 35	29-11153	7.99
Special Taper .06 Size 40	29-11154	7.99
Special Taper .06 Size 45	29-11155	7.99
Special Taper .06 Size 50	29-11156	7.99
Special Taper .06 Size 55	29-11157	7.99
Special Taper .06 Size 60	29-11158	7.99
Special Taper .06 Size 70	29-11159	7.99
Special Taper .06 Size 80	29-11160	7.99

Gutta Percha Point

Gutta Percha Cutter and Trimmer



In 3 seconds only

This instrument is developed for the easy and safe removal and trimming of excess guttapercha and thermal dense filling in your endodontic cases. It is composed ofendo-remover and trimmer operated by two AAA, NiMH rechargeable batteries, which are included in the package.

ERGONOMIC DESIGN

SLIM: To feel comfortable for the treatment in the mouth like dental handpieces

LIGHTWEIGHT: It weighs only 50g together wit 2 cells which leads to easiness in your treatment

PRODUCTIVE ENVIRONMENTS

There is no need for alcohol lamp or burner to heat some instrument to remove the excess, also no need for an assistant.

ECONOMICAL:

If NI-HM batteries are used, you can use this instrument in very powerful and economical ways than disposable alkaline batteries . Normally, it has about 400-500 charging cycles which leads to long lasting usages, also if fully charged, normal usage is between 15-20 times

SAFETY & DURABILITY

This instrument might be semi-permanent only if batteries and tip are refilled, also the patient can not notice the treatment because they can not see compared than the usage of conventional alcohol lamp usage. The patients feels comfortable.

Prior to using this instrument ,please charge and check the batteries.

- 1. Push the button only when are ready to operate
- 2. Place the edge of the tip to the canal orifice, and then push the button for 3 or 4 seconds. It produces enough heat to cut the excess within seconds. That means you don't need to hold the button for overlong time.
- 3. After removing the excess ,please pull the instrument carefully not to touch the skin of the patient.
- 4. After it comes cool ,please clean the tip with wet alcohol gauze or sterilize for the next usage.

Cutter & Trimmer Unit: with 4 X

AAA rechargeable Ni-MH batteries, Rapid charger and two cutting and trimmer tips

29-11539 **139.95**



Gutta Percha Cutter and Trimmer (MTI)

- •Hot cutting of gutta percha prevents the GP points from moving and loosening unintentionally
- •Designed for precise cutting of gutta percha
- •This cordless handpiece and the interchangeable loop tips provide safe and easy access precisely at the canal orifice
- •The instrument is introduced cold and with a touch of a button the tip heats instantly and trims off the excess gutta percha material.



Includes: handpiece, charger, set of 4 tips (assorted)

29-89841 **254.95**

Gutta Percha Points (Meta Biomed)



Standardized Size 8, box of 120 point color coded	29-11540	4.95
Standardized Size 10, box of 120 point color coded	29-11541	4.95
Standardized Size 15, box of 120 point color coded	29-11542	4.95
Standardized Size 20, box of 120 point color coded	29-11543	4.95
Standardized Size 25, box of 120 point color coded	29-11544	4.95
Standardized Size 30, box of 120 point color coded	29-11545	4.95
Standardized Size 35, box of 120 point color coded	29-11546	4.95
Standardized Size 40, box of 120 point color coded	29-11547	4.95
Standardized Size 45, box of 120 point color coded	29-11548	4.95
Standardized Size 50, box of 120 point color coded	29-11549	4.95
Standardized Size 55, box of 120 point color coded	29-11550	4.95
Standardized Size 60, box of 120 point color coded	29-11551	4.95
Standardized Size 70, box of 120 point color coded	29-11552	4.95
Standardized Size 80, box of 120 point color coded	29-11553	4.95
Standardized Size 90, box of 120 point color coded	29-11554	4.95



- CAD, 180-		
Standardized Size 100, box of 120 point color coded	29-11555	4.95
Standardized Size 110, box of 120 point color coded	29-11556	4.95
Standardized Size 120, box of 120 point color coded	29-11557	4.95
Standardized Size 130, box of 120 point color coded	29-11558	4.95
Standardized Size 140, box of 120 point color coded	29-11559	4.95
Non-Standardized Size X-Fine	29-11560	4.95
Non-Standardized Size Fine-Fine	29-11561	4.95
Non-Standardized Medium-Fine	29-11562	4.95
Non-Standardized Fine	29-11563	4.95
Non-Standardized Size Fine-Medium	29-11564	4.95
Non-Standardized Size Medium	29-11565	4.95
Non-Standardized Size Medium-Large	29-11566	4.95
Non-Standardized Size Large	29-11567	4.95
Non-Standardized Size X-Large	29-11568	4.95

Root Canal Sealers Repairs

Acroseal Root Canal Sealer (Septodont)

This endodontic sealer seals the canal permanently, eliminating the worries about leakage and minimizing the risks of root canal treatment failures



- •Adheres to the canal walls and gutta percha points
- •Zero solubility in water for leak-free obturation for reduced risk of late failure
- •Low viscosity allows it to flow into accessory canals for superior fill every time
- •Highly compatible can be used with all gutta-percha obturation techniques, cold or warm
- •Eugenol-free fully compatible with most cements and core materials
- •Automix syringe dispensing systems delivers a homogeneous mix without the mess
- •Radiopaque

Kit: 1 x 8.5g tube of base paste, 1 x 9.5g tube of catalyst paste, 1 crossed-ruled mixing pad

29-94111 **37.95**

AH Plus (Dentsply)

Root Canal Sealer Paste-Paste resin system for better handling Very high radiopacity for easy detection



Standard Pkg. of 2 x 4ml

29-11162 **84.95**

Endodontics

Adseal Root Canal Sealer (Meta Biomed)




Resin-based root canal sealer (Compare to Tubli-Seal 10.5q (KRR))

Advantage: Excellent biocompatibility, Easy to mix paste-

paste, Hermetic sealing ability, Nonstaining to the teeth, Insoluble in tissue fluids and Good radiopacity

Components: 13.5g dual syringe (Base 9g, Epoxy resin, Calcium phosphate) Catalyst 4.5g (Amines, Bismuth subcarbonate), Spatula, , Mixing Plate, Direction for use, Dimension : 80 × 200 × 43 (mm), and Weight : 135g

Physical and Chemical Properties



Working Time: 35 Minutes at 23° C (73%) Setting Time: 45 Minutes at 37° C (99%)

Biocompatibility


Film Thickness : 3.3μm

Test M	lethod	Results
Cytotoxicity	Agar Diffusion	mild
(ISO 10993-5)	-Freshly mixed -Set material	none
Irritation (ISO 10993-10)	oral	no irritation
Systemic (ISO 10993-11)	acute	safe
Implantation (ISO 10993-6)		acceptable (no edema)
Adseal, 13.5g		29-11161 29.9


AH26 (Dentsply)

Resin based, non-acrylic, eugenol-free sealer Used with gutta percha:

•Densfil obturators or silver points Radiopaque



Suitable for a cold & warm obturation techniques



Diapex Root Canal Sealer (Diadent)



Pre-mixed calcium hydroxide and iodoform (in a silicone oil base) paste for temporary or permanent root canal treatment. Diapex is highly radiopaque and antibacterial.

2.0g Paste & 20 Tips 29-94131 **39.95 Tips**, 20/Pkg 29-94132 **9.95**

Endomet Root Canal Sealer (Septodont)

- Easy to use
- Contains thymol iodide, an antiseptic agent
- Radiopaque and non-resorbable within the canal
- Stays soft on the mixing pad but rapidly hardens when placed into the tooth canal



Kit: 12gm tube base, 1-12gm tube catalyst,1 mixing pad

29-94091 **62.95**

Metapex (Meta Biomed)

Calcium Hydroxide with Iodoform Temporary Root

Canal Filling Material with Excellent Radiopacity (Compare with Diapex from Diadent 2.0g paste)



- Weeping canal
- Formation of a hard tissue barrier(Apexification)
- Root canal filling for deciduous teeth
- Internal & external root resorption
- Excellent antibacterial effect and radiopacity
- Premixed paste
- Premixed paste
- Disposable tips for prevention of cross-contamination

Metapex, 2.2g 29-11986 29.99



Root Canal Sealer Silver-Free (Prime Dent)

Excellent sealing capacity



Complete Pkg: 8gm Powder & 10gm resin 29-94101 **41.95**

RSA Roeko Seal Automix (Coltene Whaledent)

A state-of-the-art polydimethylsiloxane based root canal sealer, features the following:

- •Ready for use in a 1:1 automix system
- •Flows into dentine tubules and tiny crevices
- •Sets in both moist and dry conditions
- Insoluable
- •Expands slightly (0.2%)
- •Provides mechanical retention through expansion
- •Permits subsequent revision of the canal
- •Does not contain Eugenol
- •Radiopaque
- Extremely biocompatible
- •Dispenses the sealer homogeneously mixed and free of air bubbles

Standard Set: Dual-barrel syringe, 12

flexible mixing tips, 1 cap 29-94121 **83.95**

Refill Mix Tips, 24/Pkg 29-94122 **26.95**

Sealapex Calcium Hydroxide (Kerr)



Calcium Hydroxide Polymeric Root Canal Sealer

12gm Tube Base, 12gm Tube Catalyst & Mixing Pad

29-16171 **54.95**

Tubli-Seal Endodontic Sealers & Cements (Kerr)

Tubli-Seal is a paste/paste zinc oxide eugenol root canal sealer. Tubli-Seal is light in color, non darkening, and radiopaque.



10gm Tube Base, 1-3.5gm Tube Accelerator & 1 Mixing Pad

29-12484 **39.95**



Chelating Agents

EDTA Solution Aqueous Irrigant (Vista)

- \bullet 17% EDTA in a aqueous solution with approximate ph of 8
- •Ideal for root canal preparation & smear layer removal



120cc Refill Bottle	29-87681	14.49
3cc Unit Dose, 20 single use patient applications along with		
20 Vista Probe needles, 20/Pkg	29-87682	17.49
30ml Bulk Syringe	29-87683	8.95
480ml Bottle	29-87684	44.95

MD-ChelCream 19% ETDA (Meta Biomed)

Easier Filing with Lubricating Action (Compare to RC Prep)

Applications:

- •Root canal preparation with files and reamers
- •Presence of calcifications in the canal
- •Narrow canals in posterior teeth
- •Smear layer removal

Advantages:

- •Removal of inorganic substances by chelation (EDTA-Ca²)
- •Easier filing with lubricating action
- •Produces the cleanest canal wall after smear layer removal Cautions:
- •Use MD-ChelCream with discretion to prevent perforation
- •Avoid extrusion of the MD-ChelCream into the apex
- •Keep the syringe capped all the time
- •Store in temperature $10^{\circ}\text{C} \sim 25^{\circ}\text{C}$ ($50^{\circ}\text{F} \sim 77^{\circ}\text{F}$)

2 Sys. 5.4ml 29-11983 **17.99**

MD-Cleanser 17% ETDA (Meta Biomed)

Excellent Smear Layer Removal (Compare to EDTA Solution from PulpDent)

Applications:

- •Presence of calcifications in the canal
- •Narrow canals in posterior teeth
- •Smear layer removal

Advantages:

- •Removal of inorganic substances by chelation (EDTA-Ca²)
- •Easier filing with lubricating action
- •Produces the cleanest canal wall after smear layer removal

Components:

- •MD-Cleanser : $100\text{M}\ell$
- •1cc syringe
- Disposable tips
- •Dimension : $50 \times 115 \times 55 \text{ (mm)}$
- •Weight: 138g

100ml w/One Syringe & 3 Tips 29-11984 **9.99**

Endodontics

Prep-Rite RC (PulpDent)



•17% viscous EDTA gel that is picked up on an endodontic file to facilitate preperation of the root canal.

Kit Contains: 4-5g Prep-Rite RC Syringes 29-87691 **23.95**

RC PREP (Premier)

For Chemo-Mechanical Preparation of Root Canals





Over 40 years of clinical

use and numerous publications demonstrate the clinical efficacy of RC-Prep for chemo-mechanical preparation of root canals.

RC-Prep's unique formulation of glycol, urea peroxide and EDTA in a special water soluble base helps remove calcifications and lubricates the canal to permit more efficient instrumentation.

Whether you prefer finger or engine driven instruments, RC-Prep

Jar 18gm	29-12280	27.95
Jar 227gm	29-70431	244.95
Syringes 2 x 9 gm	29-70432	35.95
Syringe Kit Contains: 5-3cc Syringes & 50 Tips	29-70433	34.95

RC Prep MicroDose (Premier)

Direct Application Into the Canal

RC-Prep™ MicroDose® is convenient, easy to dispense and eliminates the risk of cross- contamination.



Each MicroDose pipette

contains the ideal amount of RC-Prep (0.2cc) for more efficient instrumentation during root-canal procedures.

You can apply RC-Prep directly into the pulp chamber or into a dappen dish

After each use, the empty pipette is discarded and the Micro-Dose syringe can be conveniently autoclaved

Refill (Pkg. of 100) 0.2cc pipettes 29-88632 **79.95**

Well-Prep EDTA Root Canal Cleaner (Vericom)

Compare to: RC Prep (Premier)

EDTA Root Canal Cleaner

Well prep containing ethylenediamine Tetraacetic acid (EDTA) As a chelating agent allows efficient cleaning and easier preparation of the root canal.

Kit: 3 Sys x 6 gm with Tips 29-87701 **22.95**

Irrigating Solutions

Chlor-Xtra Sodium Hypochlorite (Vista)

The perfect solution for the irrigation, debridement and disinfection of root canals during and after instrumentation

- •4X Faster than ChlorCid®*
- •Dissolve more tissue
- •Improve Disinfection
- •Reduce post-treatment complications

Chlor-XTRATM is a 6% Sodium Hypochlorite formula; enhanced with powerful wetting agents and proprietary surface modifiers that penetrate into lateral canals and isthmuses by lowering surface tension, The result is a much more powerful oxidizing agent, 2+ times thinner than standard Sodium Hypochlorite and 2.6 times more digestive.

- •2.5 X more wetting ability**
- •2.6 X more digestive**
- •Much more powerful oxidizing agent

 16oz Bottle
 29-87671
 49.95

 Prefilled Syringe 3cc, 10/Pkg
 29-87612
 14.29

 Prefilled Syringe 12cc, 10/Pkg
 29-8767123
 14.29

Rinse-N-Dry Ethyl Alcohol Solution (Vista)

•95% Ethyl Alcohol penetrates into lateral canals and isthmuses improving drying and disinfecting properties.

•Use after smear layer removal with EDTA to assure canal is clear of all Chlor-XTRATM before final irrigation step with CHX-PlusTM.

NOTE: CHX and Sodium Hypochlorite can not be mixed due to severe precipitate formation.



Vpro CanalClean Irrigation (Vista)

CanalClearnTM Irrigation Kit

- •All your endo solutions in one easy kit
- •Recommended to yield best outcomes





- •Optimizes the time spent on irrigation
- •No mess... Less time

5 Easy Steps to Improved Outcomes:

- 1 Chlor-XTRA™ 16ml
- 2 EDTA 6ml
- 3 Chlor-XTRATM 10ml
- 4 Rinse-N-DryTM 6ml
- 5 CHX PlusTM 10ml
- 5 Colored Coded Syringes

Kit: 4/Case 29-87731 **69.95**

Sodium Hypochlorite (Vista)

For the debridement and irrigation of root canals during and after instrumentation compare to Ultradent® ChlorCid®*



3% 16oz (480mL) - 1 Bottle 29-98741 **11.39**

6% 16oz (480mL) - 1 Bottle 29-98742 **11.39**

Irrigating Syringes & Needles

Appli-Vac Bendable Needle Tips (Vista)



1" bendable needle tip Blunt-end, side-port. Universal Luer-style designed. Color -coded for easy ID.

23 Ga, 100/Pkg	29-87751	23.59
23 Ga, 20/Pkg	29-87752	5.89
27 Ga, 100/Pkg	29-87753	23.59
27 Ga, 20/Pkg	29-87754	5.89
30 Ga, 100/Pkg	29-87755	27.95
30 Ga, 20/Pkg	29-87756	6.89

Bendable Irrigation Needles (Dentazon)

- •1" multi-purpose bendable irrigation needle tip
- •Excellent flexibility for easy access to any canal
- •Use for root canal irriagtion and periodontal pockets
- •Universal Luer-Lock design
- Color coded
- •Non-sterile

18G: Pink, 1.2 X 25mm, 100/Pkg 29-11175 **7.95 19G: Cream, 1.1 X 25mm,** 100/Pkg 29-11176 **7.95**





20G: Yellow, 0.9 X 25mm, 100/Pkg	29-11177	7.95
22G: Black, 0.7 X 25mm, 100/Pkg	29-11178	7.95
25G: Orange, 0.5 X 25mm, 100/Pkg	29-11179	7.95
27G: Medium Gray, 0.4 X 25mm, 100/Pkg	29-11180	7.95

Canal Clean Side-Port Irrigation Needles Tips (Dentazon)

Canal Clean irrigation needle can greatly in-



crease your patient's safety on root canal and gingival sulci irrigation treatments. Canal Clean's special design (closedend tip & side-port opening) allows you to prevent possible root injury caused by unexpected forceful injection with conventional irrigation needle. As a result, secondary inflammation or flare-up may be also caused by polluted materials. The Canal Clean is a reliable prevention for such clinical difficulties.

28G: Red, 0.36 X 25mm, Root Canal Size #40, 25/Pkg	29-11193	15.95
30G: Yellow, 0.30 X 25mm , Root Canal Size # 30 , 25/Pkg	29-11194	15.95
31G: Blue, 0.25 X 25mm, Root Canal Size #20, 25/Pkg	29-11195	15.95

Endo Irrigation Combo Kit (Pac-Dent)



Monoject style needle tips

27 Ga, Blue, 100/Pkg	29-87801	29.35
23 Ga, Yellow, 100/Pkg	29-87802	29.35
30Ga, 100/Pkg	29-87803	29.35

Evacu-N-Irrig Needle Tips (PacDent)



Pink , 100/Pkg	29-87791	15.21
Gray, 100/Pkg	29-87792	15.21
Yellow, 100/Pkg	29-87793	15.21
Black, 100/Pkg	29-87794	15.21
Blue, 100/Pkg	29-87795	15.21

Endodontics

Fill Station (Vista)

The simples, most convenient way to fill your syringes: No mess, No waste, Less

- •Features syringe-activated valve and low level light indicator
- •Place several units together for convenient filling of multiple solutions
- •Easy to wall mount or use as tabletop modular

Available with HEAT for warm delivery of irrigating solu-

Heating hypochlorite solutions greatly increases tissue dissolution; the magnitude of the increase compared with RT [room temperature] varied from 30% to 300% depending on the concentration, temperature, and type of hypochlorite.

Fill Station TM (no heat)	29-98731	188.95
Fill Station TM with heat	29-98732	289.95
Empty Bottle	29-98733	3.95
Plastic Stopper	29-98734	6.95
Replacement Cap	29-98735	20.95

Irrigating Syringe W/Luer Lock (TCDental)

Accepts all luer lock based needle. Also applicable for use in surgical site irrigation. Non sterile and disposable. Graduated for 10cc.



Graduated for 10cc, 50/Box 29-87601 **11.95**

Irrigation Needles Luer Lock Double Side Vented (Wylke)

With this high quality, double side vented, luer lock irrigation needle, you can be sure to get an effective and safe irrigation when per-



forming and do treatment. Easy and optimized to clean out the canals with the double side openings, creating a "swirleffect". Safe with the closed tip,

Grey 27 gauge .040 X 25mm	29-26081	49.95
Violet 31 gauge .028 X 25mm	29-26082	49.95



Luer-Lock Endo Irrigation Syringes (PacDent)



- •Ideal for surgical site irrigation and compatible with all luer style needles and hubs
- •Disposable, non-sterile.

Caution: Not suitable or intended for use with injection needle tips.

12cc , 100/Box	29-15581	13.95
20cc , 50/Box	29-15582	26.95
3cc, black, w/easy-twist cap, 100/Box	29-15583	12.95
1.2cc, black , 100/Box	29-15584	13.95
1.2cc, white, 100/Box	29-15585	13.95
3cc , 100/Box	29-15586	9.95
6cc, 50/Box	29-15587	10.95

Monovac Irrigation Needle Tips

Disposable, Comparable to Monoject® style



23 Ga. Side Vented, Monoject® style Blue 100Pcs/Box	29-98341	14.95
27 Ga. Side Vented, Monoject® style Yellow, 100Pcs/Box	29-98342	14.95
30Ga. Side Vented, Monoject® style Purple, 100Pcs/Box	29-98343	19.95



Monovac Irrigation Pre-Tipped Syringes



Notched Irrigating Needle Tips (PacDent)

Bendable needle 1" monoject style (notched) needle tips, color coded for easy ID



Blue 23 Ga, 100/Pkg	29-87741	13.60
Yellow 27 Ga, 100/Pkg	29-87742	13.60
30 Ga, 100/Pkg	29-87743	24.10


OptiProbe Side Open Closed End Needle Tips (PacDent)

Designed with a closedend cannula and a side window dispersal point, the OptiProbeTM irrigation probe offers a unique design for unmatched effectiveness, patient comfort, and safety in irrigating root

canals and periodontal pockets.

Side port & Rounded tip

30 Ga. 27 Ga. 23 Ga. Side port poolets with



 Blue 23G, 100Pkg/Tips
 29-26251
 54.95

 Yellow 27G, 100Pkg/Tips
 29-26252
 54.95

 Purple 30G, 100Pkg/Tips
 29-26253
 54.95

Pre-Tipped Syringes with Probe Irrigating Tips (Vista)

Closed end side port needle tip similar to the Max-I-Probe style



3cc Syringes w/23Ga Probe Irrigation Tips, 100/Pkg	29-87821	72.95
3cc Syringes w/27Ga Probe Irrigation Tips, 100/Pkg	29-87822	72.95



Probevac Irrigation Needle Tips

Disposable, Comparable to Max-I-Probe $^{\text{TM}}$ style



23Ga. Close End, Max-I-Probe TM Style, Blue, 100Pcs/Box	29-98331	19.95
27Ga. Close End, Max-I-Probe TM Style, Yellow, 100Pcs/Box	29-98332	19.95
30Ga. Close End, Max-I-Probe TM Style, Purple, 100Pcs/Box	29-98333	25.95

Probevac Irrigation Pre-Tipped Syringes



3cc Syringes, 23Ga Close End Tip, Max-I-Probe TM Style, Blue, 100Pcs/Box	29-98251	27.95
3cc Syringes, 27Ga Close End Tip, Max-I-Probe TM Style, Yellow, 100Pcs/Box	29-98252	27.95
3cc Syringes, 30Ga Close End Tip, Max-I-Probe TM Style, Purple, 100Pcs/Box	29-98253	32.95

Prope Irrigation Tips (Vista)

- •1" Bendable needle tip for irrigating subgingival surgical sites and sulcus
- •Univ Luer-style design. Round, closed end with side-port delivery



23 Ga, 100/Pkg	29-87771	67.95
23 Ga, 20/Pkg	29-87772	15.95
27 Ga, 100/Pkg	29-87773	67.95
27 Ga, 20/Pkg	29-87774	15.95

Secure Lock Bendable Tips (Vista)



- •Same design as Appli-VacTM 3/4" Bendable
- •Universal luer lock style hub with new Secure-LockTM design to increase safety, ease of use and reduce risk of cross-contamination.

Pink 18 Ga, 80/Pkg	29-87781	14.95
Pink 18 Ga, 20/Pkg	29-87782	5.69

Endodontics

Brown 19 Ga, 80/Pkg	29-87783	14.95
Brown 19 Ga, 20/Pkg	29-87784	5.69
Yellow 20 Ga, 80/Pkg	29-87785	14.95
Yellow 20 Ga, 20/Pkg	29-87786	5.69
Black 22 Ga, 80/Pkg	29-87787	14.95
Black 22 Ga, 20/Pkg	29-87788	5.69
Blue 25 Ga, 80/Pkg	29-87789	14.95
Blue 25 Ga, 20/Pkg	29-87790	5.69

Secure-Lock Irrigating Tips (Vista)

- •Same tip design as Appli-VacTM Irrigating tips
- •New locking hub design
- •Easier to use, increases safety and reduces cross-contamination
- •For irrigation of canals, pocket and fistulas



Blue 23 Ga, 80/Pkg	29-87761	25.95
Blue 23 Ga, 20/Pkg	29-87762	6.95
Yellow 27 Ga, 80/Pkg	29-87763	25.95
Yellow 27 Ga, 20/Pkg	29-87764	6.95
Purple 23 Ga, 80/Pkg	29-87765	29.95
Purple 23 Ga, 20/Pkg	29-87766	8.95

Syringes with Appli-Vac Irrigation Tips (Vista)

- •Irrigating Needle Tips. 1" bendable needle tip
- •Blunt-end, side-port
- •Universal Luer-style design
- •Color-coded for easy ID
- •Comparable to Monoject® Style



	1955	
3cc Syringes with 23Ga Appli Vac Irrigation Tips, 100/Pkg	29-87811	30.95
3cc Syringes with 27Ga Appli Vac Irrigation Tips, 100/Pkg	29-87812	30.95
3cc Syringes with 30Ga Appli Vac Irrigation Tips, 100/Pkg	29-87813	38.95
12cc Syringes with 23Ga Appli Vac Irrigation Tips, 100/Pkg	29-87814	37.95
12cc Syringes with 27Ga Appli Vac Irrigation Tips, 100/Pkg	29-87815	37.95
12cc Syringes with 30Ga Appli Vac Irrigation Tips, 100/Pkg	29-87816	42.95

Therma-Flo Step Down Tips (Vista)

Extended Length for precision placement of composite materials.

Step Down tips offer a completely new delivery option for microscope enhanced dentistry and for use with high magnification loupes



Featuring a self-tapping

design that will adapt to most standard compules, our patent pending Step Down tips combine the ultimate in convenience with precise placement of composite materials.

Features:

- •Narrow profile for optimal visualization of work area
- •Extended length for deeper access
- •Narrow profile allows for optimal visualization
- •Designed for easy extrusion of highly-filled composites
- •Available in 2X and 4X reduction for precision placement
- •Orifice reduction for greater precision during micro-restorative procedures

Developed for use with the Therma-FloTM Composite Warming Kit, but can be used with any standard compules or compule guns.

Step Down Tips 2x, 40Cup/Pkg 29-26211 **29.95**

Step Down Tips 4x, 40Cup/Pkg 29-26212 **29.95**

Utility Irrigating Syringes

- ${\color{red}\bullet} Disposable$
- •Non-sterile



12cc, 50/Box

29-98291 **11.95**

Utility Irrigating Syringes (TC Dental)

- •Curved tip provides easy access for maximum canal irrigation
- •Tight fit plunger and see through
- •10 cc and non sterile



Irrigating Syringe w/Curve Tips, 10cc 50Pcs/Box

29-11748 **14.99**

Vpro EndoSafe (Vista)

•Non-clogging VproTM EndoSafeTM is a simple negative pressure, simultaneous irrigation and evacuation device



•When used properly, it provides safe, easy and cost effective apical irrigation and evacuation.


10/Pkg 29-87721 **63.95**



Calcium Hydroxide Treatment

Calasept Plus Calcium Hydroxide (Wykle)

The most effective calcium hydroxide thanks to its high concentration and optimal calcium release.



These generate a high pH value of 12.4 which has a pronounced bactericidal effect.

The high concentration of calcium hydroxide in the paste provides for a long lasting release of calcium ions.

CALASEPT Plus is a ready-to-use paste in air tight syringes for direct application through the Flexi-needle. CALASEPT Plus is radio-opaque.

Kit: 4 syringes each containing 1,5 ml CA-LASEPT Plus & 20 CALASEPT Plus Flexineedles, luer lock

29-26071 **58.95**

1 syringe containing:

1,5 ml CALASEPT Plus & 5 CALASEPT Plus Flexi-needles, luer lock

29-2607 **18.95**

Forendo Paste (PulpDent)

Calcium hydroxide paste with iodoform in a silicone oil base



Bactericidal - Bacteriostatic - pH > 12 - Radiopaque - Non-Setting For temporary and intermediate root canal therapy

Forendo Paste is a strong antibacterial dressing for routine use between office visits to disinfect root canals and for complicated cases when extended calcium hydroxide therapy is indicated.

Indications:

- Disinfects canals
- •Inhibits bacterial growth
- •Prevents flare-ups
- •Promotes periapical healing
- •Treats infected root canals, abscesses and periapical lesions
- •Treats traumatic injuries, root restoration, fractures and perfora-
- •Treats pus, hemorrhage, exudation and weeping canals
- Stimulates apexification and apexogenesis

2.2 gm syringe + **20** applicator tips 29-11523 **32.95**



Metapaste (Meta Biomed)

Calcium Hydroxide with Barium Sulfate Water Soluble Temporary Root Canal Filling Material (Compare to Tempcanal from Pulpdent)



Applications:

- •Weeping canal
- •Formation of a hard tissue barrier(Apexification)
- •Temporary root canal filling
- Internal & external root restoration

Advantages:

- •Easy cleaning and removing with good water solubility
- •Excellent antibacterial effect and radiopacity
- Premixed paste
- •Syringe type for easy delivery of the paste into the canal
- •Disposable tips for prevention of cross-contamination

Metapaste (w/Barium Sulfate & Water Solu-

ble) 2.2g Syringe with 20 Tips

29-11985 **19.99**

Pulpdent Paste (PulpDent)

The Original, Non-Setting, Pre-mixed Calcium Hydroxide Paste

For Root Canal Therapy and Vital Pulp Therapy

Bactericidal - Bacteriostatic -Radiopaque - Non-Setting



Internationally acclaimed as the world's finest treatment for:

- •Vital Pulp Therapy
- •Pulpal Healing
- •Dentin Bridge Formation
- •Root Canal Therapy

Pulpdent Paste is the original premixed calcium hydroxide methylcellulose pulpal dressing. It is indicated for direct pulp capping, pulpotomy and pulpal curettage procedures, and it is used routinely as an antimicrobial intracanal dressing between office visits to disinfect root canals and prevent flareups.

Pulpdent Paste promotes favorable periapical healing and is the treatment of choice in complicated cases involving infection, root restoration, traumatic injuries and other instances where calcium hydroxide therapy is indicated.

When used for vital pulp therapy, Pulpdent Paste stimulates consistent dentin bridge formation

The new dentin bridge is visible clinically after approximately 2-3 months.

Kit: 3mL syringe + 24 needles (18 gauge blunt,

sterile) 29-12277 **37.95** 3 mL syringe 29-12278 **25.29** Syringe needles, 24/Pkg 29-12279 11.95

Endodontics

TempCanal (PulpDent)

Temporary Calcium Hydroxide Root Canal Treatment Paste Bactericidal - Bacterio-

static - Radiopaque - Non-

TempCanal has a pH > 12 and

provides the full benefits of calcium hydroxide in root canal therapy.

For routine use as an antimicrobial intracanal dressing between office visits to disinfect the canal and prevent flare-

For complicated cases involving infection, traumatic injury and other instances where calcium hydroxide therapy is indi-

Routine Treatment Between Office Visits:

- •pH > 12 disinfects canal
- •Prevents flare-ups
- •Replaces hazardous formocresol
- •Easily removed with file and irrigation

Treatment of Complicated Cases

- •Promotes favorable periapical healing
- •Treats infection, abscesses and periapical lesions
- •Treats traumatic injuries, avulsed and luxated teeth
- •Treats root resorption, root fractures and perforations
- •Stimulates apexification and apexogenesis
- •Treats pus, hemorrhage exudation and weeping canals

Preferred Delivery System

- •Screw syringe dispensing system
- •Flows through sterile 22- and 25-gauge needles directly into canal
- •No mixing, no condensing
- •Easily removed from canal with file and irrigation

Kit: 3mL syringe + 12 needles	29-12472	35.99
3 mL syringe	29-12473	23.95
TempCanal needles, pkg. of 12 assorted (22 & 25 gauge)	29-12474	12.49
TempCanal needles, pkg. of 12 X 22 gauge	29-12475	12.49
TempCanal needles, pkg. of 12 X 25 gauge	29-12476	12.49
TempCanal needles, pkg. of 30 X 22 gauge	29-12477	29.39
TempCanal needles, pkg. of 30 X 25 gauge	29-12478	29.39

Endo Boxes & Organizers

Autoclavable Endo Aid (PacDent)

One-finger-held autoclavable organizer gives dental clinicians complete control over endodontic files





- •The organizer is made of fully autoclavable material
- •Effectively organizes endodontic files
- •One-finger-held organizer with ruler ensures convenience

Endo aid kit: 1 organizer with integrated ruler, 2 rings to fit all finger sizes and 50 disposable triangular foam refills	26-25591	39.95
25 yellow triangular foam refills, 25 teal triangular foam refills	26-25592	20.95
50 Triangle foam refills, Gray	26-25593	15.95
50 Triangle foam refills, Teal	26-25594	15.95
50 Triangle foam refills, Yellow	26-25595	15.95
50 Triangle foam, Lavender	26-25596	15.95
Endo organizer only	26-25597	15.95
50 Rectangular foam refills, Gray	26-25598	15.95

Endo Clean Stand & Foam (Plasdent)



White Autoclavable	29-11299	5.95
Blue Autoclavable	29-11298	5.95
Round Endo Foam Blue, Disposable,		
48Pcs/Bag	29-11300	9.95

Endo Foam Inserts (Plasdent)



White, Disposable, 48Pcs/Bag 29-11309 9.95

Endo Ruler (PacDent)

•Autoclavable, stainless steel construction, one-finger-held endo ruler

•Millimeter scale



29-25601 6.95 1 per box

Endo-Cushions hold (IndiGreen)



Disposable Endo-Cushions hold, arrange and clean small instruments during endodontic or implant procedures. Ideal for files, posts, screws, drills and other small items. Peel-and-stick back secures to patient napkins, trav covers or anywhere handy. Pre-arranging saves set-up time. Dense, grev polyurethane foam.

3"long 50 cushions per bag 29-87921 **18.49**



Endoring Filecaddy (Jordco)

The Endoring FileCaddy organizer provides a unique bulk storage solution for all endodontic files.

The clinician places multiple files securely into the special foam insert, closes the lid and steam autoclaves the entire FileCaddy organizer-no bag or wrap required. Single handed operation allows easy opening of

the protective lid to access the processed files at chair side.

Files are easily identified, selected and transferred to the companion Jordco Endoring II organizer for the current endodontic procedure. The FileCaddy organizer disassembles easily to allow replacement of the foam insert.

Kit: 1 FileCaddy and 12 single use refill combos 29-89871 **79.95** 12 FileCaddy single use Blue Foam Refills 29-89872 **25.95**

12 FileCaddy single use Yellow Foam Refills Endoring II Organizer Gelwells (Jordco)

The Endoring II organizer enables the clinician to directly place, store, measure and clean endodontic hand and rotary instruments within the operating field

> It reduces the risk of cross-contamination and minimizes the passing of sharps between dentists and staff.

29-89873 **25.95**

Using the Endoring II organizer helps make endodontic procedures safer and faster.

Single Endoring II Premium Kit: 1 En-

doring II assembly (blue), 1 standard metal ruler, 1 e-Foam insert combo pack (48 inserts), 1 pack Gelwells (48 single-use cups) and 1 EndoGel pack (12 1ml MicroDose tubes-USA kits only)

E-Foam Blue Pack:

Single package of 48 foam inserts 29-89882 **30.95**

E-Foam Yellow Pack:

Single package of 48 foam inserts 29-89883 **30.95**

Endo Burs

Endo Carbide Burs (PacDent)

•151Z can be used for Endo Carbide Burs initial endodontic access, sectioning, root seperation, etc. •152EZ, features non-





29-89881

79.95


cutting safe-end tip that prevents penetration of pulp chamber floor, enables easy access to root canals, comparable to Maillefer Endo-Z bur.



151Z 3Pcs/Pkg	19-25042	20.85
152EZ 3Pcs/Pkg	19-25043	20.85

Endo Diamond Burs (PacDent)

The endo diamond bur's round tip allows access to initial



penetration while its taper shaped shaft flares the pulp chamber. The non-cutting safe tip diamond bur protects chamber floor while removing the pulp chamber roof. The cutting surface is 10mm.

21mm Total Length, 3Pcs/Pkg	19-25054	22.95
21mm Total Length, 3pcs/Pkg	19-25055	22.95
21mm Total Length, 3Pcs/Pkg	19-25056	22.95
21mm Total Length, 3Pcs/Pkg	19-25057	22.95

Ultrasonic Files

Endo Chuck Peizo Tips (ATW)



E1 120° Angle each (Endo File not included) 29-11294 39.99 E2 90° Angle each (Endo File not included) 29-11295 39.99

Endo Chuck Ultrasonic Insert (Bonart)

The Bonart endo chuck insert is designed to support endodontic procedures. The end of the tip has a slot to hold a U-file. U-files are not included with the insert and must be purchased separately. Compatible with the ART-M4 and



ART-M3II. Autoclavable Materials made in USA

Operating Frequency: 25khz only

90° Degree, 25KH each 56-11129 **59.95**

NiTi Endo U-Files

Color Coded used by Ultrasonic scaler unints for root canal cleaning



Tip w/excellent tenacity is used for root canal cleaning
File size: 32.5mm±0.5mm


File size: 32.5mm±0.5mm Handpiece size: Φ0.68mm~0.71mm K-file taper: 2%

Endodontics

#10, 33mm, 6/Pkg	29-12247	12.95
#15, 33mm, 6/Pkg	29-12246	12.95
#20, 33mm, 6/Pkg	29-12245	12.95
#25, 33mm, 6/Pkg	29-12244	12.95
#30, 33mm, 6/Pkg	29-12243	12.95
#35, 33mm, 6/Pkg	29-12242	12.95
#40, 33mm, 6/Pkg	29-12241	12.95
Full Set, 42/Pkg 6 each size	29-12248	79.95


Endodontic Instruments

Broach Removal Pliers (Nordent)




#3 Locking College Plier Locking w/		
Grooved Tips (6"/150mm)	40-11293	37.50
Angular (5 1/2"/ 140mm)	40-11294	71.50
Straight (5 1/2"/ 140mm)	40-11292	71.50

Endo Forceps Stieglitz (Nordent)



45 Degrees	40-11744	71.50
90 Degrees	40-11743	71.50

Pluggers Root Canal (Nordent)




#5-7 Double End

DuraLite® ColorRings™ 40-13549 **27.25**

#5-7 Double End DuraLite® ROUND 40-13548 **26.25**

#5-7 Double End Standard	40-13547	25.25
#9-11 Double End DuraLite® ColorRings™	40-13546	27.25
#9-11 Double End DuraLite® ROUND	40-13545	26.25
#9-11 Double End Standard	40-13544	25.25



#11L Extra Long Shank Double End Spoon DuraLite¬Æ ColorRings,Ñ¢	40-11768	25.75
#11L Extra Long Shank Double End Spoon DuraLite® ROUND	40-11754	24.75
#11L Extra Long Shank Double End Spoon DuraLite® HEX	40-11753	24.75
#11L Extra Long Shank Double End Spoon Standard	40-11751	23.75
#12L Extra Long Shank Double End Spoon DuraLite¬Æ ColorRings,Ñ¢	40-11752	25.75
#12L Extra Long Shank Double End Spoon DuraLite® ROUND	40-11750	24.75
#12L Extra Long Shank Double End Spoon DuraLite® HEX	40-11749	24.75
#12L Extra Long Shank Double End Spoon Standard	40-11748	23.75
#31L Long Shank Double End Blade DuraLite¬Æ ColorRings,Ñ¢	40-11747	25.75
#31L Long Shank Double End Blade DuraLite® HEX	40-11746	24.75
#31L Long Shank Double End Blade DuraLite® ROUND	40-11745	24.75
#31L Long Shank Double End Blade Standard	40-11755	23.75



Tel: 877-772-3888		
#31LR Long Shank Double End Spoon DuraLite¬Æ ColorRings,Ñ¢	40-11756	25.75
#31LR Long Shank Double End Spoon DuraLite® ROUND	40-11767	24.75
#31LR Long Shank Double End Spoon DuraLite® HEX	40-11766	24.75
#31LR Long Shank Double End Spoon Standard	40-11765	23.75
#32L Long Shank Double End DuraLite¬Æ ColorRings,Ñ¢	40-11763	25.75
#32L Long Shank Double End DuraLite® ROUND	40-11762	24.75
#32L Long Shank Double End DuraLite® HEX	40-11761	24.75
#32L Long Shank Double End Standard	40-11760	23.75
#33L Long Shank Double End Spoon DuraLite¬Æ ColorRings,Ñ¢	40-11759	25.75
#33L Long Shank Double End Spoon DuraLite® ROUND	40-11758	24.75
#33L Long Shank Double End Spoon DuraLite® HEX	40-11757	24.75
#33L Long Shank Double End Spoon Standard	40-11764	23.75
Explorers (Nordent)		
#DG16		
#DG 16-23		
#DG16 Double End DuraLite® ColorRings™	40-11774	21.25
	40-11774 40-11773	21.25 20.25
DuraLite® ColorRings™	.0 11//.	
DuraLite® ColorRings™ #DG16 Double End DuraLite® ROUND	40-11773	20.25
DuraLite® ColorRings™ #DG16 Double End DuraLite® ROUND #DG16 Double End Standard #DG16-23 Double End	40-11773 40-11772	20.25 19.25 21.25
DuraLite® ColorRings TM #DG16 Double End DuraLite® ROUND #DG16 Double End Standard #DG16-23 Double End DuraLite® ColorRings TM #DG16-23 Double End	40-11773 40-11772 40-11771	20.25 19.25 21.25 20.25



Spreader NiTi (Nordent) #4SP #D 11 #M A 5728 4SP Single End Nickle Titanium DuraLite® ColorRingsTM 40-13543 26.25 4SP Single End Nickle Titanium DuraLite® ROUND 40-13530 25.25 4SP Single End Nickle Titanium Standard 40-13531 24.25 **#D11 Single End Nickle Titanium** DuraLite® ColorRingsTM 40-13532 26.25 **#D11 Single End Nickle Titanium** DuraLite® ROUND 40-13533 25.25 **#D11 Single End Nickle Titanium** Standard 40-13535 24.25 **#D11T (Thin) Single End Nickle Titanium** DuraLite® ColorRingsTM 40-13534 26.25 **#D11T (Thin) Single End Nickle Titanium** DuraLite® ROUND 40-13536 **25.25 #D11T (Thin) Single End Nickle Titanium** Standard 40-13438 24.25 **#D11T Single End 25MM Nickle Titanium** DuraLite® ColorRingsTM 40-13537 26.25 **#D11T Single End 25MM Nickle Titanium** DuraLite® ROUND 40-13539 25.25 **#D11T Single End 25MM Nickle Titanium** Standard 40-13540 24.25 **#D11T Single End 28MM Nickle Titanium** DuraLite® ColorRings™ 40-13541 26.25 **#D11T Single End 28MM Nickle Titanium** DuraLite® Standard 40-13529 24.25 **#D11T Single End 28MM Nickle Titanium**

Endo Inlays Cerana Endo Inlay (JS Dental)					
Preformed Ceramic Inlays with matching diamond burs. Simple technique makes clinical work easy & efficient. No shrinkage, enamel-like wear resistance, achieves tight contact in one step, resilient long lasting contact point, time & money saving.	CERANA *				
Starter Kit Class I: Inlays - 5 x M & 5 x L, Diamonds - 1 x M & 1 x L, Instructions, and CD	29-11216	124.49			
Starter Kit Class II: Inlays - 5 x M & 5 x L, Diamonds - 1 x M & 1 x L, Instructions, and CD Crown Repair Kit: Inlays - 10xL &	29-11215	124.49			
10xXL, Diamonds - 1xL & 1xXL, Curing Cones, Tweezers, Instruct	29-11213	220.57			
Inlays Class I - Small, 10/Pkg	29-11212	63.37			
Inlays Class I - Medium, 10/Pkg	29-11218	63.37			
Inlays Class 1- Large, 10/Pkg	29-11209	63.37			
Inlays Class 1 - X-Large, 10/Pkg	29-11211	63.37			
Inlays Crown Repair - Large, 10/Pkg	29-11210	63.37			
Inlays Crown Repair - X-Large, 10/Pkg	29-11217	63.37			
Inlays Class II - Small, 10/Pkg	29-11219	63.37			
Inlays Class II - Medium, 10/Pkg	29-11207	63.37			
Inlays Class II - Large, 10/Pkg	29-11208	63.37			
Inlays Class II - X-Large, 10/Pkg	29-11197	63.37			
Diamond Class I - Small, 3/Pkg	29-11198	44.17			
Diamond Class I - Medium, 3/Pkg	29-11201	44.17			
Diamond Class I & Repair - Large, 3/Pkg	29-11200	44.17			
Diamond Class I & Repair - X-Large, 3/Pkg	29-11199	44.17			
Diamond Class II - Small, 3/Pkg	29-11204	44.17			
Diamond Class II - Medium, 3/Pkg	29-11203	44.17			
Diamond Class II - Large, 3/Pkg	29-11202	44.17			
Diamond Class II - X-Large, 3/Pkg	29-11205	44.17			
Grinding Diamond - Ball , 3/Pkg	29-11206	33.60			
Grinding Diamond - Shape, 3/Pkg	29-11220	33.60			
Lockable Tweezers, 1/Pkg	29-11214	16.99			

40-13542 **25.25**

DuraLite® ROUND

Order Form

Ordered By			Delive	er To	Same	as Above
Business Name:			Business	Name:		
Address:			Address:			
State/Province:			State/Pro	vince:		
Zip/Postal Code:			Zip/Posta	al Code:		
Phone:			Phone:			
Fax:			Fax:			
Contact Name:			Contact N	Name:		
Item Number	D	escription	_	Quantity	Unit Price	Amount
		1				
				<u> </u>		
				†	+	
				 	+	
				 	+	
					+	
l				•	1	
				 	+	+
					Sub Total	
Payment		○ Cred	it Card		Sub Total C.O.D. Charges	
-				Fynress		
Online Pay	yment (Bank to Bai	nk)	American I	=	C.O.D. Charges	
-	ment (Bank to Bar	nk)		=	C.O.D. Charges Freight Charges	
O Online Pay		nk)	American I MasterCar	=	C.O.D. Charges Freight Charges Sales Tax	
Online Pay		nk) (American I MasterCar	=	C.O.D. Charges Freight Charges Sales Tax	
O Online Pay		care Exp	O American I O MasterCar O Visa d Number: oiration Date:	rd	C.O.D. Charges Freight Charges Sales Tax	
O Online Pay		care Exp	American I MasterCar Visa d Number:	rd	C.O.D. Charges Freight Charges Sales Tax	
O Online Pay		care Exp	O American I O MasterCar O Visa d Number: oiration Date:	e:	C.O.D. Charges Freight Charges Sales Tax	



Prestige Dental Products, Inc

3031 E. Coronado St., #D Anaheim, Ca 92806

Tel:877-772-3888 Fax:714-632-8821

www.prestigedentalproducts.com

